

# Index

- 0-norm, 247, 279, 281, 301, 304
- 1-norm, 189–193, 221, 287, 392
- 2-norm, 45, 189, 190, 288
  - matrix, 499, 552, 562, 570, 731
- $Ax = b$ , 75, 192, 247, 251, 259, 279, 281, 286, 288, 314, 625
- $\delta$ , 523
- $\infty$ -norm, 189, 190, 193
- $\pi$ , 493, 497, 518, 722
- $\psi$ , 255, 554
- $k$ -largest norm, 193
- 0 eigenvalues theorem, 555
  
- accuracy, 250, 310, 438, 511, 695
- active, 262
- adaptive, 265
- additivity, 90, 537
- adjacency, 47
- adjoint
  - operator, 45, 143, 148, 470
  - self, 335, 523
- affine, 197
  - combination, 61, 68
  - dimension, 21, 36, 53, 369, 371, 372, 381, 471
    - complementary, 471
    - low, 345
    - minimization, 504, 516
    - reduction, 418
    - spectral projection, 517
  - hull, 36, 53
  - independence, 67, 122
    - preservation, 68
  - map, 68
  - set, 36
  - subset, 54, 61
    - hyperplane intersection, 75
    - nullspace basis span, 76
    - projector, 627, 638
    - transformation, 44, 68, 87, 102, 230, 423, 474
- affinely independent, 68
- affinity, 36
- algebra
  - linear, 523
- algebraic
  - complement, 82, 135
  - multiplicity, 547
- Alizadeh, 253
- alternation, 410
- alternative, 149, 150
  - weak, 151
- ambient, 463, 476
  - vector space, 34
- anchor, 265, 341, 348
- angle, 74
  - acute, 63
  - alternating projection, 678
  - brackets, 45
  - constraint, 334–336, 352
  - dihedral, 27, 74, 353, 415, 577
  - EDM cone, 108
  - halfspace, 62
  - inequality, 326, 413
  - interpoint, 331
  - matrix, 356
    - inequality, 357
    - interpoint, 331
    - relative, 356
  - obtuse, 63
  - positive semidefinite cone, 108
  - relative, 354, 356
  - right, 110, 138, 156, 157

- torsion, 27, 352
- antisymmetric, 48
  - antihollow, 51, 483
- antisymmetry, 88, 537
- artificial intelligence, 23
- axioms of the metric, 323
- axis of revolution, 109, 576
- ball
  - Euclidean, 56, 337, 627, 667
  - norm-1, 191, 192
  - packing, 337
- Barvinok, 33, 98, 119, 239, 319
- base, 82
  - station, 349
- basis, 50, 724
  - discrete cosine transform, 282
  - nonorthogonal, 164, 639
    - projection on, 639
  - orthogonal
    - projection, 639
  - orthonormal, 50, 77, 636
  - standard, 50, 132
- bees, 27, 337
- bijective, 45, 103, 590
  - Gram form, 363
  - inner-product form, 367
  - isometry, 48, 409
  - linear, 47, 48, 50, 52, 123, 158, 497, 575
  - pseudoinverse, 624
- biorthogonal
  - decomposition, 628, 636
  - expansion, 135, 160, 164, 629
    - EDM, 451
  - projection, 640
    - unique, 162, 164, 167, 452, 566, 641
- biorthogonality, 162, 165
  - condition, 160, 548, 566
- blunt, 688
- bound
  - lower, 486
  - polyhedral, 425
- boundary, 38, 81, 455
  - and extreme, 96
  - classical, 38
  - cone, 91
    - conventional, 82
    - membership, 148, 244
    - positive semidefinite cone, 104
    - relative, 37, 57
- bounded, 56
- bowl, 604, 605
- box, 72, 667
- bridge, 353, 382, 432, 487, 503
- calculus
  - matrix, 593
  - of inequalities, 7
  - of variations, 152
- Carathéodory's theorem, 147, 650
- cardinality, 328
  - minimization, 279, 286
  - minimum, 192, 247
  - problem, 279, 281, 286, 301
    - Boolean, 247
  - regularization, 283, 302
- Cartesian
  - axes, 35, 55, 69, 85, 93, 133, 145
  - cone, 135, 147
  - coordinates, 404
  - product, 43, 142, 240, 679
- Cayley-Menger
  - determinant, 415, 417
  - form, 373, 394, 395, 493, 517
- cellular, 350
  - telephone network, 349
- center
  - geometric, 333, 359, 402
  - gravity, 359
  - mass, 359
- central path, 239
- certificate
  - null, 149
- chain rule, 600
  - two argument, 600
- chop(), 693
- Chu, 7
- clipping, 194, 482, 667, 668
- closure, 37, 104
- coefficient
  - binomial, 193
  - projection, 160, 458, 645, 652

- cofactor, 416
- compaction, 267, 276, 334, 428, 507
- comparable, 88, 90, 161
- complement
  - algebraic, 82, 135
  - projection on, 632
  - orthogonal, 48
  - relative, 78, 720
- complementarity, 189, 246
  - linear, 180
  - maximal, 234, 239, 261
  - problem, 180
  - strict, 246
- complementary
  - affine dimension, 471
  - dimension, 74
  - eigenvalues, 632
  - halfspaces, 65
  - inertia, 396, 543
  - slackness, 245
  - subspace, 48
- completion
  - geometry, 428
  - problem, 324, 381, 388, 419
  - semidefinite, 682
- composition
  - EDM, 390
- compressed sensing, 191, 192, 281, 303, 312
- compressive sampling, 191, 192, 281, 303, 312
- concave, 185, 507, 581
  - problem, 185, 232
- condition
  - biorthogonality, 160, 548, 566
  - convexity
    - first order, 215, 218, 220, 222
    - second order, 219, 224
  - optimality
    - first order, 152, 177, 178
    - semidefinite program, 245
    - unconstrained, 152, 209, 210, 654
- cone, 61, 82, 85, 730
  - $\sqrt{\text{EDM}}$ , 427
  - blade, 146
  - circular, 87, 109, 110
  - right, 109
- convex, 43, 86
  - positive semidefinite, 101
- dual, 135, 136, 181, 183, 399
  - algorithm, 168
  - construction, 137, 138
  - examples, 144
  - formula, 154, 168
  - linear inequality, 148
  - Lorentz, 144, 157
  - pointed, 130, 142
  - properties, 142
  - unique, 136, 159
- EDM, 329, 421, 423, 424, 426
  - boundary, 448
  - construction, 449
  - convexity, 427
  - decomposition, 472
  - dual, 463, 464, 474, 478
  - extreme direction, 451
  - face, 450, 452
  - positive semidefinite, 452, 460
  - projection, 500, 511, 515
- halfspace, 139
- ice cream, 87
- intersection, 87
- invariance, 87
- Lorentz, 87, 129
  - dual, 157
- majorization, 526
- membership, 56, 88, 99, 177, 730
  - discretized, 154
  - relation, 147, 169
- monotone, 173, 174
  - nonnegative, 171, 172
- nonconvex, 83–86
- normal, 177, 457, 665, 685, 686
  - elliptope, 687
  - membership relation, 177
  - orthant, 177
- orthogonal, 145
- pointed, 87, 147, 162, 175
  - closed convex, 88, 123
  - dual, 130, 142
  - polyhedral, 93, 130

- polar, 82, 136, 457, 663
- polyhedral, 61, 122, 128
  - dual, 156, 159, 160
  - halfspace description, 128
  - majorization, 519
  - pointed, 159
  - proper, 124
- positive semidefinite, 40, 98, 100, 467
  - boundary, 116, 460
  - circular, 109
  - dimension, 106
  - dual, 155
  - extreme direction, 108
  - face, 106, 459
  - hyperplane (supporting), 106, 107
  - inscription, 113
  - inverse image, 102
  - optimization, 238
  - polyhedral, 114
  - rank, 106, 236
  - visualization, 235
- proper, 90, 181
- quadratic, 87
- recession, 139
- second order, 87
- self-dual, 155
- simplicial, 60, 132, 133, 161
  - dual, 161, 169
- spectral, 394, 396, 493
  - dual, 399
  - orthant, 496
- tangent, 457
- unique, 98, 136, 423
- congruence, 362, 393
- conic
  - combination, 61
  - constraint, 179, 194
  - hull, 61
  - independence, 25, 121–123, 126
    - preservation, 123
  - problem, 232
  - section
    - circular cone, 112
- conically independent, 121
- conici(), 695
- conservation
  - dimension, 372, 555, 556
- constellation, 20
- constraint
  - angle, 334–336, 352
  - cardinality, 281, 301
  - conic, 179, 194
  - equality, 152
  - Gram, 334, 335
  - inequality, 261
  - norm, 288, 295, 554
  - polynomial, 194, 293
  - rank, 262, 290, 293, 316, 492, 509, 517
  - sort, 408
- content, 417, 730
- contour plot, 178, 217
- contraction, 311
- convergence, 264, 409, 671
  - geometric, 673
- convex
  - combination, 34, 61
  - cone, 43, 86
  - envelope, 229, 251, 273, 348, 504, 505
  - equivalent, 274
  - form, 231
  - function, 185, 330, 357
  - geometry, 33
  - hull, 53, 56, 322
    - of outer product, 57
  - iteration, 262, 264, 280, 281, 509
    - rank one, 290, 316, 520
    - stall, 281, 289, 295
  - optimization, 7, 188, 232, 341
    - art, 8, 252, 267, 522
  - polyhedron, 53, 56, 127
    - halfspace description, 127
    - vertices, 129
  - problem, 141, 152, 179, 185, 199, 205, 234, 240, 498, 657
    - geometry, 19, 25
    - tractability, 232
  - quadratic, 188, 219, 224, 225, 328, 543
  - set, 34
    - Schur-form, 101
  - simultaneously, 203, 204, 223

- strictly, 187, 188, 214, 219, 224, 501, 506
- convexity, 185
  - condition
    - first order, 215, 218, 220, 222
    - second order, 219, 224
- coordinate, 167
- Crippen & Havel, 353
- criterion
  - EDM, 458, 462
  - dual, 470
  - Finsler, 462
  - metric *versus* matrix, 374
  - Schoenberg, 28, 333, 334, 395, 475
- cubic, 594, 597, 727
- curvature, 219, 227
- decimate(), 700
- decomposition, 727
  - biorthogonal, 628, 636
  - dyad, 560
  - eigen, 546
  - orthonormal, 634, 636
  - singular value, 549
    - compact, 549
    - full, 551
    - subcompact, 550
- Delsarte method, 338
- dense, 79
- derivative, 209
  - directional, 218, 593, 601, 605
    - dimension, 604
    - gradient, 605
    - second, 606
  - gradient, 611
  - table, 614
- description
  - conversion, 135
  - halfspace, 60, 63
    - dual cone, 153
  - vertex, 60, 61, 159
    - of halfspace, 125
    - polyhedral cone, 130
- determinant, 412, 533, 545, 614, 620
  - Cayley-Menger, 415, 417
- diagonal
  - $\delta$ , 523, 580
  - dominance, 115
  - inequality, 538
  - matrix
    - binary, 628
    - commutative, 536
    - diagonalization, 549
  - values
    - eigen, 546
    - singular, 550
- diagonalizable, 162, 546
  - simultaneously, 107, 246, 264, 534, 536, 558
- diagonalization, 39, 546
  - expansion by, 162
  - symmetric, 548
- diamond, 361
- difference, 42
  - PSD matrices, 119
  - vector, 43
- diffusion, 428
- dilation, 406
- dimension, 36
  - affine, 21, 36, 53, 369, 371, 372, 381, 471
    - complementary, 471
    - low, 345
    - minimization, 504, 516
    - reduction, 418
    - spectral projection, 517
  - complementary, 74
  - conservation, 372, 555, 556
  - embedding, 54
  - positive semidefinite cone
    - face, 106
  - Précis, 372
  - rank, 371, 372
- direction, 82, 92
  - exposed, 95
  - extreme, 92, 160
    - PSD cone, 100
  - matrix, 262, 263, 274, 275, 302, 339, 510
  - vector, 280
- disc, 59

- discretization, 153, 187, 219, 475
- distance
  - Euclidean, 328
  - geometry, 20, 349
  - matrix
    - Euclidean, 322, 329
    - taxicab, 221, 392
  - origin to affine, 66, 192, 627, 643
  - taxicab, 190–192, 221, 222
- doublet, 567
- dual
  - affine dimension, 471
  - feasible set, 240
  - norm, 144
  - of dual, 142, 249, 299
  - problem, 139, 192, 233, 244–246, 299
  - projection, 658
  - strong, 141, 245, 590
- duality gap, 140, 141, 241, 250, 299
- dvec, 52
- $Dx()$ , 694
- dyad, 562
- Dykstra algorithm, 671, 684, 685
- edge, 78
- EDM, 26, 322, 477
  - closest, 491
  - composition, 389
  - construction, 446
  - criterion, 458, 462
    - dual, 470
  - definition, 328, 444
    - Gram form, 331, 455
    - inner-product form, 354
    - interpoint angle, 331
    - relative-angle form, 356
  - dual, 471
  - exponential entry, 389
  - graph, 325, 338, 342, 345, 346, 430
  - projection, 461
  - range, 447
  - unique, 388, 401, 402, 492
- eigen, 546
  - decomposition, 546
  - matrix, 99, 548
  - spectrum, 394, 493
- ordered, 396
- unordered, 398
- value, 373, 532, 580
  - coefficients, 647, 650
  - EDM, 393, 406, 445
  - interlaced, 379, 393, 539
  - intertwined, 379
  - largest, 381
  - left, 546
  - product, 536, 537
  - real, 547
  - Schur, 544
  - smallest, 381, 390
  - sum, 539
  - transpose, 547
  - unique, 109, 547
  - zero, 555
- vector, 580
  - distinct, 547
  - EDM, 445
  - left, 546
  - real, 547
  - unique, 547
- elbow, 485, 486
- element, 186
  - minimal, 90
  - minimum, 90
- ellipsoid, 34, 38, 40, 44, 288
- elliptope, 249, 251, 341, 383–385, 392, 455, 456
- embedding, 369
  - dimension, 54
- empty, 37
  - interior, 37
  - set, 37
- entry, 36, 186, 717
  - smallest/largest, 192
- epigraph, 201, 223, 230
  - form, 206
- errata, 184, 197, 265, 366, 585
- error
  - input, 484
- Eternity II, 434
- Euclidean
  - ball, 56, 337, 627, 667

- distance, 322, 328
  - geometry, 20, 342, 349, 653
  - matrix, 322, 329
- metric, 323, 376
  - fifth property, 323, 326, 327, 411, 413, 419
- norm, 731
- projection, 117
- space, 34
- exclusive
  - mutually, 151
- expansion, 165, 727
  - biorthogonal, 135, 160, 164, 629
    - EDM, 451
    - projection, 640
    - unique, 162, 164, 167, 452, 566, 641
  - implied by diagonalization, 162
  - orthogonal, 50, 135, 163, 635, 637
  - w.r.t orthant, 164
- exponential, 621
- exposed, 78
  - direction, 95
  - extreme, 80, 127
  - face, 79
  - point, 79, 95
    - density, 79
- extreme, 78
  - and boundary, 96
  - direction, 92, 97
    - distinct, 92
    - EDM cone, 451, 469
    - positive semidefinite cone, 108
    - unique, 92
  - exposed, 80, 127
  - point, 78, 239, 263, 280
  - ray, 92
- face, 39, 78
  - algebra, 81
  - positive semidefinite cone, 106
  - transitivity, 81
- face recognition, 23
- facet, 79
- Fantope, 57, 58, 109, 204, 263
- Farkas' lemma, 147, 150
  - definite, 242
  - not definite, 244
  - semidefinite, 240
- fat, 75, 717
  - full-rank, 75
- finitely generated, 128
- floor, 731
- Forsgren & Gill, 231
- Fourier
  - transform discrete, 306
- Fréchet differential, 602
- Frobenius
  - norm, 47
    - minimization, 211, 654
- full, 37
  - dimensional, 37, 90
  - rank, 75
- function
  - affine, 197, 211
    - supremum, 200
  - bilinear, 229
  - composition, 214, 230
  - concave, 229
  - convex, 185, 330, 357
    - differentiable, 224
    - strictly, 187, 188, 214, 219, 224, 501, 506
  - linear, 186, 197
  - matrix, 220
  - monotonic, 185, 193, 214, 229, 230
  - multidimensional, 185, 197, 209, 224
  - objective, 73, 141, 152, 177, 179
    - linear, 199
    - nonlinear, 199
  - presorting, 279, 493, 497, 518
  - quadratic, 207, 213, 328, 355, 512, 604, 651
  - quasiconcave, 116, 228, 229, 255, 279
  - quasiconvex, 116, 227–229
  - quasilinear, 219, 229, 230, 554
  - sorting, 279, 493, 497, 518
  - step, 554
    - matrix, 255
  - stress, 219, 488, 509
  - support, 71, 199
  - vector, 186

- fundamental
  - convex
    - geometry, 63, 71, 73, 321, 333
    - optimization, 231
  - metric property, 323, 376
  - subspaces, 74, 634
  - test semidefiniteness, 155, 527
  - theorem algebra, 547
- Gâteaux differential, 602
- Gaffke, 464
- generating list, 57, 129
- generator, 94
- geometric
  - center, 333, 359, 402
    - subspace, 363, 364, 422, 432, 466, 504, 558, 655
  - centering, 359
    - matrix, 333, 423, 432, 570
    - operator, 365
  - Hahn-Banach theorem, 63, 71, 73
  - mean, 621
  - multiplicity, 547
  - realizability, 336
- Geršgorin, 114
- gimbal, 577
- global positioning system, 22, 265
- Gower, 321
- gradient, 152, 178, 199, 208, 209, 593, 612
  - derivative, 611
    - directional, 605
  - dimension, 209
  - first order, 611
  - monotonic, 214
  - product, 597
  - second order, 612, 613
  - table, 614
  - zero, 152, 209, 210, 654
- Gram matrix, 272, 331, 341
  - constraint, 334, 335
- Hadamard
  - product, 46, 500, 524, 599, 719
  - quotient, 614, 719
  - square root, 718
- Hahn-Banach theorem, 63, 71, 73
- halfline, 82
- halfspace, 61, 62, 139
  - description, 60, 63
  - polarity, 61
- hand
  - off, 351
  - over, 351
- Hardy-Littlewood-Pólya, 494
- Hayden & Wells, 421, 444, 481
- Hermitian matrix, 527
- Hessian, 209, 593
- hexagon, 336
- homogeneity, 90, 189, 230, 329
- honeycomb, 27
- horn
  - flared, 86
- Horn & Johnson, 528, 529
- hull, 53, 55
  - affine, 36, 53
    - unique, 54
  - conic, 61
  - convex, 53, 56, 322
    - of outer product, 57
    - unique, 56
- hyperboloid, 559
- hyperbox, 72, 667
- hypercube, 72, 667
  - slice, 280
- hyperdimensional, 598
- hyperdisc, 605
- hyperplane, 61, 62, 65, 211
  - independent, 76
  - movement, 64
  - normal, 65
  - radius, 64
  - separating, 73
  - supporting, 70, 71, 106, 107
    - nontrivially, 71
    - polarity, 71
    - strictly, 71
    - unique, 216
  - vertex description, 67
- hypersphere, 59, 337, 385
  - circumhypersphere, 373
- hypograph, 202, 230

- idempotent, 627, 631
  - symmetric, 633, 636
- iff, 729
- image, 44
  - inverse, 44, 102, 158
- indefinite, 392
- independence
  - affine, 67, 122
    - preservation, 68
  - conic, 121–123, 126
    - preservation, 123
  - linear, 35, 122
    - preservation, 35
- inequality
  - generalized, 25, 90, 135, 147
    - dual, 147, 155
    - partial order, 88
  - linear, 148
    - matrix, 25, 157, 158, 240, 241, 244
  - spectral, 394
  - triangle, 189, 376
    - strict, 378
    - unique, 411
  - variation, 152
- inertia, 393, 543
  - complementary, 396, 543
  - Sylvester’s law, 535
- infimum, 230, 579, 633, 654, 729
- inflection, 219
- injective, 48, 91, 363
  - pseudoinverse, 623, 624
- interior, 37
- interior-point method, 234, 340, 473
- intersection, 42
  - cone, 87
  - halfspaces, 63
  - hyperplane, 75
    - convex set, 69
  - line with boundary, 39
  - planes, 76
  - positive semidefinite cone
    - affine, 119, 244
    - geometric center subspace, 558
    - line, 343
  - subspaces, 77
    - tangential, 40
- invariance, 358
  - Gram form, 359
  - inner-product form, 362
  - orthogonal, 48, 409
  - reflection, 360
  - rotation, 360
  - set, 391
  - translation, 358
- inversion
  - Gram form, 365
  - matrix, 564, 610
- is, 720
- isedm(), 689
- isometry, 48, 409, 488
- isomorphic, 47, 48, 51, 107, 336, 450, 719
  - isometrically, 39, 47, 103, 155
- isomorphism, 47, 158, 366, 368, 422
  - isometric, 48, 52, 409
  - symmetric matrix subspace, 49
- iterate, 671
- iteration
  - alternating projection, 513, 671, 685
  - convex, 262, 264, 280, 281, 509
    - rank one, 290, 316, 520
    - stall, 281, 289, 295
- Jacobian, 209
- K-convexity, 186
- Karhunen–Loève transform, 400
- kissing, 140, 191, 192, 337, 627
  - number, 338
- KKT conditions, 310, 491
- Kronecker product, 103, 525, 590, 598, 616
  - inverse, 307
  - positive semidefinite, 328, 537
  - projector, 672
  - pseudoinverse, 625
- Lagrange multiplier, 152
- Lagrangian, 299, 697
- largest entries, 192
- lattice, 268–271, 277, 278
  - regular, 27, 267
- Laurent, 389

- law of cosines, 354
- least
  - 1-norm, 192
  - norm, 191, 248, 626
  - squares, 265, 266, 626
- Legendre-Fenchel transform, 504
- Lemaréchal, 19
- line, 211, 224
  - tangential, 41
- linear
  - algebra, 523
  - bijection, 47, 48, 50, 52, 123, 158, 497, 575
  - complementarity, 180
  - function, 186, 197
  - independence, 35, 122
  - inequality, 148
    - matrix, 25, 157, 158, 240, 241, 244
  - program, 72, 142, 199, 233, 338
  - prototypical, 142, 233
  - transformation, 35, 68, 91, 123, 128
- linearly independent, 35
- localization, 22, 343
  - sensor network, 265
  - standardized test, 267
  - unique, 21, 265, 267, 342, 345
  - wireless, 349
- log, 620
  - det, 226, 349, 507, 611, 619
- Lorentz cone, 87, 129
  - dual, 144, 157
- lp(), 697
- machine learning, 23
- majorization, 526
  - cone, 526
  - symmetric hollow, 526
- manifold, 23, 24, 106, 428, 429, 486, 520, 586
- map
  - isotonic, 406
  - linear
    - of cone, 123
  - postive semidefinite cone
    - Schur-form, 101
  - USA, 26, 403, 404, 698
- mapusa(), 698
- Markov process, 434
- mater, 594
- Mathar, 464
- Matlab, 404, 689
  - lp() *versus* linprog(), 695
- matrix, 594
  - angle
    - interpoint, 331
    - relative, 356
  - auxiliary, 333, 570, 574
  - orthonormal, 573
  - projector, 570
  - Schoenberg, 330, 572
  - table, 574
- bordered, 379, 393
- calculus, 593
- circulant, 226, 548, 571
- commutative, 226, 246, 534, 535, 558, 671
- correlation, 56, 384, 385
- direction, 262, 263, 274, 275, 302, 339, 510
- distance
  - Euclidean, 321, 329
  - taxicab, 221, 392
- doublet, 359, 567, 655
  - nullspace, 567, 568
  - range, 567, 568
- dyad, 560, 562
  - decomposition, 560
  - independence, 564, 565
  - negative, 562
  - nullspace, 562, 563
  - projection on, 646, 648
  - projector, 563, 628, 645, 646
  - range, 562, 563
  - sum, 546, 549, 566
  - symmetric, 108, 564
- elementary, 391, 568, 570
  - nullspace, 568, 569
  - range, 568, 569
- exponential, 226, 621
- fat, 75, 717
- Fourier, 306

- full-rank, 75
- Gale, 345
- geometric centering, 333, 359, 423, 432, 570
- Gram, 272, 331, 341
  - constraint, 334, 335
- Householder, 569
  - auxiliary, 571
- idempotent, 627, 633
- inverse, 225, 564, 610
- Jordan form, 532, 547
- measurement, 482
- normal, 47, 533, 548
- normalization, 251
- orthogonal, 291, 360, 549, 575
  - product, 575
  - symmetric, 576
- orthonormal, 48, 57, 263, 290, 360, 551, 573, 583, 625
- partitioned, 542–544
- permutation, 59, 291, 375, 549, 575
  - symmetric, 291, 570, 589
- positive definite, 220
- positive semidefinite, 527
  - from extreme directions, 109
  - Kronecker, 328, 537
- product, 229, 599
  - determinant, 535
  - eigenvalue, 536, 537
  - fractional, 203, 204, 223
  - gradient, 597
  - Hadamard, 46, 500, 524, 599, 719
  - inner, 331
  - Kronecker, 103, 307, 525, 590, 598, 616
  - nullspace, 562
  - orthogonal, 575
  - positive definite, 529
  - pseudofractional, 202
  - range, 562
  - rank, 534, 535
  - trace, 534
  - zero, 557
- projection, 103, 571, 627, 633, 634
  - Kronecker, 672
  - product, 671
- pseudoinverse, 103, 165, 211, 248, 542
  - injective, 624
  - Kronecker, 625
  - nullspace, 623, 624
  - product, 624
  - range, 623, 624
  - SVD, 552
  - transpose, 162
  - unique, 623
- quotient
  - Hadamard, 614, 719
- rank one, 385, 541, 562, 564
  - symmetric, 108
- reflection, 361, 576, 589
- rotation, 360, 575, 578
- Schur-form, 542
- simple, 561
- skinny, 165, 717
- sort index, 405
- square root, 549
- squared, 225
- step function, 255
- stochastic, 59, 291
- sum
  - eigenvalue, 539
  - rank, 116, 534
  - symmetric, 48, 220
    - subspace of, 48
  - symmetrized, 528
  - unitary, 575
    - symmetric, 306, 308
- membership relation, 147, 169
  - discretized, 153, 475
  - in subspace, 169
  - normal cone, 177
- metric, 48, 221, 322
  - postulate, 323
  - property, 323, 376
    - fifth, 323, 326, 327, 411
  - space, 323
- minimal
  - element, 90
  - set, 67, 125, 644
- minimax problem, 141

- minimization, 152, 177, 267, 605
  - cardinality, 279, 286
  - on unit cube, 72
  - rank, 262, 290, 316, 509, 517
  - trace, 343, 504
- minimum
  - cardinality, 192, 247
  - element, 90
  - global
    - unique, 185, 605
  - unique, 188
- molecular conformation, 22, 352
- monotonic, 206, 214, 264, 677, 680
  - Fejér, 677
  - function, 185, 193, 214, 229, 230
  - gradient, 214
- Moore-Penrose conditions, 623
- MRI, 304
- Muller, 552
- multidimensional
  - function, 185, 197, 209, 224
  - scaling, 22, 400
  - ordinal, 406
- multilateration, 265, 349
- multipath, 349
- multiplicity, 534, 547
- nearest neighbors, 430
- neighborhood graph, 429, 430
- nesting, 378
- Newton, 337, 593
- nondegeneracy, 323
- nonexpansive, 635, 666
- nonisomorphic, 558
- nonnegative, 374, 731
- nonsymmetric, 532
- nonvertical, 211
- norm, 189, 279, 731
  - $k$  largest, 193
  - constraint, 288, 295, 554
  - Euclidean, 45
  - Frobenius, 47
    - minimization, 211, 654
  - least, 191, 248, 626
  - optimization, 190, 206
  - regularization, 296, 626
  - spectral, 486, 499, 569, 668, 731
  - zero, 554
- normal, 65, 178, 658
  - cone, 177, 665, 686
    - membership, 177
  - equation, 626
  - facet, 160
  - inward, 63, 463
  - matrix, 47, 548
  - outward, 63
  - vector, 658
- Notation, 717
- NP-hard, 509
- nuclear magnetic resonance, 352
- nullspace, 75, 571, 656
  - basis, 76
  - doublet, 567, 568
  - dyad, 562, 563
  - elementary matrix, 568, 569
  - form, 74
  - hyperplane, 62
  - orthogonal complement, 724
  - pseudoinverse, 623, 624
- objective
  - convex, 231
    - strictly, 501, 506
  - function, 73, 141, 152, 177, 179
  - linear, 199, 273, 343
  - multidimensional, 188
  - nonlinear, 199
  - polynomial, 293
  - quadratic, 207
  - real, 188
  - value, 244, 258
    - unique, 233
- offset, 358
- omapusa(), 700
- on, 724
- one-dimensional projection, 648
- onto, 724
- operator
  - adjoint, 45, 143, 148, 470, 523
  - linear, 43, 51, 331, 365, 367, 409, 453, 523, 656
  - projector, 631, 636, 638, 659

- nullspace, 359, 363, 365, 367, 656
  - permutation, 493, 497, 518
  - unitary, 48
- optimality
  - condition
    - first order, 152, 177, 178
    - semidefinite program, 245
    - unconstrained, 152, 209, 210, 654
  - conic constraint, 179
  - equality constraint, 152
  - perturbation, 258
- optimization, 231
  - combinatorial, 59, 72, 291, 294, 297, 385, 522
  - convex, 7, 188, 232, 341
    - art, 8, 252, 267, 522
  - multicriteria, 188
  - multiobjective, 188, 276, 310
  - norm, 190, 206
  - vector, 188
- order
  - natural, 45, 523, 727
  - nonincreasing, 495, 549, 550, 722
  - of projection, 482
  - partial, 56, 86, 88–90, 99, 101, 155, 160, 161, 537, 730
    - generalized inequality, 88
  - total, 88
- origin, 34, 192, 370, 627, 643, 663, 668
- Orion nebula, 20
- orthant, 36, 164, 177
  - nonnegative, 469
- orthogonal, 45
  - complement, 48
  - equivalence, 578
  - expansion, 50, 135, 163, 635, 637
  - invariance, 48, 409
  - matrix, 360, 549, 575
    - product, 575
- orthonormal, 45
  - decomposition, 634
  - matrix, 48, 57, 263, 290, 360, 551, 573, 583, 625
- orthonormality condition, 163
- overdetermined, 717
- parallel, 36
- pattern recognition, 22
- Penrose conditions, 623
- pentahedron, 416
- pentatope, 416
- perpendicular, 45, 633, 654
- perturbation, 253, 255
  - optimality, 258
- plane, 61
  - segment, 92
- point
  - exposed, 80
  - extreme, 80
  - fixed, 295, 656, 674
  - inflection, 219
- polychoron, 82
- polyhedral
  - cone, 61, 122, 128
- polyhedron, 39, 72, 127, 382
  - convex, 53, 56, 127
  - doubly stochastic matrices, 59
  - vertex description, 129
  - vertices, 129
- polynomial, 543
  - constraint, 194, 293
  - objective, 293
  - quadratic, 543
- polytope, 127
- positive, 731
  - definite
    - Farkas' lemma, 242
  - semidefinite, 530
    - difference, 119
    - Farkas' lemma, 240
    - square root, 549
  - strictly, 375
- precision
  - numerical, 250, 310, 438, 511, 695
- primal
  - feasible set, 240
  - problem, 141, 233
    - via dual, 246
- principal
  - component analysis, 301, 400
  - eigenvector, 301

- submatrix, 341, 411, 416, 450, 540
  - leading, 376, 378
  - theorem, 540
- problem
  - Boolean, 59, 72, 247, 294, 385
  - cardinality, 279, 281, 286, 301
    - Boolean, 247
  - combinatorial, 291, 294, 297
  - completion, 324, 381, 388, 419, 428, 682, 683
  - concave, 185, 232
  - conic, 232
  - convex, 141, 152, 179, 185, 199, 205, 234, 240, 498, 657
    - geometry, 19, 25
    - tractability, 232
  - dual, 139, 192, 233, 244–246, 299
  - equivalent, 263
  - feasibility, 180
    - semidefinite, 236, 316
  - max cut, 297
  - minimax, 141
  - prevalent, 487
  - primal, 141, 233
    - via dual, 246
  - Procrustes, 290, 586, 588
    - combinatorial, 291
  - proximity, 481, 483, 489
  - same, 263
  - statement as solution, 231
  - stress, 488, 509
- procedure
  - dyad-decomposition, 707
  - rank reduction, 254
  - Sturm, 707
- Procrustes, 290
  - combinatorial, 291
  - diagonal, 592
  - linear program, 589
  - maximization, 589
  - orthogonal, 586
    - two sided, 588, 590
  - solution
    - unique, 587
  - symmetric, 591
- translation, 587
- product, 42
  - Cartesian, 43, 87, 142, 240, 679
  - direct, 598
  - eigenvalue, 536, 537
  - Hadamard, 46, 500, 524, 599, 719
  - inner, 331
    - vector, 45
    - vectorized matrix, 45
  - Kronecker, 103, 525, 590, 598, 616
    - inverse, 307
    - positive semidefinite, 328, 537
    - projector, 672
    - pseudoinverse, 625
  - outer, 57
  - positive definite
    - nonsymmetric, 529
  - positive semidefinite
    - symmetric, 540
  - pseudoinverse, 624
    - Kronecker, 625
  - tensor, 598
- program, 72, 231
  - geometric, 8
  - integer, 59, 72, 385
  - linear, 72, 142, 199, 233, 338
    - prototypical, 142, 233
  - semidefinite, 142, 199, 231, 233, 292
    - prototypical, 142, 233
    - Schur-form, 194, 206, 502, 513, 666
- projection, 623
  - algebra, 638
  - alternating, 337, 671, 672
    - convergence, 676, 678, 680, 683
    - distance, 674, 675
    - Dykstra, 671, 684, 685
    - feasibility, 674–676
    - iteration, 671, 685
    - on affine/psd cone, 681
    - on EDM cone, 513
    - on halfspaces, 673
    - on orthant/hyperplane, 677, 678
    - optimization, 674, 675, 684
    - over/under, 679
  - biorthogonal expansion, 640

- coefficient, 160, 458, 645, 652
- cyclic, 673
- direction, 633, 636, 648
  - nonorthogonal, 629, 645
- dual, 658
  - on cone, 661
  - on convex set, 658, 660
  - on EDM cone, 515
  - optimization, 659
- easy, 667
- Euclidean, 117, 483, 486, 490, 492, 500, 511, 658
- matrix, 627, 633, 634
- minimum-distance, 631, 634, 654, 657
- nonorthogonal, 499, 630, 645
  - eigenvalue coefficients, 647
- oblique, 192, 627
- of origin, 192, 627, 643
- of PSD cone, 105
- on affine, 44, 639, 643, 645
  - origin, 192, 627, 643
  - vertex description, 644
- on algebraic complement, 632
- on basis
  - nonorthogonal, 639
  - orthogonal, 639
- on cardinality  $k$ , 668
- on cone, 662, 664, 668
  - EDM, 501, 511
  - polyhedral, 668
  - truncated, 665
- on convex set, 657
  - in affine subset, 670
  - in subspace, 669, 670
- on convex sets, 673
- on dyad, 646, 648
- on ellipsoid, 288
- on Euclidean ball, 667
- on function domain, 202
- on geometric center subspace, 468, 655
- on halfspace, 645
- on hollow symmetric matrices, 667
- on hyperbox, 667
- on hypercube, 667
- on intersection, 670
- on matrix
  - elementary, 642
  - rank constrained, 668
  - subspace, 653
  - vectorized, 645, 646, 648, 653
- on orthant, 665, 667
- on PSD cone, 117, 489, 492, 668
  - geometric center subspace, 468
  - rank constrained, 210, 492, 498, 582
- on slab, 645
- on subspace, 44, 663
- on symmetric matrices, 667
- on vector
  - cardinality  $k$ , 668
  - nonorthogonal, 645
  - orthogonal, 648
- one dimensional, 648
- order of, 482
- orthogonal, 648
  - eigenvalue coefficients, 650
  - semidefiniteness test as, 651
- spectral, 493, 496
  - norm, 499
  - unique, 496
- successive, 673
- two sided, 655
  - range, 657
- unique, 631, 634, 654, 657, 658
- vectorization, 458
- projector
  - biorthogonal, 637
  - commutative, 671
    - non, 468, 670, 672
  - complement, 633
  - direction, 633, 636, 648
    - nonorthogonal, 629, 645
  - dyad, 563, 628, 645, 646
  - Kronecker, 672
  - linear operator, 631, 636, 638, 659
  - nonorthogonal, 631, 638
  - orthogonal, 634
  - orthonormal, 637
  - product, 468, 671
  - range, 634
- prototypical, 142

- proximity
  - EDM
    - nonconvex, 496
  - in spectral norm, 499
  - problem, 481, 483, 489
  - rank heuristic, 506, 508
  - semidefinite program, 502, 512
    - Gram form, 503
- pyramid, 417, 418
- quadrant, 36
- quadratic
  - cone, 87
  - convex, 188, 219, 224, 225, 328, 543
  - function, 207, 213, 328, 355, 512, 604, 651
  - nonnegative, 543
  - program, 409
- quartic, 596, 727
- quotient
  - Hadamard, 614, 719
  - Rayleigh, 652
- range, 74, 654
  - doublet, 567, 568
  - dyad, 562, 563
  - elementary matrix, 568, 569
  - form, 74
  - orthogonal complement, 724
  - pseudoinverse, 623, 624
  - rotation, 576
- rank, 729
  - constraint, 262, 290, 293, 316, 492, 509, 517
  - convex envelope, 505
  - dimension, 372, 729
  - heuristic, 506, 508, 509
  - log det, 507, 508
  - lowest, 236
  - minimization, 262, 290, 316, 509, 517
  - one, 108, 560, 562
    - convex iteration, 290, 316, 520
    - matrix, 108, 385, 541, 562, 564
    - modification, 564, 568
  - partitioned matrix, 544
  - positive semidefinite cone
    - face, 106
  - Précis, 372
  - product, 534, 535
  - projection matrix, 632, 635
  - quasiconcavity, 116
  - reduction, 234, 253, 254, 259
    - procedure, 254
  - regularization, 276, 290, 296, 315, 316, 442, 509, 520
    - Schur-form block, 545
    - sum, 116
      - positive semidefinite, 116, 534
    - trace, 505, 506
      - heuristic, 504
  - rank  $\rho$  subset, 104, 210
- ray, 82
  - extreme, 455
- Rayleigh
  - quotient, 652
- realizable, 20
- reconstruction, 400
  - isometric, 345, 404
  - isotonic, 404, 406
  - unique, 325, 345, 346, 362, 363
- recursion, 275, 473, 523, 540
- reflection, 360, 361
  - invariant, 360
  - matrix, 361, 576, 589
- reflexivity, 88
- regular
  - lattice, 27, 267
  - simplex, 416
  - tetrahedron, 413, 427
- regularization
  - cardinality, 283, 302
  - norm, 296, 626
  - rank, 276, 290, 296, 315, 316, 442, 509, 520
- relative, 37
  - angle
    - inequality, 326, 413
    - matrix, 356
    - matrix inequality, 357
  - boundary, 37, 57
  - complement, 78, 720

- interior, 37
- relaxation, 59, 72, 249, 251, 343, 385, 407
- Riemann, 234
- robotics, 23
- rotation, 360
  - invariant, 360
  - matrix, 360, 575
- round, 729
- RRf(), 703
- saddle value, 141
- scaling, 400
  - multidimensional, 22, 400
  - ordinal, 406
  - unidimensional, 509
- Schoenberg
  - auxiliary matrix, 330, 572
  - criterion, 28, 333, 334, 395, 475
- Schur
  - form, 101, 542
  - anomaly, 207
  - convex set, 102
  - rank of block, 545
  - semidefinite program, 194, 206, 502, 513, 666
  - sparse, 544
  - complement, 273, 343, 542–544
- second order
  - cone, 87
  - program, 234
- section, 111
- self
  - adjoint, 523
  - dual, 148, 155
- semidefinite, 532
  - domain, 527
  - Farkas' lemma, 240, 241
  - program, 142, 199, 231, 233, 292
    - equality constraint, 101
    - Gram form, 514
    - prototypical, 142, 233
    - Schur-form, 194, 206, 502, 513, 666
    - symmetry *versus*, 527
- sensor, 341, 348
- sensor network
  - localization, 265, 341, 348
- separation, 73
- sequence, 677
- set
  - feasible, 42, 152, 177, 727
    - dual, 240
    - primal, 240
  - invariant, 391
  - level, 178, 197, 208, 209, 217, 229, 232
  - minimal, 67, 644
  - solution, 727
  - sublevel, 201, 216, 223, 228, 543
  - superlevel, 202, 228
- shape, 21
- Sherman-Morrison, 564, 610
- shift, 358
- SIAM, 232
- signal
  - dropout, 282
  - processing
    - digital, 282, 312, 400
- signeig(), 694
- simplex, 132
  - area, 415
  - content, 417
  - regular, 416
  - unit, 131, 132
  - volume, 417
- simplicial, 132
- singular value
  - decomposition
    - compact, 549
    - full, 551
    - geometrical, 553
    - pseudoinverse, 552
    - subcompact, 550
    - symmetric, 554
  - largest, 668
  - problem, 499
- skinny, 165, 717
- slab, 35, 274, 645
- slack variable, 233
- Slater's condition, 141, 241
- slice, 110, 157, 349, 604, 605
- smallest entries, 192
- smooth, 383

- solid, 127
- solution
  - analytical, 206, 231, 579
  - numerical, 275
  - optimal, 188
  - problem statement as, 231
  - set, 727
  - unique, 42, 187, 188, 236, 343, 499, 501, 506, 516
- sort
  - function, 279, 493, 497, 518
  - index matrix, 405
  - largest entries, 193
  - monotone nonnegative, 495
  - smallest entries, 192
- span, 724
- sparsity, 192, 247, 279, 281, 286, 301
  - gradient, 305
- spectral
  - cone, 394, 396, 493
  - dual, 399
  - orthant, 496
  - norm, 486, 499, 569, 668, 731
  - projection, 432, 493
- sphere packing, 337
- standard basis
  - matrix, 50, 53
  - vector, 50, 132, 332
- statement
  - problem, 231
- steepest descent, 604
- step function, 255, 554
- strict
  - complementarity, 246
  - positivity, 375
  - triangle inequality, 378
- strictly
  - convex
    - function, 187, 188, 214, 219, 224, 501, 506
  - feasible, 241
  - separating hyperplane, 74
  - supporting, 71
- strong
  - dual, 141, 245, 590
  - duality, 245
- subject to, 729
- submatrix
  - principal, 341, 411, 416, 450, 540
  - leading, 376, 378
  - theorem, 540
- subspace, 34
  - complementary, 48
  - geometric center, 363, 364, 422, 432, 466, 504, 558, 655
  - orthogonal complement, 106, 655
  - hollow, 51, 364, 467
  - intersection
    - hyperplanes, 75
  - nullspace basis
    - span, 76
  - proper, 34
  - representation, 74
  - symmetric hollow, 51
  - tangent, 106
  - translation invariant, 359, 655
- successive
  - approximation, 673
  - projection, 673
- sum, 42
  - eigenvalue, 539
  - matrix
    - rank, 116, 534
  - vector, 43
  - unique, 48, 135, 565
- supremum, 729
- surjective, 48, 363, 365, 367, 494, 724
  - linear, 367, 368, 385, 387
- svec, 49
- svect(), 705
- svectinv(), 706
- Swiss roll, 24
- tangent
  - line, 40, 343
  - subspace, 106
- tangential, 40, 71, 344
- Taylor series, 593, 610
- tetrahedron, 131
  - angle inequality, 413
  - regular, 413, 427

- theorem
  - 0 eigenvalues, 555
  - alternating projection
    - distance, 676
  - alternative, 149, 477
    - semidefinite, 243
  - Barvinok, 119
  - Bunt-Motzkin, 658
  - Carathéodory, 147, 650
  - cone
    - faces, 91
    - intersection, 87
  - convexity condition, 215
  - decomposition
    - dyad, 560
  - directional derivative, 605
  - discretized membership, 154
  - dual cone intersection, 181
  - EDM, 385
  - eigenvalue
    - of difference, 539
    - order, 538
    - sum, 539
    - zero, 555
  - elliptope vertices, 385
  - exposed, 96
  - extreme existence, 78
  - extremes, 94, 95
  - Farkas' lemma, 147, 150
    - definite, 242
    - not definite, 244
    - semidefinite, 240
  - fundamental
    - algebra, 547
  - Geršgorin discs, 114
  - gradient monotonicity, 214
  - halfspaces, 63
  - hypersphere, 385
  - image, 44, 46
  - inequalities, 494
  - intersection, 42
  - inverse image, 44
  - line, 224
  - linearly independent dyads, 565
  - majorization, 526
  - mean value, 610
  - monotone nonnegative sort, 495
  - nonexpansivity, 666
  - pointed cones, 88
  - positive semidefinite, 531
    - cone subsets, 117
    - matrix sum, 116
    - principal submatrix, 540
    - symmetric, 541
  - projection
    - algebraic complement, 664
    - minimum-distance, 658
    - on affine, 639
    - on cone, 662
    - on PSD geometric intersection, 468
    - on subspace, 44
    - via dual cone, 665
    - via normal cone, 659
  - projector
    - rank/trace, 635
    - semidefinite, 541
  - proper-cone boundary, 91
  - Pythagorean, 355, 670
  - range of dyad sum, 566
  - rank
    - affine dimension, 373
    - partitioned matrix, 544
    - Schur-form block, 545
    - trace, 632
  - real eigenvector, 547
  - Tour, 389
- tight, 325, 727
- trace, 45, 523, 580, 617
  - /rank gap, 505
  - heuristic, 264, 504
  - inequality, 538
  - minimization, 343, 504
- trajectory, 391, 462
  - sensor, 347
- transformation
  - affine, 44, 68, 87, 102, 230, 423, 474
  - linear, 35, 68, 123, 128
    - dual, 148
    - injective, 91
  - rigid, 21, 345

- similarity, 650
- transitivity, 88, 537
- translation invariant, 358
  - subspace, 359, 655
- trefoil, 430, 431, 433
- triangle, 324
  - inequality, 189, 376
    - strict, 378
    - unique, 411
- triangulation, 21
- trilateration, 21, 42, 342
  - tandem, 348
- unbounded
  - below, 72, 150
- underdetermined, 314, 717
- unfolding, 428
- unfurling, 428
- unimodal, 228
- unique, 8
  - eigenvalues, 547
  - extreme direction, 92
  - localization, 265, 267
  - minimum element, 90
  - solution, 187, 344
- unraveling, 428, 431, 433
- untieing, 431, 433
- value
  - absolute, 189, 219
  - minimum
    - unique, 188
  - objective
    - unique, 233
- variable
  - matrix, 66
  - slack, 233
- vec, 45, 523
- vector, 34
  - binary, 56, 251, 294, 383
  - direction, 280
  - dual, 685
  - normal, 658
  - Perron, 393
  - primal, 685
- vectorization, 45
  - projection, 458
    - symmetric, 49
      - hollow, 52
- Venn, 484
- vertex, 38, 42, 79
  - description, 60, 61, 159
    - of halfspace, 126
    - polyhedral cone, 130
- Vitulli, 561
- $V_m()$ , 693
- $V_n()$ , 693
- vortex, 449
- Wüthrich, 22
- weak
  - alternative, 151
    - duality theorem, 245
- wedge, 93, 144
- wireless location, 22, 265, 349
- womb, 594
- zero, 554
  - definite, 559
  - entry, 555
  - gradient, 152, 209, 210, 654
  - matrix product, 557
  - trace, 557

A searchable color pdfBook

Jon Dattorro, *Convex Optimization & Euclidean Distance Geometry*,  
*Μεβoo*, 2005

is available online from [Meboo Publishing](#).