

Index

- 0-norm, 221, 225, 284, 325, 330, 337, 338, 340, 360, 371, 771
 - Boolean, 284
- 1-norm, 217–221, 223–225, 254, 342, 458, 562, 771
 - ball, *see* ball
 - Boolean, 284
 - gradient, 225
 - heuristic, 326, 327, 562
 - nonnegative, 221, 222, 330, 337, 338, 340
- 2-norm, 50, 213, 214, 217, 218, 344, 679, 770, 771
 - ball, *see* ball
 - Boolean, 284
 - matrix, 70, 258, 542, 555, 612, 624, 631, 642, 732, 771
 - dual, 643, 771
 - inequality, 70, 771
 - Schur-form, 258, 642
- $Ax = b$, 49, 86, 219, 220, 225, 288, 297, 325, 328, 330, 341–344, 378, 688, 689
 - Boolean, 284
 - nonnegative, 88, 89, 221, 330, 337, 338, 340, 343
- V , 632
- δ , 581
- ∞ -norm, 217, 218, 224, 771
 - ball, *see* ball
 - dual, 771
- λ , 582, 761
- π , 223, 325, 549, 553, 575, 761
- ψ , 293, 614
- σ , 582, 761
- $\sqrt{\text{EDM}}$, 493
- \succ , 97
- \succeq , 770
- \times , 47, 155, 743, 763
- k -largest norm, 224, 225, 328
 - gradient, 225, 226
- active, 299
- adaptive, 366, 371, 374
- additivity, 101, 111, 596
- adjacency, 53
- adjoint
 - operator, 50, 51, 157, 527, 755, 762
 - self, 399, 581
- affine, 38, 229
 - algebra, 38, 40, 62, 79, 93, 702
 - boundary, 38, 46
 - combination, 67, 72, 78, 142
 - dimension, 23, 38, 61, 435, 437, 438, 447, 527
 - complementary, 529
 - cone, 133
 - low, 411
 - minimization, 560, 572
 - Précis, 438
 - reduction, 484
 - spectral projection, 573
 - face, 93
 - hull, *see* hull
 - independence, 71, 77, 78, 134, 138
 - preservation, 78
 - interior, 40
 - map, *see* transformation
 - membership relation, 216
 - normal cone, 750
 - set, 38, 61, 62
 - parallel, 38
 - subset, 62, 72
 - hyperplane intersection, 86

- nullspace basis span, 87
 - projector, 691, 702
- transformation, 47, 49, 79, 175, 247, 262, 530
 - positive semidefinite cone, 113, 114
- algebra
 - affine, 38, 40, 62, 79, 93, 702
 - arg, 329, 641, 642
 - cone, 157
 - face, 93
 - function
 - linear, 212
 - support, 232
 - fundamental theorem, 607
 - linear, 85
 - infimum, 641, 642
 - interior, 40, 46, 175
 - linear, 85, 581
 - projection, 702
 - subspace, 36, 85
- algebraic
 - complement, 94, 148, 195, 696, 700
 - multiplicity, 607
- Alizadeh, 291
- alternation, 475
- alternative, *see* theorem
- ambient, 519, 532
 - vector space, 36
- anchor, 307, 308, 407, 411
- angle, 84
 - acute, 72
 - alternating projection, 742
 - brackets, 50, 51
 - constraint, 398, 399, 402, 418
 - dihedral, 29, 84, 419, 481, 639
 - EDM cone, 121
 - halfspace, 73
 - inequality, 390, 479
 - matrix, 423
 - interpoint, 395
 - obtuse, 72
 - positive semidefinite cone, 120
 - relative, 420, 422
 - right, 122, 151, 173, 174
 - torsion, 29, 418
- antidiagonal, 427
- antisymmetry, 99, 596
- arg, 768
 - algebra, 329, 641, 642
- artificial intelligence, 25
- asymmetry, 35, 72
- axioms of the metric, 387
- axis of revolution, 122, 123, 639
- ball
 - 1-norm, 219, 220
 - nonnegative, 338
 - ∞ -norm, 219
 - Euclidean, 39, 219, 220, 403, 691, 731
 - smallest, 64
 - nuclear norm, 67
 - packing, 403
 - spectral norm, 70, 732
- Barvinok, 35, 110, 131, 134, 137, 384
- base, 94
 - station, 415
- basis, 58, 182, 763
 - discrete cosine transform, 332
 - nonorthogonal, 182, 703
 - projection on, 703
 - orthogonal
 - projection, 703
 - orthonormal, 58, 89, 700
 - pursuit, 363
 - standard
 - matrix, 58, 60, 756
 - vector, 58, 145, 396, 768
- bees, 30, 403
- Bellman, 268
- bijjective, 50, 53, 115, 653
 - Gram form, 429, 432
 - inner-product form, 433, 434
 - invertible, 53, 688
 - isometry, 54, 475
 - linear, 52, 54, 57, 60, 136, 176, 553, 637
- biorthogonal
 - decomposition, 692, 700
 - expansion, 148, 161, 178, 182, 693
 - EDM, 507
 - projection, 704
 - unique, 180, 182, 185, 508, 628, 705

- biorthogonality, 180, 183
 - condition, 178, 608, 628
- Birkhoff, 69
- bound
 - lower, 542
 - polyhedral, 491
- boundary, 39, 40, 46, 64, 93
 - point, 92
 - extreme, 107
 - of affine, 38, 46
 - of cone, 102, 170, 176, 177
 - EDM, 489, 504, 511
 - membership, 162, 170, 279
 - PSD, 40, 111, 117, 128–131, 279, 516
 - ray, 103
 - of halfspace, 72
 - of hypercube slice, 374
 - of open set, 41
 - of point, 46
 - of ray, 94
 - relative, 39, 40, 46, 64, 93
- bounded, 64, 84
- bowl, 668, 669
- box, 82, 731
- bridge, 419, 448, 498, 543, 559
- calculus
 - matrix, 657
 - of inequalities, 7
 - of variations, 166
- Carathéodory's theorem, 161, 714
- cardinality, 325, 392, 769, 771
 - 1-norm heuristic, 326, 327, 562
 - one, 219, 338
 - convex envelope, *see* convex geometry, 219, 338
 - minimization, 219, 220, 330, 360, 371
 - Boolean, 284
 - nonnegative, 221, 225, 324, 328, 330, 337, 338, 340
 - rank connection, 302
 - signed, 342
 - problem, *see* cardinality minimization
 - quasiconcavity, 225, 325
 - regularization, 333, 361
- Cartesian
 - axes, 38, 63, 80, 96, 104, 146, 158, 327, 732
 - cone, *see* orthant
 - coordinates, 470
 - product, 47, 276, 743, 763
 - cone, 98, 155
 - function, 216
 - subspace, 327, 732
- Cayley-Menger
 - determinant, 481, 483
 - form, 439, 460, 461, 549, 574
- cellular, 416
 - telephone network, 415
- center
 - geometric, 397, 401, 425, 468
 - gravity, 425
 - mass, 425
- central path, 275
- certificate, 209, 279, 280, 301, 382
 - null, 162, 171
- chain rule, 664
 - two argument, 664
- Chu, 7
- clipping, 226, 538, 731, 732, 761
- closed, *see* set
- coefficient
 - binomial, 224, 341
 - projection, 180, 514, 709, 716
- cofactor, 482
- compaction, 310, 323, 398, 402, 496, 563
- comparable, 101, 179
- complement
 - algebraic, 94, 148, 195, 696, 700
 - projection on, 696, 727
 - orthogonal, 56, 84, 148, 302, 696, 700, 727, 750, 759, 765
 - relative, 90, 759
- complementarity, 195, 217, 283, 301, 326
 - linear, 199
 - maximal, 270, 275, 299
 - problem, 198
 - linear, 199
 - strict, 283
- complementary
 - affine dimension, 529

- dimension, 85
- eigenvalues, 696
- halfspace, 74
- inertia, 462, 602
- slackness, 282
- subspace, 56
- compressed sensing, 216, 219–221, 225, 328, 330, 362, 363, 365, 372, 376
 - nonnegative, 221, 222, 330, 337, 338, 340
 - problem, 221, 222, 330, 337, 338, 340
 - Procrustes, 350
 - theorem, 330, 363
- compressive sampling, *see* compressed
- concave, 211, 212, 226
- condition
 - biorthogonality, 178, 608, 628
 - convexity
 - first order, 248, 251, 253, 255
 - second order, 252, 257
 - necessary, 759
 - optimality
 - dual, 154
 - first order, 166, 167, 195–198, 200
 - KKT, 198, 200, 547
 - semidefinite program, 282
 - Slater, 154, 208, 277, 281
 - unconstrained, 166, 242, 243, 718
 - sufficient, 759
- cone, 70, 94, 96, 769
 - algebra, 157
 - blade, 160
 - boundary, *see* boundary
 - Cartesian, *see* orthant
 - product, 98, 155
 - circular, 45, 97, 122–124, 534
 - Lorentz, *see* cone, Lorentz
 - right, 123
 - closed, *see* set, closed
 - convex, 70, 96, 97, 99, 105
 - difference, 47, 156
 - dimension, 133
 - dual, 148–152, 155–159, 200, 203, 204, 465
 - algorithm, 200
 - construction, 150, 151
 - dual, 155, 168
 - facet, 178, 205
 - formula, 167, 168, 186, 193, 194
 - halfspace-description, 167
 - in subspace, 157, 162, 183, 187, 188
 - Lorentz, 159, 173
 - orthant, *see* orthant
 - pointed, 143, 156
 - product, Cartesian, 155
 - properties, 155
 - self, 162, 172–174
 - unique, 149, 178
 - vertex-description, 186, 200
- EDM, 393, 487, 489, 490, 492
 - $\sqrt{\text{EDM}}$, 490, 493, 556
 - boundary, 489, 504, 511
 - circular, 123
 - construction, 505
 - convexity, 493
 - decomposition, 528
 - dual, 519, 520, 530, 532–534
 - extreme direction, 507
 - face, 506, 508
 - interior, 489, 504
 - one-dimensional, 107
 - positive semidefinite, 508, 516, 525
 - projection, 556, 568, 571
- empty set, 96
- face, 102
 - intersection, 170
 - pointed, 99
 - PSD, 139
 - PSD, smallest, 118, 515, 521, 531
 - smallest, 98, 132, 170–172, 222, 273, 341, 506
- facet, 178, 205
- halfline, 99
- halfspace, 143, 152
- hull, 156
- ice cream, *see* cone, circular
- interior, *see* interior
- intersection, 98, 156
 - pointed, 99
- invariance, *see* invariance

- Lorentz
 - circular, 97, 122
 - dual, 159, 173
 - polyhedral, 141, 159
 - majorization, 585
 - membership, *see* membership relation
 - monotone, 191–193, 462, 576, 654
 - nonnegative, 189–191, 464, 465, 471, 473, 474, 550–552, 576, 585, 732
 - negative, 179, 705
 - nonconvex, 94–96
 - normal, 195, 196, 198, 216, 513, 723, 729, 749–752
 - affine, 750
 - elliptope, 751
 - membership relation, 195
 - orthant, 195
 - one-dimensional, 94, 98, 134, 143
 - EDM, 107
 - PSD, 105
 - origin, 70, 96, 99, 103, 105, 134
 - orthant, *see* orthant
 - orthogonal complement, 158, 727, 750
 - pointed, 98, 99, 103–105, 143, 161, 180, 193
 - closed convex, 99, 136
 - dual, 143, 156
 - extreme, 99, 105, 143, 152
 - face, 99
 - polyhedral, 104, 143, 177
 - polar, 94, 149, 513, 727, 765
 - polyhedral, 70, 134, 140, 141, 143, 152
 - dual, 135, 157, 162, 168, 174, 177, 178
 - equilateral, 174
 - facet, 178, 205
 - halfspace-description, 140
 - majorization, 576
 - pointed, 104, 143, 177
 - proper, 135
 - vertex-description, 70, 143, 162, 177
 - positive semidefinite, 43, 110–113, 523
 - boundary, 111, 117, 128, 279, 516
 - circular, 121–124, 227
 - dimension, 118
 - dual, 172
 - EDM, 525
 - extreme direction, 105, 112, 120
 - face, 139
 - face, smallest, 118, 515, 521, 531
 - hyperplane, supporting, 118, 119
 - inscription, 126
 - interior, 110, 278
 - inverse image, 113, 114
 - one-dimensional, 105
 - optimization, 274
 - polyhedral, 125
 - rank, 118, 271
 - visualization, 272
 - product
 - Cartesian, 98, 155
 - proper, 102, 200
 - dual, 157
 - quadratic, 97
 - ray, 94, 98, 143
 - recession, 152
 - second order, *see* cone, Lorentz
 - selfdual, 162, 172–174
 - shrouded, 174, 533
 - simplicial, 71, 145–147, 179, 732
 - dual, 157, 179, 187
 - spectral, 460, 462, 549
 - dual, 465
 - orthant, 552
 - subspace, 98, 141
 - sum, 98, 156
 - supporting hyperplane, 99, 178
 - tangent, 513
 - transformation, *see* transformation
 - two-dimensional, 134
 - union, 156
 - unique, 110, 149, 489
 - vertex, 99
- congruence, 428, 459
 - conic
 - combination, 72, 142
 - constraint, 197, 198, 200, 227
 - coordinates, 148, 182, 185, 205
 - hull, *see* hull
 - independence, 27, 71, 133–138, 290

- versus* dimension, 134
 - dual cone, 188
 - extreme direction, 136
 - preservation, 136
- problem, 154, 197, 198, 200, 216, 267
 - dual, 154, 267
- section, 123
 - circular cone, 124
- conjugate
 - complex, 367, 586, 617, 637, 716, 755, 761
 - convex, 155, 159, 161, 162, 168, 178, 187, 195
 - function, 560, 761
 - gradient, 372
- conservation
 - dimension, 438, 616, 631
- constellation, 22
- constraint
 - angle, 398, 399, 402, 418
 - binary, 284, 353
 - cardinality, 330, 360, 371
 - nonnegative, 221, 225, 324, 328, 330, 337, 338, 340
 - signed, 342
 - conic, 197, 198, 200, 227
 - equality, 167, 200
 - affine, 266
 - inequality, 198, 299
 - matrix
 - Gram, 398, 399
 - orthogonal, *see* Procrustes, 382
 - orthonormal, 346
 - nonnegative, 88, 89, 198
 - norm, 344, 354, 615
 - spectral, 70
 - polynomial, 227, 351, 352
 - rank, *see* rank
 - Schur-form, 70
 - sort, 474
 - tractable, 266
- content, 483, 769
- contour plot, 196, 250
- contraction, 70, 199, 372, 374
- convergence, 303, 475, 735
 - geometric, 737
 - global, 301, 303, 305, 326, 382
 - local, 305, 327, 331, 343, 382, 384
 - measure, 287
- convex, 21, 36, 212
 - combination, 36, 72, 142
 - envelope, 560–562
 - bilinear, 261
 - cardinality, 289, 562
 - rank, 317, 414, 560–562
 - equivalent, 317
 - form, 7, 265
 - geometry, 35
 - fundamental, 74, 79, 84, 385, 397
 - hull, *see* hull
 - iteration
 - cardinality, 221, 324–331, 342, 343
 - convergence, 301, 303, 305, 326, 327, 343, 384
 - rank, 300–305, 565
 - rank one, 346, 380, 577
 - rank, indefinite, 375
 - stall, 305, 328, 331, 332, 345, 354, 380, 384
 - log, 262
 - optimization, 7, 21, 214, 266, 407
 - art, 8, 290, 310, 579
 - fundamental, 266
 - polyhedron, *see* polyhedron
 - problem, 154, 167, 197, 200, 218, 231, 238, 240, 270, 276, 554, 721
 - definition, 266
 - geometry, 21, 27
 - nonlinear, 265
 - statement as solution, 7, 265
 - tractable, 266
 - program, *see* problem
 - quadratic, *see* function
- convexity, 211, 226
 - condition
 - first order, 248, 251, 253, 255
 - second order, 252, 257
 - K-, 212
 - log, 262

- norm, 70, 213, 214, 217, 218, 247, 258, 643, 771
- strict, *see* function, convex
- coordinates
 - conic, 148, 182, 185, 205
- Crippen & Havel, 418
- criterion
 - EDM, 514, 518
 - dual, 526
 - Finsler, 518
 - metric *versus* matrix, 440
 - Schoenberg, 30, 397, 461, 531, 717
- cubix, 658, 661, 766
- curvature, 252, 260
- Dantzig, 268
- decomposition, 766
 - biorthogonal, 692, 700
 - completely PSD, 98, 306
 - dyad, 620
 - eigenvalue, 606–609
 - nonnegative matrix factorization, 306
 - orthonormal, 698, 700
 - singular value, *see* singular value
- deconvolution, 363
- deLeeuw, 466, 557, 567
- Delsarte, 404
- dense, 91
- derivative, 242
 - directional, 251, 665, 668, 669, 673–675
 - dimension, 668, 678
 - gradient, 669
 - second, 670
 - gradient, 675
 - partial, 657, 762
 - table, 678
- description
 - conversion, 148
 - halfspace, 71, 74
 - affine, 86
 - dual cone, 167
 - polyhedral cone, 140
 - vertex, 71, 72, 106
 - affine, 87
 - of halfspace, 137, 138
 - polyhedral cone, 70, 143, 162, 177
 - polyhedron, 64
- determinant, 259, 478, 592, 605, 678, 684
 - Cayley-Menger, 481, 483
 - inequality, 597
 - Kronecker, 584
 - product, 594
- Deza, 293, 513
- diagonal, 581
 - δ , 581
 - binary, 692
 - dominance, 127
 - inequality, 597
 - matrix, 606
 - commutative, 595
 - diagonalization, 609
 - values
 - eigen, 606
 - singular, 610
- diagonalizable, 181, 606
 - simultaneously, 120, 283, 593, 595, 618
- diagonalization, 42, 606–609
 - diagonal matrix, 609
 - expansion by, 181
 - symmetric, 608
- diamond, 427
- differential
 - Fréchet, 666
 - partial, 762
- diffusion, 496
- dilation, 471
- dimension, 38
 - affine, *see* affine
 - complementary, 85
 - conservation, 438, 616, 631
 - domain, 55
 - embedding, 61
 - Euclidean, 763
 - invariance, 55
 - positive semidefinite cone
 - face, 118
 - Précis, 438
 - range, 55
 - rank, 133, 437, 438, 769
- direction, 94, 105, 665
 - matrix, 300, 317, 322, 361, 405, 566

- interpretation, 301
 - Newton, 242
 - steepest descent, 242, 668
 - vector, 328
 - interpretation, 326, 327, 562
- disc, 65
- discretization, 167, 213, 252, 531
- dist, 738, 769
- distance, 738, 739
 - comparative, *see* distance, ordinal
 - Euclidean, 392
 - geometry, 22, 415
 - matrix, *see* EDM
 - ordinal, 469–476
 - origin to affine, 76, 219, 220, 691, 707
 - nonnegative, 221, 222, 337
 - property, 387
 - taxicab, 218–220, 254, 255
- Donoho, 376
- doublet, *see* matrix
- dual
 - affine dimension, 529
 - dual, 155, 162, 168, 282, 286, 358
 - feasible set, 276
 - norm, 159, 643, 771
 - problem, 152, 153, 208, 223, 224, 267, 280, 282, 283, 358, 400, 500
 - projection, 722, 724
 - on cone, 725
 - on convex set, 722, 724
 - on EDM cone, 571
 - optimization, 723
 - strong, 153, 154, 281, 653
- duality, 154, 400
 - gap, 153, 155, 277, 281, 282, 358
 - strong, 154, 208, 230, 282
 - weak, 280
- dvec, 60, 473, 770
- dyad, *see* matrix
- Dykstra algorithm, 735, 748, 749
- Eckart, 546, 548, 578
- edge, 90
- EDM, 28, 385, 386, 393, 534
 - $\sqrt{\text{EDM}}$, 493
 - closest, 547
 - composition, 455–458, 490, 491, 493
 - construction, 502
 - criterion, 514, 518
 - dual, 526
 - definition, 392, 500
 - Gram form, 395, 511
 - inner-product form, 420
 - interpoint angle, 395
 - relative-angle form, 422
 - dual, 526, 527
 - exponential entry, 455
 - graph, 389, 404, 408, 411, 412, 496
 - indefinite, 458
 - membership relation, 531
 - projection, 517
 - range, 503
 - test, numerical, 390, 397
 - unique, 454, 467, 468, 548
- eigen, 606
 - matrix, 111, 181, 608
 - spectrum, 460, 549
 - ordered, 462
 - unordered, 464
 - value, 591, 642
 - λ , 582, 761
 - coefficients, 711, 714
 - decomposition, 606–609
 - EDM, 439, 459, 472, 501
 - interlaced, 445, 459, 599
 - intertwined, 445
 - inverse, 608, 609, 614
 - Kronecker, 584
 - largest, 447, 598, 644, 645, 647
 - left, 606
 - of sum, 598
 - principal, 360
 - product, 593, 595, 596, 649
 - real, 586, 606, 609
 - repeated, 130, 606, 607
 - Schur, 603
 - singular, 610, 614
 - smallest, 447, 456, 500, 598, 644
 - sum of, 53, 592, 646, 648
 - symmetric matrix, 609, 615
 - transpose, 607

- unique, 121, 607
- zero, 615, 625
- vector, 644, 645
 - distinct, 607
 - EDM, 501
 - Kronecker, 584
 - left, 606
 - normal, 608
 - principal, 360, 362
 - real, 606, 609, 617
 - symmetric, 608
 - unique, 607
- elbow, 541, 542
- ellipsoid, 36, 41, 43, 344
 - invariance, 49
- elliptope, 286, 288, 398, 407, 449, 450, 458, 511–513
 - smooth, 449
 - vertex, 287, 450, 451
- embedding, 435
 - dimension, 61
- empty
 - interior, 39
 - set, 38, 39, 46, 641
 - affine, 38
 - closed, 41
 - cone, 96
 - face, 90
 - hull, 62, 65, 70
 - open, 41
- entry, 37, 212, 755, 760–762, 766
 - largest, 223
 - smallest, 223
- epigraph, 233, 256, 262
 - convex function, 233
 - form, 239, 570, 571
 - intersection, 232, 258, 263
- equality
 - constraint, 167, 200
 - affine, 266
 - EDM, 525
 - normal equation, 690
- errata, 204, 230, 307, 432, 648, 730
- Euclidean
 - ball, 39, 219, 220, 403, 691, 731
 - smallest, 64
- distance, 386, 392
 - geometry, 22, 408, 415, 717
 - matrix, *see* EDM
- metric, 387, 442
 - fifth property, 387, 390, 391, 476, 479, 485
- norm, *see* 2-norm
- projection, 129
- space, 36, 763
- exclusive
 - mutually, 165
- expansion, 183, 766
 - biorthogonal, 148, 161, 178, 182, 693
 - EDM, 507
 - projection, 704
 - unique, 180, 182, 185, 508, 628, 705
 - implied by diagonalization, 181
 - orthogonal, 58, 148, 181, 699, 701
 - w.r.t orthant, 182
- exponential, 685
- exposed, 90
 - closed, 508
 - direction, 107
 - extreme, 92, 99, 139
 - face, 91, 139
 - point, 91, 92, 107
 - density, 91
- extreme, 90
 - boundary, 107
 - direction, 103, 108, 136
 - distinct, 105
 - dual cone, 135, 178, 183, 185, 188, 202–204
 - EDM cone, 107, 507, 525
 - one-dimensional, 105, 107
 - origin, 105
 - pointed cone, 99, 105, 143, 152
 - PSD cone, 105, 112, 120
 - shared, 204
 - supporting hyperplane, 178
 - unique, 105
 - exposed, 92, 99, 139
 - point, 69, 90, 92, 93, 275
 - cone, 99, 132

- Fantope, 302
 - hypercube slice, 327
 - ray, 103, 511
- face, 42, 90
 - affine, 93
 - algebra, 93
 - exposed, *see* exposed
 - intersection, 170
 - isomorphic, 119, 400, 506
 - polyhedron, 139, 140
 - recognition, 25
 - smallest, 93, 170, 171, *see* cone
 - transitivity, 93
- facet, 91, 178, 205
- factorization
 - matrix, 643
 - nonnegative matrix, 306
- Fan, 65, 268, 593, 646
- Fantope, 65, 66, 121, 237, 301
 - extreme point, 302
- Farkas' lemma, 159, 164
 - positive definite, 278
 - not, 279
 - positive semidefinite, 276
- fat, 86, 756
 - full-rank, 86
- Fejér, 172, 741
- Fenchel, 211
- Fermat point, 400, 401
- Fiacco, 268
- finitely generated, 140
- floor, 770
- Forsgren & Gill, 265
- Fourier
 - transform, discrete, 54, 366
- Frisch, 268
- Frobenius, 52, *see* norm
- full, 39
 - dimensional, 39, 102
 - rank, 86
- function, *see* operator
 - affine, 47, 229–231, 244
 - supremum, 232
 - bilinear, 261
 - composition, 226, 247, 664
 - affine, 247, 262
 - concave, 211, 226, 261, 564, 644
 - conjugate, 560, 761
 - continuity, 212, 253, 262
 - convex, 211, 212, 394, 423
 - matrix, 253
 - nonlinear, 212, 231
 - simultaneously, 235, 236, 256
 - strictly, 213, 214, 246, 252, 257, 258, 557, 563, 569, 668, 669
 - trivial, 214
 - vector, 212
 - differentiable, 231, 257
 - non, 212, 213, 218, 243, 262, 372, 373
 - distance
 - Euclidean, 392, 393
 - taxicab, 254, 255
 - fractional, 235, 247, 252, 256
 - inverted, 226, 603, 678, 685
 - power, 227, 685
 - projector, 236
 - root, 226, 597, 609, 756
 - inverted, *see* function, fractional
 - invertible, 49, 53, 55
 - linear, *see* operator
 - monotonic, 211, 223, 224, 246, 261, 262
 - multidimensional, 211, 241, 257, 767
 - affine, 229, 230
 - negative, 226
 - objective, *see* objective
 - presorting, 223, 325, 549, 553, 575, 761
 - product, 235, 247, 261
 - projection, *see* projector
 - pseudofractional, 234
 - quadratic, 214, 239, 249, 258, 351, 421, 602, 715
 - distance, 392
 - nonnegative, 602
 - strictly, 214, 252, 257, 258, 569, 668, 669
 - quasiconcave, 260, 261, 293
 - cardinality, 225, 325
 - rank, 128
 - quasiconvex, 128, 233, 259–261
 - continuity, 260, 262

- quasilinear, 252, 261, 262, 614
- quotient, *see* function, fractional
- ratio, *see* function, fractional
- smooth, 212, 218
- sorting, 223, 325, 549, 553, 575, 761
- step, 614
 - matrix, 293
- stress, 252, 544, 566
- support, 82, 231
 - algebra, 232
- fundamental
 - convex
 - geometry, 74, 79, 84, 385, 397
 - optimization, 266
 - metric property, 387, 442
 - semidefiniteness test, 173, 586
 - subspace, 49, 84, 85, 688, 698
 - theorem algebra, 607
 - linear, 85
- Gâteaux differential, 666
- Gaffke, 520
- generators, 62, 72, 106, 168
 - c.i., 137
 - hull, 142
 - affine, 62, 77, 708
 - conic, 72, 137, 138
 - convex, 64
 - l.i., 137
 - minimal set, 64, 77, 137, 763
 - affine, 708
 - extreme, 106, 178
 - halfspace, 137, 138
 - hyperplane, 137
 - orthant, 213
 - positive semidefinite cone, 112, 173, 254
- geometric
 - center, 397, 401, 425, 468
 - operator, 431
 - subspace, 118, 425, 429, 430, 488, 498, 522–524, 560, 619, 719
 - Hahn-Banach theorem, 74, 79, 84
 - mean, 685
 - multiplicity, 607
- Geršgorin, 125
- gimbal, 638, 639
- global positioning system, 24, 308
- Gower, 385
- gradient, 166, 196, 231, 241, 251, 657, 676
 - composition, 664
 - conjugate, 372
 - derivative, 675
 - directional, 669
 - dimension, 241
 - first order, 675
 - image, 369
 - monotonic, 246
 - norm, 225, 226, 679, 681, 697, 707, 708, 718, 722
 - product, 661
 - second order, 676, 677
 - sparsity, 364
 - table, 678
 - zero, 166, 242, 243, 718
- Gram matrix, 315, 395, 407
 - constraint, 398, 399
 - uniqueness, 425, 429
- Hadamard
 - product, 51, 556, 582, 583, 664, 758
 - quotient, 678, 685, 758
 - square root, 756
- halfline, 94
- halfspace, 72–74, 152
 - boundary, 72
 - description, 71, 74
 - affine, 86
 - dual cone, 167
 - polyhedral cone, 140
 - vertex-, 137, 138
 - interior, 46
 - intersection, 74, 156, 173
 - polarity, 72
- Hayden & Wells, 487, 501, 568
- Hessian, 242, 657
- hexagon, 402
- Hiriart-Urruty, 82
- homogeneity, 101, 217, 262, 393
- honeycomb, 30
- Horn & Johnson, 587, 588
- horn, flared, 97

- hull, 61
 - affine, 38, 61–65, 79, 142
 - EDM cone, 431, 519
 - empty set, 62
 - point, 39, 62
 - positive semidefinite cone, 62
 - rank-1 correlation matrices, 62
 - unique, 61
 - conic, 63, 70, 142
 - empty set, 70
 - convex, 61, 63, 64, 142, 386
 - cone, 156
 - dyads, 67
 - empty set, 65
 - extreme directions, 106
 - orthogonal matrices, 70
 - orthonormal matrices, 70
 - outer product, 65
 - permutation matrices, 69
 - positive semidefinite cone, 120
 - projection matrices, 65
 - rank-one matrices, 67, 68
 - rank-one symmetric matrices, 120
 - unique, 64
 - hyperboloid, 620
 - hyperbox, 82, 731
 - hypercube, 52, 82, 219, 731
 - nonnegative, 289
 - slice, nonnegative, 327, 374
 - hyperdimensional, 662
 - hyperdisc, 669
 - hyperplane, 72–77, 244
 - hypersphere radius, 75
 - independence, 86
 - intersection, 86, 171
 - convex set, 80, 492
 - movement, 75, 88, 222
 - normal, 74
 - separating, 84, 157, 162, 164
 - strictly, 84
 - supporting, 79, 81, 196, 248–251
 - cone, 118, 119, 149, 150, 171, 178, 519
 - polarity, 79
 - strictly, 82, 99, 249
 - trivially, 79, 172
 - unique, 248, 249, 251
 - vertex-description, 77
 - hypersphere, 65, 75, 398, 403, 451
 - circumhypersphere, 439
 - hypograph, 234, 262, 680
 - idempotent, *see* matrix
 - iff, 768
 - image, 47
 - inverse, 47–49, 175
 - cone, 113, 114, 157, 176
 - magnetic resonance, 364
 - independence
 - affine, 71, 77, 78, 134, 138
 - preservation, 78
 - conic, 27, 71, 133–138, 290
 - versus* dimension, 134
 - dual cone, 188
 - extreme direction, 136
 - preservation, 136
 - linear, 37, 71, 134, 137, 339, 627
 - matrix, 593
 - of affine, 86, 87
 - preservation, 37
 - subspace, 37, 758
 - inequality
 - angle, 390, 479
 - matrix, 423
 - Bessel, 699
 - Cauchy-Schwarz, 740
 - constraint, 198, 299
 - determinant, 597
 - diagonal, 597
 - generalized, 101, 148, 159
 - dual, 27, 161, 172
 - partial order, 99
 - Hardy-Littlewood-Pólya, 550
 - Jensen, 247
 - linear, 35, 72, 162
 - matrix, 27, 173, 175, 176, 276, 277, 279
 - log, 680
 - norm, 285, 771
 - triangle, 217
 - rank, 597

- singular value, 70
- spectral, 70, 460
- trace, 597
- triangle, 387, 388, 421, 442–444, 446, 454, 477, 478, 480–482, 491, 493
 - norm, 217
 - strict, 444
 - unique, 477
 - variation, 166
- inertia, 459, 602
 - complementary, 462, 602
 - Sylvester’s law, 594
- infimum, 263, 641, 644, 697, 718, 768
 - algebra, 641, 642
- inflection, 252
- injective, 53, 54, 102, 207, 429, 763
 - Gram form, 425, 429, 432
 - inner-product form, 433, 434
 - invertible, 53, 687, 688
 - non, 55
 - nullspace, 53
- innovation
 - rate, 363
- interior, 39, 40, 46, 93
 - point, 39
 - method, 140, 265, 268, 270, 287, 324, 404, 406, 529, 567
 - algebra, 40, 46, 175
 - empty, 39
 - of affine, 40
 - of cone, 175, 177
 - EDM, 489, 504
 - membership, 161
 - positive semidefinite, 110, 278
 - of halfspace, 46
 - of point, 39, 41
 - of ray, 94
 - relative, 39, 40, 46, 93
 - transformation, 175
- intersection, 46
 - cone, 98, 156
 - pointed, 99
 - epigraph, 232, 258, 263
 - face, 170
 - halfspace, 74, 156, 173
 - hyperplane, 86, 171
 - convex set, 80, 492
 - line with boundary, 42
 - nullspace, 89
 - planes, 87
 - positive semidefinite cone
 - affine, 131, 279
 - geometric center subspace, 619
 - line, 409
 - subspace, 89
 - tangential, 43
- invariance
 - closure, 39, 140, 175
 - cone, 98, 136, 156, 489
 - convexity, 46
 - dimension, 55
 - ellipsoid, 49
 - Gram form, 425
 - inner-product form, 428
 - isometric, 23, 410, 424, 428, 466, 467
 - orthogonal, 54, 475, 542, 637, 640
 - reflection, 426
 - rotation, 121, 426
 - scaling, 262, 393
 - set, 457
 - translation, 424–426, 431, 452, 500, 719
- inversion
 - conic coordinates, 207
 - Gram form, 431
 - injective, 53
 - matrix, *see* matrix, inverse
 - nullspace, 49, 53
 - operator, 49, 53, 55, 175
- is, 759
- isedm(), 390, 397
- isometry, 54, 475, 544
- isomorphic, 52, 56, 59, 758
 - face, 119, 400, 506
 - isometrically, 42, 53, 115, 172
 - non, 619
 - range, 53
- isomorphism, 52, 176, 432, 434, 475, 488
 - isometric, 53, 54, 57, 60, 475
 - symmetric hollow subspace, 60
 - symmetric matrix subspace, 57

- isotonic, 471
- iterate, 735, 745, 746, 749
- iteration
 - alternating projection, 570, 735, 741, 749
 - convex, *see* convex
- Jacobian, 242
- Karhunen-Loève transform, 466
- kissing, 153, 219, 220, 337–339, 403, 691
 - number, 403
- KKT conditions, 198, 200, 547
- Klanfer, 398
- Klee, 106
- Krein-Rutman, 157
- Kronecker product, 114, 582–584, 653, 662, 663, 680
 - eigen, 584
 - inverse, 367
 - positive semidefinite, 392, 596
 - projector, 736
 - pseudoinverse, 689
 - trace, 584
 - vector, 664
 - vectorization, 583
- Lagrange multiplier, 167
 - sign, 208
- Lagrangian, 208, 216, 358, 370, 400
- Lasso, 363
- lattice, 311–314, 318–320
 - regular, 30, 311
- Laurent, 291, 293, 450, 455, 513, 518, 746, 747
- law of cosines, 420
- least
 - 1-norm, 219, 220, 285, 338
 - energy, 398, 563
 - norm, 219, 285, 690
 - squares, 307, 309, 690
- Legendre-Fenchel transform, 560
- Lemaréchal, 21, 82
- line, 244, 257
 - tangential, 44
- linear
 - algebra, 85, 581
 - bijection, *see* bijective
 - complementarity, 199
 - function, *see* operator
 - independence, 37, 71, 134, 137, 339, 627
 - matrix, 593
 - of affine, 86, 87
 - preservation, 37
 - subspace, 37, 758
 - inequality, 35, 72, 162
 - matrix, 27, 173, 175, 176, 276, 277, 279
 - operator, 47, 59, 212, 229, 231, 395, 431, 433, 475, 509, 581, 720
 - injective, 53
 - noninjective, 55
 - projector, 695, 700, 702, 723
 - program, 83, 88, 89, 155, 217, 231, 265, 267–270, 404
 - dual, 155, 267
 - prototypical, 155, 267
 - regression, 363
 - transformation, *see* transformation
- list, 28
- localization, 24, 409
 - sensor network, 307, 308
 - standardized test, 311
 - unique, 23, 308, 310, 408, 411
 - wireless, 415
- log, 680, 684
 - convex, 262
 - barrier, 404
 - det, 259, 415, 564, 675, 683
- Lowner, 111, 596
- machine learning, 25
- majorization, 585
 - cone, 585
 - symmetric hollow, 585
- manifold, 25, 26, 69, 70, 118, 494, 495, 542, 577, 637, 649
- map, *see* transformation
 - isotonic, 469, 472
 - USA, 28, 469, 470
- Mardia, 546
- Markov process, 500

- mater, 658
- Mathar, 520
- Matlab, 33, 133, 285, 323, 331, 336, 345, 353, 360, 405, 470, 473, 612
 - MRI, 362, 367, 372, 374
- matrix, 658
 - angle
 - interpoint, 395, 398
 - relative, 422
 - antisymmetric, 56, 586, 764
 - antihollow, 59, 60, 539
 - auxiliary, 397, 632, 636
 - orthonormal, 635
 - projector, 632
 - Schoenberg, 394, 634
 - table, 636
 - binary, *see* matrix, Boolean
 - Boolean, 287, 451
 - bordered, 445, 459
 - calculus, 657
 - circulant, 259, 608, 633
 - permutation, 367
 - symmetric, 367
 - commutative, *see* product
 - completion, *see* problem
 - correlation, 62, 450, 451
 - covariance, 397
 - determinant, *see* determinant
 - diagonal, *see* diagonal
 - diagonalizable, *see* diagonalizable
 - direction, 300, 317, 322, 361, 405, 566
 - interpretation, 301
 - distance
 - Euclidean, *see* EDM
 - taxicab, 254, 458
 - doublet, 425, 629, 719
 - nullspace, 629, 630
 - range, 629, 630
 - dyad, 621, 624
 - decomposition, 620
 - independence, 89, 181, 467, 503, 626–628
 - negative, 624
 - nullspace, 624, 625
 - projection on, 710, 712
 - projector, 625, 692, 709, 710
 - range, 624, 625
 - sum, 606, 610, 628
 - symmetric, 120, 626
- EDM, *see* EDM
- elementary, 457, 630, 632
 - nullspace, 630, 631
 - range, 630, 631
- exponential, 259, 685
- fat, 55, 86, 756
- Fourier, 54, 366
- Gale, 411
- geometric centering, 397, 425, 489, 498, 632
- Gram, 315, 395, 407
 - constraint, 398, 399
 - uniqueness, 425, 429
- Hermitian, 586
- hollow, 56, 59
- Householder, 631
 - auxiliary, 633
- idempotent, 695
 - nonsymmetric, 691
 - range, 691, 692
 - symmetric, 697, 700
- indefinite, 375, 458
- inverse, 257, 597, 608, 626, 674, 675
 - injective, 688
 - symmetric, 609
- Jordan form, 591, 607
- measurement, 538
- nonnegative factorization, 306
- nonsingular, 608, 609
- normal, 53, 592, 608, 610
- normalization, 288
- nullspace, *see* nullspace
- orthogonal, 347, 348, 426, 609, 637
 - manifold, 637
 - product, 637
 - symmetric, 638
- orthonormal, 54, 65, 70, 301, 346, 426, 611, 635, 646, 689, 699
 - manifold, 70
- partitioned, 601–605

- permutation, 69, 347, 348, 441, 584, 609, 637
 - circulant, 367
 - extreme point, 69
 - product, 637
 - symmetric, 367, 632, 652
- positive definite
 - inverse, 597
 - positive real numbers, 253
- positive factorization, 306
- positive semidefinite, 586, 589, 591, 599
 - completely, 98, 306
 - difference, 131
 - from extreme directions, 121
 - Kronecker, 392, 596
 - nonsymmetric, 591
 - pseudoinverse, 689
 - square root, 597, 609, 756
- product, *see* product
- projection, 115, 633, 698
 - Kronecker, 736
 - nonorthogonal, 691
 - orthogonal, 697
 - positive semidefinite, 600, 699
 - product, 735
- pseudoinverse, 115, 183, 243, 285, 601, 687
 - Kronecker, 689
 - nullspace, 687, 688
 - positive semidefinite, 689
 - product, 688
 - range, 687, 688
 - SVD, 614
 - symmetric, 614, 689
 - transpose, 180
 - unique, 687
- quotient
 - Hadamard, 678, 685, 758
- range, *see* range
- rank, *see* rank
- reflection, 426, 427, 638, 652
- rotation, 426, 637–639, 650
 - of range, 638
- rotation of, 640
- Schur-form, 601
- simple, 623
- skinny, 54, 183, 755
- sort index, 471
- square root, 756, *see* matrix, positive semidefinite
- squared, 258
- standard basis, 58, 60, 756
- Stiefel, *see* matrix, orthonormal
- stochastic, 69, 347
- sum
 - eigenvalue, 598
 - rank, 128, 593
- symmetric, 56, 609
 - inverse, 609
 - pseudoinverse, 614, 689
 - real numbers, 253
 - subspace of, 56
- symmetrized, 587
- trace, *see* trace
- unitary, 637
 - symmetric, 366, 369
- max cut problem, 356
- maximum variance unfolding, 494, 500
- McCormick, 268
- membership relation, 64, 99, 111, 159, 187, 277, 770
 - affine, 216
 - boundary, 162, 170, 279
 - discretized, 167, 168, 531
 - EDM, 531
 - in subspace, 187
 - interior, 161, 278
 - normal cone, 195
 - orthant, 64, 169, 170
- metric, 54, 254, 386
 - postulate, 387
 - property, 387, 442
 - fifth, 387, 390, 391, 476, 479, 485
 - space, 387
- minimal
 - element, 100, 101, 214, 215
 - set, *see* set
- minimization, 166, 195, 310, 669
 - affine function, 230
 - cardinality, 219, 220, 330, 360, 371

- Boolean, 284
- nonnegative, 221, 225, 324, 328, 330, 337, 338, 340
- rank connection, 302
- signed, 342
- fractional, inverted, *see* function
- norm
 - 1-, 218, *see* problem
 - 2-, 218, 400, 401
 - ∞ -, 218
 - Frobenius, 218, 239, 240, 243, 543, 718
 - nuclear, 375, 562, 643
 - on hypercube, 82
 - rank, 300, 346, 360, 378, 380, 565, 573
 - cardinality connection, 302
 - indefinite, 375
 - trace, 302–304, 375, 409, 560, 562, 563, 603, 643
- minimum
 - cardinality, *see* minimization
 - element, 100, 101, 214, 215
 - global
 - unique, 211, 669
 - value
 - unique, 214
- Minkowski, 141
- MIT, 376
- molecular conformation, 24, 418
- monotonic, 238, 246, 305, 741, 744
 - Fejér, 741
 - function, 211, 223, 224, 246, 261, 262
 - gradient, 246
- Moore-Penrose conditions, 687
- Moreau, 198, 727, 728
- Motzkin, 722
- MRI, 362, 364
- multidimensional
 - function, 211, 241, 257
 - affine, 229, 230
 - objective, 100, 101, 214, 215, 324, 371
 - scaling, 24, 466
 - ordinal, 471
- multilateration, 308, 415
- multiobjective optimization, 100, 101, 214–216, 324, 371
- multipath, 415
- multiplicity, 593, 607
- Musin, 404, 406
- nearest neighbors, 496
- neighborhood graph, 495, 496
- Nemirovski, 537
- nesting, 444
- Newton, 404, 657
 - direction, 242
- nondegeneracy, 387
- nonexpansive, 699, 730
- nonnegative, 440, 770
 - constraint, 88, 89, 198
 - matrix factorization, 306
 - part, 226, 538, 731, 732, 761
- nonnegativity, 217, 387
- nonvertical, 244
- norm, 214, 216–218, 221, 325, 770
 - 0, 615
 - 0-, *see* 0-norm
 - 1-, *see* 1-norm
 - 2-, *see* 2-norm
 - ∞ -, *see* ∞ -norm
 - k -largest, 224, 225, 328
 - gradient, 225, 226
 - ball, *see* ball
 - constraint, 344, 354, 615
 - spectral, 70
 - convexity, 70, 213, 214, 217, 218, 247, 258, 643, 771
 - dual, 159, 643, 771
 - Euclidean, *see* 2-norm
 - Frobenius, 53, 214, 218, 542
 - minimization, 218, 239, 240, 243, 543, 718
 - Schur-form, 239
 - gradient, 225, 226, 679, 681, 697, 707, 708, 718, 722
 - inequality, 285, 771
 - triangle, 217
 - Ky Fan, 642
 - least, 219, 285, 690
 - nuclear, 375, 562, 642, 643, 771

- ball, 67
- orthogonally invariant, 54, 475, 542, 637, 640
- property, 216
- regularization, 355, 690
- spectral, 70, 258, 542, 555, 612, 624, 631, 642, 732, 771
 - ball, 70, 732
 - dual, 643, 771
 - inequality, 70, 771
 - Schur-form, 258, 642
- square, 214, 218, 247, 542, 681, 697, 707, 708, 718, 771
- normal, 74, 196, 722
 - cone, *see* cone
 - equation, 690
 - facet, 178
 - inward, 72, 519
 - outward, 72
 - vector, 722
- Notation, 755
- NP-hard, 566
- nuclear
 - magnetic resonance, 418
 - norm, 375, 562, 642, 643, 771
 - ball, 67
- nullspace, 85, 632, 720
 - basis, 87
 - doublet, 629, 630
 - dyad, 624, 625
 - elementary matrix, 630, 631
 - form, 84
 - hyperplane, 73
 - injective, 53
 - intersection, 89
 - orthogonal complement, 763
 - product, 594, 624, 628, 698
 - pseudoinverse, 687, 688
- objective, 83
 - convex, 266
 - strictly, 557, 563
 - function, 83, 154, 166, 195, 197
 - linear, 231, 317, 409
 - multidimensional, 100, 101, 214, 215, 324, 371
 - nonlinear, 231
 - polynomial, 351
 - quadratic, 239
 - real, 214
 - value, 280, 296
 - unique, 267
- offset, 424
- on, 763
- one-to-one, 763, *see* injective
- only if, 759
- onto, 763, *see* surjective
- open, *see* set
- operator, 767
 - adjoint, 50, 51, 157, 527, 755, 762
 - self, 399, 581
 - invertible, 49, 53, 55, 175
 - linear, 47, 59, 212, 229, 231, 395, 431, 433, 475, 509, 581, 720
 - injective, 53
 - noninjective, 55
 - projector, 695, 700, 702, 723
 - nonlinear, 212, 231
 - nullspace, 425, 429, 431, 433, 720
 - permutation, 223, 325, 549, 553, 575, 761
 - projection, *see* projector
 - unitary, 54
- optimality
 - condition
 - directional derivative, 669
 - dual, 154
 - first order, 166, 167, 195–198, 200
 - KKT, 198, 200, 547
 - semidefinite program, 282
 - Slater, 154, 208, 277, 281
 - unconstrained, 166, 242, 243, 718
 - constraint
 - conic, 197, 198, 200
 - equality, 167, 200
 - inequality, 198
 - nonnegative, 198
 - global, 8, 214, 238, 266
 - perturbation, 296
- optimization, 21, 265

- combinatorial, 69, 83, 222, 284, 347, 353, 356, 451, 578
- conic, *see* problem
- convex, 7, 21, 214, 266, 407
 - art, 8, 290, 310, 579
 - fundamental, 266
- multiobjective, 100, 101, 214–216, 324, 371
- tractable, 266
- vector, 100, 101, 214–216, 324, 371
- order
 - natural, 50, 581, 767
 - nonincreasing, 551, 609, 610, 761
 - of projection, 538
 - partial, 64, 97, 99–101, 111, 169, 170, 178, 179, 596, 770
 - generalized inequality, 99
 - orthant, 169
 - property, 99, 101
 - total, 99, 100, 768
- origin, 36
 - cone, 70, 96, 99, 103, 105, 134
 - projection of, 219, 220, 691, 707
 - projection on, 727, 732
 - translation to, 436
- Orion nebula, 22
- orthant, 37, 145, 148, 159, 169, 182, 195
 - dual, 173
 - nonnegative, 162, 525
- orthogonal, 50
 - complement, 56, 84, 148, 302, 696, 700, 727, 750, 759, 765
 - equivalence, 640
 - expansion, 58, 148, 181, 699, 701
 - invariance, 54, 475, 542, 637, 640
 - sum, 759
- orthonormal, 50
 - decomposition, 698
 - matrix, *see* matrix
- orthonormality condition, 181
- overdetermined, 755
- PageRank, 500
- parallel, 38, 701
- pattern recognition, 24
- Penrose conditions, 687
- pentahedron, 482
- pentatope, 145, 482
- perpendicular, 50, 697, 718
- perturbation, 291, 293
 - optimality, 296
- phantom, 364
- plane, 72
 - segment, 103
- point
 - boundary, 92
 - of hypercube slice, 374
 - exposed, *see* exposed
 - feasible, *see* solution
 - fixed, 305, 372, 720, 738–741
 - inflection, 252
- Polya, 550
- Polyak, 641
- polychoron, 46, 140, 145, 481, 482
- polyhedron, 42, 61, 83, 139, 448
 - bounded, 64, 69, 222
 - face, 139, 140
 - halfspace-description, 139
 - norm ball, 220
 - permutation, 69, 347, 350
 - stochastic, 69, 347, 350
 - transformation
 - linear, 136, 140, 162
 - unbounded, 38, 42, 141, 142
 - vertex, 69, 141, 220
 - vertex-description, 64, 142
- polynomial
 - constraint, 227, 351, 352
 - nonnegative, 602
 - objective, 351
 - quadratic, *see* function
 - sum of squares, 602
- polytope, 140
- positive, 770
 - semidefinite, *see* matrix
 - strictly, 441
- power, *see* function, fractional
- Précis, 438
- precision, numerical, 140, 268, 270, 287, 324, 370, 404, 406, 537, 567
- presolver, 339

- primal
 - feasible set, 270, 276
 - problem, 154, 267
 - via dual, 155, 283
- principal
 - component analysis, 360, 466
 - eigenvalue, 360
 - eigenvector, 360, 362
 - submatrix, 407, 477, 482, 506, 599
 - leading, 442, 444
 - theorem, 599
- principle
 - halfspace-description, 74
 - separating hyperplane, 84
 - supporting hyperplane, 79
- problem
 - 1-norm, 218–222, 285, 342
 - nonnegative, 221, 222, 326, 327, 330, 337, 338, 340, 562
 - Boolean, 69, 83, 284, 353, 451
 - cardinality, 330, 360, 371
 - Boolean, 284
 - nonnegative, 221, 225, 324, 328, 330, 337, 338, 340
 - signed, 342
 - combinatorial, 69, 83, 222, 284, 347, 353, 356, 451, 578
 - complementarity, 198
 - linear, 199
 - completion, 311–314, 322, 367, 388, 389, 408, 411, 412, 447, 454, 455, 484, 485, 492, 494, 495, 579
 - geometry, 494
 - semidefinite, 746, 747
 - compressed sensing, *see* compressed
 - concave, 266
 - conic, 154, 197, 198, 200, 216, 267
 - dual, 154, 267
 - convex, 154, 167, 197, 200, 218, 231, 238, 240, 270, 276, 554, 721
 - definition, 266
 - geometry, 21, 27
 - nonlinear, 265
 - statement as solution, 7, 265
 - tractable, 266
 - dual, *see* dual
 - epigraph form, 239, 570, 571
 - equivalent, 301
 - feasibility, 143, 170, 171
 - semidefinite, 280, 300, 301, 381
 - fractional, inverted, *see* function
 - max cut, 356
 - minimax, 64, 154, 155
 - nonlinear, 407
 - convex, 265
 - open, 30, 127, 305, 465, 508, 578
 - primal, *see* primal
 - Procrustes, *see* Procrustes
 - proximity, 537, 539, 542, 545, 556, 568
 - EDM, nonconvex, 552
 - in spectral norm, 555
 - rank heuristic, 562, 565
 - SDP, Gram form, 559
 - semidefinite program, 548, 558, 569
 - same, 301
 - stress, 252, 544, 566
 - tractable, 266
- procedure
 - rank reduction, 292
- Procrustes
 - combinatorial, 347
 - compressed sensing, 350
 - diagonal, 655
 - linear program, 652
 - maximization, 652
 - orthogonal, 649
 - two sided, 651, 653
 - orthonormal, 346
 - symmetric, 654
 - translation, 650
 - unique solution, 650
- product, 261, 663
 - Cartesian, 47, 276, 743, 763
 - cone, 98, 155
 - function, 216
 - commutative, 259, 283, 593–595, 618, 735
 - determinant, 594
 - direct, 662
 - eigenvalue, 593, 595, 596, 649

- matrix, 595, 596
 - fractional, *see* function
 - function, *see* function
 - gradient, 661
 - Hadamard, 51, 556, 582, 583, 664, 758
 - inner
 - matrix, 395
 - vector, 50, 261, 268, 363, 421, 710, 760
 - vectorized matrix, 50, 591
 - Kronecker, 114, 582–584, 653, 662, 663, 680
 - eigen, 584
 - inverse, 367
 - positive semidefinite, 392, 596
 - projector, 736
 - pseudoinverse, 689
 - trace, 584
 - vector, 664
 - vectorization, 583
 - nullspace, 594, 624, 628, 698
 - orthogonal, 637
 - outer, 65
 - permutation, 637
 - positive definite, 588
 - nonsymmetric, 588
 - positive semidefinite, 595, 596, 599, 600
 - nonsymmetric, 595
 - projector, 524, 710, 735
 - pseudofractional, *see* function
 - pseudoinverse, 688
 - Kronecker, 689
 - range, 594, 624, 628, 698
 - rank, 593, 594
 - tensor, 662
 - trace, *see* trace
 - zero, 618
- program, 83, 265
- convex, *see* problem
 - geometric, 8, 269
 - integer, 69, 83, 451
 - linear, 83, 88, 89, 155, 217, 231, 265, 267–270, 404
 - dual, 155, 267
 - prototypical, 155, 267
 - nonlinear
 - convex, 265
 - quadratic, 269, 270, 474
 - second-order cone, 269, 270
 - semidefinite, 155, 217, 231, 265–267, 269, 270, 349
 - dual, 155, 267
 - equality constraint, 111
 - Gram form, 571
 - prototypical, 155, 267, 281, 299
 - Schur-form, 227, 239, 240, 258, 475, 558, 570, 571, 642, 730
- projection, 53, 687
- $I - P$, 696, 727
 - algebra, 702
 - alternating, 403, 735, 736
 - angle, 742
 - convergence, 740, 742, 744, 747
 - distance, 738, 739
 - Dykstra algorithm, 735, 748, 749
 - feasibility, 738–740
 - iteration, 735, 749
 - on affine/psd cone, 745
 - on EDM cone, 570
 - on halfspaces, 737
 - on orthant/hyperplane, 741, 742
 - optimization, 738, 739, 748
 - over/under, 743
 - biorthogonal expansion, 704
 - coefficient, 180, 514, 709, 716
 - cyclic, 737
 - direction, 697, 700, 712
 - nonorthogonal, 694, 695, 709
 - dual, *see* dual, projection
 - easy, 731
 - Euclidean, 129, 539, 542, 546, 548, 556, 568, 722
 - matrix, *see* matrix
 - minimum-distance, 166, 695, 698, 718, 721
 - nonorthogonal, 396, 555, 691, 694, 695, 709
 - eigenvalue coefficients, 711
 - oblique, 219, 220, 544, *see* projection, nonorthogonal

- of convex set, 50
 - of hypercube, 52
 - of matrix, 717, 719
 - of origin, 219, 220, 691, 707
 - of PSD cone, 116
 - on 1-norm ball, 733
 - on affine, 50, 702, 703, 707
 - hyperplane, 707, 709
 - of origin, 219, 220, 691, 707
 - vertex-description, 708
 - on basis
 - nonorthogonal, 703
 - orthogonal, 703
 - on box, 731
 - on cardinality k , 732
 - on complement, 696, 727
 - on cone, 726, 728, 732
 - dual, 94, 148, 727, 728
 - EDM, 556, 557, 568, 573, 574
 - Lorentz (second-order), 733
 - monotone nonnegative, 464, 474, 550–552, 732
 - polyhedral, 733
 - simplicial, 732
 - truncated, 729
 - on cone, PSD, 129, 545, 547, 548, 732
 - geometric center subspace, 524
 - rank constrained, 242, 548, 554, 645
 - on convex set, 166, 721–723
 - in affine subset, 733
 - in subspace, 733
 - on convex sets, 737
 - on dyad, 710, 712
 - on ellipsoid, 344
 - on Euclidean ball, 731
 - on function domain, 234
 - on geometric center subspace, 524, 719
 - on halfspace, 709
 - on hyperbox, 731
 - on hypercube, 731
 - on hyperplane, 707, 709, *see* projection,
 - on affine
 - on hypersphere, 731
 - on intersection, 733
 - on matrices
 - rank constrained, 732
 - on matrix, 709, 710, 712
 - on origin, 727, 732
 - on orthant, 551, 729, 731
 - in subspace, 551
 - on range, 690
 - on rowspace, 55
 - on simplex, 733
 - on slab, 709
 - on spectral norm ball, 732
 - on subspace, 50, 94, 148, 698, 727
 - Cartesian, 732
 - elementary, 706
 - hollow symmetric, 546, 731
 - matrix, 717
 - symmetric matrices, 731
 - on vector
 - cardinality k , 732
 - nonorthogonal, 709
 - orthogonal, 712
 - one-dimensional, 712
 - order of, 538, 540, 733
 - orthogonal, 690, 697, 712
 - eigenvalue coefficients, 714
 - semidefiniteness test as, 715
 - range/rowspace, 721
 - spectral, 498, 549, 552
 - norm, 555, 732
 - unique, 552
 - successive, 737
 - two sided, 717, 719, 721
 - umbral, 50
 - unique, 695, 698, 718, 721–723
 - vectorization, 514, 719
- projector
- biorthogonal, 701
 - characteristic, 692, 695, 696, 699, 700
 - commutative, 735
 - non, 524, 733, 736
 - complement, 697
 - convexity, 695, 700, 721, 723
 - direction, 697, 700, 712
 - nonorthogonal, 694, 695, 709
 - dyad, 625, 692, 709, 710
 - Kronecker, 736

- linear operator, 55, 695, 700, 702, 723
- nonorthogonal, 396, 695, 702, 709
- orthogonal, 698
- orthonormal, 701
- product, 524, 710, 735
- range, 698
- semidefinite, 600, 699
- prototypical
 - complementarity problem, 199
 - compressed sensing, 338
 - coordinate system, 148
 - linear program, 267
 - SDP, 155, 267, 281, 299
 - signal, 363
- pyramid, 483, 484
- quadrant, 37
- quadratic, *see* function
- quadrature, 426
- quartic, 660, 766
- quasi-, *see* function
- quotient
 - Hadamard, 678, 685, 758
 - Rayleigh, 716
- range, 63, 85, 718, 763
 - dimension, 55
 - doublet, 629, 630
 - dyad, 624, 625
 - elementary matrix, 630, 631
 - form, 84
 - idempotent, 691, 692
 - orthogonal complement, 763
 - product, 594, 624, 628, 698
 - pseudoinverse, 687, 688
 - rotation, 638
- rank, 593, 594, 610–612, 769
 - $-\rho$ subset, 117, 118, 130, 546, 548–555, 573, 578
 - constraint, 300, 346, 351, 352, 360, 378, 380, 565, 573
 - indefinite, 375
 - projection on matrices, 732
 - projection on PSD cone, 242, 548, 554, 645
 - convex envelope, *see* convex
 - convex iteration, *see* convex
 - diagonalizable, 593
 - dimension, 133, 437, 438, 769
 - affine, 439, 565
 - full, 86
 - heuristic, 562, 565
 - inequality, 597
 - log det, 564, 565
 - lowest, 301
 - minimization, 300, 346, 360, 378, 380, 565, 573
 - cardinality connection, 302
 - indefinite, 375
 - one, 600, 621, 624, 626
 - Boolean, 287, 451
 - convex iteration, 346, 380, 577
 - hull, *see* hull, convex
 - modification, 626, 630
 - subset, 242
 - symmetric, 120
 - partitioned matrix, 604
 - positive semidefinite cone, 271
 - face, 118
 - Précis, 438
 - product, 593, 594
 - projection matrix, 696, 699
 - quasiconcavity, 128
 - reduction, 270, 291, 292, 297
 - procedure, 292
 - regularization, 324, 346, 356, 379, 380, 565, 577
 - Schur-form, 604
 - sum, 128
 - positive semidefinite, 128, 593
 - trace heuristic, 302–304, 375, 560–563, 643
- ray, 94
 - boundary of, 94
 - cone, 94, 96, 98, 143
 - boundary, 103
 - EDM, 107
 - positive semidefinite, 105
 - extreme, 103, 511
 - interior, 94
- Rayleigh

- quotient, 716
- realizable, 22, 402, 544, 545
- reconstruction, 466
 - isometric, 410, 470
 - isotonic, 469–472, 474, 476
 - list, 466
 - unique, 389, 411, 412, 428, 429
- recursion, 372, 529, 581, 599
- reflection, 426, 427, 652
 - invariant, 426
 - vector, 638
- reflexivity, 99, 596
- regular
 - lattice, 30, 311
 - simplex, 482
 - tetrahedron, 479, 493
- regularization
 - cardinality, 333, 361
 - norm, 355, 690
 - rank, 324, 346, 356, 379, 380, 565, 577
- relaxation, 69, 83, 222, 286, 289, 409, 451, 473
- reweighting, 327, 564
- Riemann, 270
- robotics, 25, 31
- root, *see* function, fractional
- rotation, 426, 638, 639, 650
 - invariant, 426
 - of matrix, 640
 - of range, 638
 - vector, 125, 426, 637
- round, 769
- saddle value, 153, 154
- scaling, 466
 - multidimensional, 24, 466
 - ordinal, 471
 - unidimensional, 566
- Schoenberg, 385, 396, 448, 455, 457, 473, 488, 544, 546, 708
 - auxiliary matrix, 394, 634
 - criterion, 30, 397, 461, 531, 717
- Schur, 585
 - form, 601
 - anomaly, 240
 - constraint, 70
 - convex set, 113, 114
 - norm, Frobenius, 239
 - norm, spectral, 258, 642
 - rank, 604
 - semidefinite program, 227, 239, 240, 258, 475, 558, 570, 571, 642, 730
 - sparse, 603
 - complement, 316, 409, 601, 602, 604
- self-distance, 387
- semidefinite
 - domain of test, 586
 - program, *see* program
 - symmetry *versus*, 586
- sensor, 307, 308
 - network localization, 307, 308, 407, 411
- sequence, 741
- set
 - Cartesian product, 47
 - closed, 36, 39–41, 72–74, 175
 - cone, 110, 117, 136, 140, 141, 156, 162, 175, 176, 276–278, 489
 - exposed, 508
 - polyhedron, 136, 139, 140
 - connected, 36
 - convex, 36
 - invariance, 46
 - projection on, 166, 721–723
 - difference, 47, 156
 - empty, 38, 39, 46, 641
 - affine, 38
 - closed, 41
 - cone, 96
 - face, 90
 - hull, 62, 65, 70
 - open, 41
 - feasible, 45, 69, 166, 195, 214, 266, 766
 - dual, 276
 - primal, 270, 276
 - intersection, *see* intersection
 - invariant, 457
 - level, 196, 229, 232, 241, 250, 261, 266
 - affine, 231
 - minimal, 64, 77, 137, 763
 - affine, 708
 - extreme, 106, 178

- halfspace, 137, 138
- hyperplane, 137
- orthant, 213
- positive semidefinite cone, 112, 173, 254
- nonconvex, 40, 94–97
- open, 36, 38, 40, 41, 161
- projection of, 50
- Schur-form, 113, 114
- smooth, 449
- solution, 214, 766
- sublevel, 196, 233, 242, 251, 256, 261, 602
 - convex, 234, 250
 - quasiconvex, 261
- sum, 46
- superlevel, 234, 261
- union, 46
- Shannon, 363
- shape, 23
- Sherman-Morrison, 626, 675
- shift, 424
- shroud, 427, 428, 512
 - cone, 174, 533
- SIAM, 266
- signal
 - dropout, 332
 - processing
 - digital, 332, 363, 376, 466
- simplex, 144, 145
 - area, 481
 - content, 483
 - method, 324, 404
 - nonnegative, 337, 338
 - regular, 482
 - unit, 144, 145
 - volume, 483
- singular value, 610, 642
 - σ , 582, 761
 - decomposition, 610–615, 643
 - compact, 610
 - diagonal, 655
 - full, 611
 - geometrical, 613
 - pseudoinverse, 614
 - subcompact, 611
 - symmetric, 614, 654
 - eigenvalue, 610, 614, 615
 - inequality, 70
 - inverse, 614
 - largest, 70, 258, 642, 732, 771
 - normal matrix, 53, 610
 - sum of, 53, 67, 642, 643
 - symmetric matrix, 614, 615
 - triangle inequality, 67
- skinny, 183, 755
- slab, 38, 316, 709
- slack
 - complementary, 282
 - variable, 267, 276, 299
- Slater, 154, 208, 277, 281
- slice, 122, 173, 415, 668, 669
- slope, 242
- solid, 140, 144, 479
- solution
 - analytical, 239, 265, 641
 - feasible, 166, 277, 738–742, 767
 - dual, 281
 - strictly, 277, 281
 - numerical, 322
 - optimal, 83, 88, 89, 214, 766
 - problem statement as, 7, 265
 - set, 214, 766
 - trivial, 37
 - unique, 45, 213, 214, 409, 410, 555, 557, 563, 573
 - vertex, 83, 222, 350, 404
- sort
 - function, 223, 325, 549, 553, 575, 761
 - index matrix, 471
 - largest entries, 223
 - monotone nonnegative, 551
 - smallest entries, 223
- span, 63, 763
- sparsity, 219–222, 225, 284, 324, 325, 328, 330, 331, 337–340, 342, 343, 360, 363
 - gradient, 364
 - nonnegative, 221, 330, 337, 338, 340
 - theorem, 221, 330, 363

- spectral
 - cone, 460, 462, 549
 - dual, 465
 - orthant, 552
 - inequality, 70, 460
 - norm, 70, 258, 542, 555, 612, 624, 631, 642, 732, 771
 - ball, 70, 732
 - dual, 643, 771
 - inequality, 70, 771
 - Schur-form, 258, 642
 - projection, *see* projection
- sphere packing, 403
- steepest descent, 242, 668
- strict
 - complementarity, 283
 - feasibility, 277, 281
 - positivity, 441
 - triangle inequality, 444
- Sturm, 620
- subject to, 768
- submatrix
 - principal, 407, 477, 482, 506, 599
 - leading, 442, 444
 - theorem, 599
- subspace, 36
 - algebra, 36, 85
 - antihollow, 59
 - antisymmetric, 59, 60, 539
 - Cartesian, 327, 732
 - complementary, 56
 - fundamental, 49, 84, 85, 688, 698
 - geometric center, 429, 430, 488, 498, 522–524, 560, 619, 719
 - orthogonal complement, 118, 425, 500, 719
 - hollow, 58, 430, 523
 - intersection, 89
 - hyperplanes, 86
 - nullspace basis
 - span, 87
 - proper, 36
 - representation, 84
 - symmetric hollow, 58
 - tangent, 118
 - translation invariant, 425, 431, 500, 719
- successive
 - approximation, 737
 - projection, 737
- sum, 46
 - eigenvalues of, 598
 - matrix
 - eigenvalue, 598
 - rank, 128, 593
 - of eigenvalues, 53, 592
 - of singular values, 53, 67, 642, 643
 - of squares, 602
 - vector, 46
 - orthogonal, 759
 - unique, 56, 148, 627, 758, 759
- supremum, 64, 263, 641–644, 768
 - affine functions, 232, 643
 - convex functions, 258, 263
- surjective, 54, 429, 431, 433, 550, 763
 - linear, 433, 434, 451, 453
- svec, 57, 267, 769
- Swiss roll, 26
- symmetry, 387
- tangent
 - line, 43, 409
 - subspace, 118
- tangential, 43, 82, 410
- Taylor series, 667, 673–675
- tensor, 660–663
- tesseract, 52
- tetrahedron, 144, 145, 337, 481
 - angle inequality, 479
 - regular, 479, 493
- Theobald, 593
- theorem
 - 0 eigenvalues, 615
 - alternating projection
 - distance, 740
 - alternative, 162–165, 172
 - EDM, 534
 - semidefinite, 279
 - weak, 165
 - Barvinok, 131
 - Bunt-Motzkin, 722
 - Carathéodory, 161, 714

- compressed sensing, 330, 363
- cone
 - faces, 102
 - intersection, 98
- conic coordinates, 205
- convexity condition, 248
- decomposition
 - dyad, 620
- directional derivative, 669
- discretized membership, 168
- dual cone intersection, 201
- duality, weak, 280
- EDM, 451
- eigenvalue
 - of difference, 598
 - order, 597
 - sum, 598
 - zero, 615
- elliptope vertices, 451
- exposed, 107
- extreme existence, 90
- extremes, 106
- Farkas' lemma, 159, 164
 - not positive definite, 279
 - positive definite, 278
 - positive semidefinite, 276
- fundamental
 - algebra, 607
 - algebra, linear, 85
 - convex optimization, 266
- generalized inequality and membership, 159
- Geršgorin discs, 125
- gradient monotonicity, 246
- Hahn-Banach, 74, 79, 84
- halfspaces, 74
- Hardy-Littlewood-Pólya, 550
- hypersphere, 451
- inequalities, 550
- intersection, 46
- inverse image, 47, 51
 - closedness, 175
- Klee, 106
- line, 257, 262
- linearly independent dyads, 627
- majorization, 585
- mean value, 674
- Minkowski, 141
- monotone nonnegative sort, 551
- Moreau decomposition, 198, 728
- Motzkin, 722
 - transposition, 165
- nonexpansivity, 730
- pointed cones, 99
- positive semidefinite, 590
 - cone subsets, 129
 - matrix sum, 128
 - principal submatrix, 599
 - symmetric, 600
- projection
 - algebraic complement, 728
 - minimum-distance, 722, 723
 - on affine, 703
 - on cone, 726
 - on convex set, 722, 723
 - on PSD geometric intersection, 524
 - on subspace, 50
 - via dual cone, 729
 - via normal cone, 723
- projector
 - rank/trace, 699
 - semidefinite, 600
- proper-cone boundary, 102
- Pythagorean, 351, 421, 734
- range of dyad sum, 628
- rank
 - affine dimension, 439
 - partitioned matrix, 604
 - Schur-form, 604
 - trace, 696
- real eigenvector, 606
- sparse sampling, 330, 363
- sparsity, 221
- Tour, 455
- Weyl, 141
 - eigenvalue, 598
- tight, 389, 767
- trace, 581, 582, 642, 644, 681
 - /rank gap, 561
 - eigenvalues, 592

- heuristic, 302–304, 375, 560–563, 643
- inequality, 596, 597
- Kronecker, 584
- maximization, 498
- minimization, 302–304, 375, 409, 560, 562, 563, 603, 643
- of product, 51, 593, 596
- product, 584, 596
- projection matrix, 696
- zero, 618
- trajectory, 457, 518
 - sensor, 413
- transformation
 - affine, 47, 49, 79, 175, 247, 262, 530
 - positive semidefinite cone, 113, 114
 - bijjective, *see* bijective
 - Fourier, discrete, 54, 366
 - injective, *see* injective
 - invertible, 49, 53, 55
 - linear, 37, 49, 78, 136, 688
 - cone, 98, 102, 136, 140, 162, 175–177
 - cone, dual, 157, 162
 - inverse, 49, 489, 688
 - polyhedron, 136, 140, 162
 - rigid, 23, 410
 - similarity, 714
 - surjective, *see* surjective
- transitivity, 93, 99, 596
- trefoil, 496, 497, 499
- triangle, 388
 - inequality, 387, 388, 421, 442–444, 446, 454, 477, 478, 480–482, 491, 493
 - norm, 217
 - strict, 444
 - unique, 477
- triangulation, 23
- trilateration, 23, 45, 408
 - tandem, 411
- Tucker, 164, 198, 547
- unbounded below, 83, 88, 89, 164
- underdetermined, 378, 756
- unfolding, 496, 500
- unfurling, 494
- unimodal, 259, 260
- unique, 8
- eigenvalues, 121, 607
- extreme direction, 105
- localization, 23, 308, 310, 408, 411
- minimum element, 101, 214, 215
- solution, *see* solution
- sum, 758
 - orthogonal, 759
- unraveling, 496, 497, 499
- untieing, 497, 499
- value
 - absolute, 216, 252
 - minimum
 - unique, 214
 - objective, 280, 296
 - unique, 267
- variable
 - matrix, 77
 - slack, 267, 276, 299
- variation
 - calculus, 166
 - total, 370
- vec, 51, 367, 582, 583, 769
- vector, 36, 766
 - binary, 62, 289, 353, 449
 - direction, 328
 - interpretation, 326, 327, 562
 - dual, 749
 - normal, 722
 - optimization, 100, 101, 214–216, 324, 371
 - parallel, 701
 - Perron, 459
 - primal, 749
 - product
 - inner, 50, 261, 268, 363, 421, 591, 710, 760
 - Kronecker, 664
 - quadrature, 426
 - reflection, 638
 - rotation, 125, 426, 637
 - space, 36, 763
 - standard basis, 58, 145, 396, 768
- vectorization, 51
 - projection, 514
 - symmetric, 57

- hollow, 60
- Venn, 141, 269, 540, 541
- vertex, 41, 45, 69, 91, 92, 220
 - cone, 99
 - description, 71, 72, 106
 - affine, 87
 - dual cone, 186, 200
 - halfspace, 137, 138
 - hyperplane, 77
 - polyhedral cone, 70, 143, 162, 177
 - polyhedron, 64, 142
 - projection, 708
 - elliptope, 287, 450, 451
 - polyhedron, 69, 141, 220
 - solution, 83, 222, 350, 404
- Vitulli, 623
- vortex, 505

- Wikimization*, 33, 133, 166, 199, 200, 292, 336, 353, 354, 360, 374, 384, 390, 397, 400, 470, 472, 473, 620, 732
- wavelet, 363, 365
- wedge, 103, 104, 159
- Weyl, 141, 598
- wireless location, 24, 307, 415
- Wolkowicz, 652
- womb, 658
- Wuthrich, 24

- Young, 546, 548, 578

- zero, 615
 - definite, 619
 - entry, 615
 - gradient, 166, 242, 243, 718
 - matrix product, 618
 - norm-, 615
 - trace, 618

A searchable color pdfBook

[Dattorro](#), *Convex Optimization & Euclidean Distance Geometry*,
[Meboo Publishing USA](#), 2005, v2010.01.05.

is available online from [Meboo Publishing](#).