

Index

- \emptyset , *see* empty set
 - 0-norm, 193, 197, 254, 292, 296, 297, 302–305, 321, 329, 677
 - Boolean, 254
 - 1-norm, 190–197, 267, 302, 307, 308, 499, 677
 - ball, *see* ball
 - Boolean, 254
 - distance matrix, 222, 417
 - gradient, 197
 - heuristic, 293, 294, 499
 - nonnegative, 193, 194, 296, 302–306
 - projection, 644
 - 2-norm, 46, 187, 190, 191, 308, 595, 677
 - ball, *see* ball
 - Boolean, 254
 - matrix, 63, 210, 267, 485, 494, 538, 548, 553, 554, 565, 643, 677
 - constraint, 62
 - dual, 564, 677
 - inequality, 677
 - Schur-form, 210, 565
 - ∞ -norm, 190, 191, 196, 267, 677
 - ball, *see* ball
 - dual, 677
 - k -largest norm, 196, 294, 295, 345, 677
 - gradient, 197
 - ℓ -norm, 677
 - \succ , 57, 89, 90, 101, 676
 - \succeq , 57, 90, 101, 676
 - \geq , 57, 677
 - $Ax = b$, 45, 76, 191, 192, 196, 257, 259, 263, 291, 294, 297, 307, 308, 348, 604, 605
 - Boolean, 254
 - nonnegative, 78, 79, 193, 240, 296, 301–306
 - V , 367, 554
 - V_N , 364, 556
 - δ , 513, 525, 668
 - e , 52, 674
 - i , 387, 665
 - j , 325, 665
 - λ , 513, 522, 525, 668
 - ∂ , 38, 42, 577
 - π , 195, 196, 292, 490, 493, 510, 668
 - ψ , 260, 540
 - σ , 513, 514, 668
 - φ , 664
 - $\sqrt{}$, 199, 664, 669
 - \times , 43, 141, 653, 670
 - tr, 522, 525, 675
 - $-\mathcal{A}-$, 35
 - accuracy, *see* precision
 - active set, 265
 - adaptive, 325, 330, 332
 - additivity, 92, 101, 525
 - adjacency, 48
 - adjoint
 - operator, 46, 142, 473, 663, 668
 - self, 46, 369, 473, 513
 - affine, 35, 200
 - algebra, 36, 37, 55, 71, 84, 616
 - boundary, 35, 43
 - combination, 61, 63, 70, 130
 - dimension, 23, 36, 54, 399–401, 408, 475
 - complementary, 475
 - cone, 122
 - low, 378
 - minimization, 498, 508
 - Précis, 401
 - reduction, 437
 - spectral projection, 508
 - face, 84
 - hull, *see* hull
 - independence, 64, 69, 70, 122, 125
 - preservation, 70
 - subset, 70, 77, 78
 - interior, 37
 - intersection, 617
 - map, *see* transformation
 - membership relation, 189
 - normal cone, 659
 - set, 35, 36, 54
 - subset, 36, 63
 - hyperplane intersection, 76
 - independence, 70, 77, 78
 - nullspace basis span, 77
 - parallel, 36
 - projector, 607, 616
 - transformation, *see* transformation
- algebra
 - affine, 36, 37, 55, 71, 84, 616

- arg, 190, 295, 563, 564
- cone, 142
- face, 84
- function
 - linear, 185
 - support, 203
- fundamental theorem, 534
 - linear, 75
- interior, 37, 43, 157
- linear, 75, 513
- nullspace, 547
- optimization, 190, 563, 564
- projection, 616
- subspace, 34, 75, 76, 547
- algebraic
 - complement, 85, 86, 132, 175, 611, 614, 666
 - projection on, 610, 638
 - multiplicity, 534
- algorithm
 - deprecation, 303
- Alizadeh, 259, 568
- alternating projection, *see* projection
- alternation, 430
- alternative, *see* theorem
- ambient, *see* vector, space
- anchor, 271, 272, 375, 379
- angle, 45, 65, 75
 - acute, 66, 652
 - alternating projection, 652
 - brackets, 46
 - constraint, 368, 371, 385
 - dihedral, 28, 75, 385, 435, 560
 - EDM cone, 111
 - halfspace, 65, 75
 - hyperplane, 75
 - inequality, 361, 433
 - matrix, 389
 - interpoint, 368
 - EDM definition, 365
 - obtuse, 66
 - positive semidefinite cone, 111
 - relative, 387
 - EDM definition, 388
 - right, 113, 137, 155, 156
 - torsion, 28, 385
- antidiagonal, 340, 392
- antisymmetry, 90, 128, 525, 673
- arg, 674
 - algebra, 190, 295, 563, 564
- artificial intelligence, 24
- asymmetry, 33
- audio, 21, 22, 24, 31, 229, 234, 235, 297, 298, 347, 641
- Avis, 54
- axioms of the metric, 359
- axis of revolution, 112, 113, 156, 560, 587
- \mathcal{B} –, 191
- ball
 - 1-norm, 191–194
 - nonnegative, 302, 303
 - 2-norm, 63, 644
 - Euclidean, 36, 192, 193, 372, 606, 642
 - smallest, 57
 - ∞ -norm, 190, 192, 193
 - nuclear norm, 59, 61
 - packing, 372
 - polyhedral, 192, 193
 - spectral norm, 63, 644
- Barker & Carlson, 125
- Barvinok, 33, 99, 120, 123, 125, 246, 247, 259, 263–265, 369, 371, 382, 655
- base, 85
 - station, 382
- basis, 52, 163, 670
 - discrete cosine transform, 298
 - nonorthogonal, 163, 617
 - projection on, 617
 - nullspace, 77, 81, 530, 612
 - orthogonal, 52, 54, 78, 614
 - projection on, 617
 - pursuit, 324
 - standard
 - matrix, 52, 54, 628, 655, 664
 - vector, 52, 131, 366, 674
- Bauschke, 650
- bees, 29, 372
- Bellman & Fan, 241
- Ben-Israel, 149, 249
- Bessel, 613
- bijjective, 46, 48, 50, 103, 159
 - Gram form, 395, 397
 - inner-product form, 397, 398
- invertible, 48, 604
- isometry, 48, 430
- linear, 47, 48, 52, 53, 123
- orthogonal, 48, 430, 492, 559, 573
- binary search, 226, 231
- biorthogonal
 - decomposition, 607, 615
 - expansion, 132, 146, 161, 163, 608, 615
 - EDM, 450
 - projection, 615, 618, 619
 - unique, 161, 163, 165, 451, 551, 615, 618, 619
- biorthogonality, 162, 164
 - condition, 161, 535, 551
- Birkhoff, 62
- bisection method, 226, 231
- Biswas
 - Pratik, 273, 285, 385
 - Suddhendu, 547
- Blu, 323

- Boolean, *see* problem
- Boone, 622
- Borg & Groenen, 28, 427
- Borwein, 81, 92, 633, 650
- bound
 - lower, 485
 - polyhedral, 443
- boundary, 36, 38, 42, 57, 84, 85
 - extreme, 97
 - of affine, 35, 43
 - of cone, 93, 153, 158, 159
 - EDM, 442, 447, 453
 - membership, 146, 153, 159, 250
 - PSD, 37, 99, 105, 117–120, 250, 457
 - ray, 93
 - of halfspace, 66
 - of hypercube slice, 332
 - of open set, 38
 - of point, 43
 - of ray, 85
 - point, 83
 - relative, 36, 38, 42, 57, 84, 85
- bounded, 57, 75
- bowl, 586, 587
- box, 74, 643
- bridge, 385, 408, 465, 485, 497
- Bronstein, 26
- Brooks, 622
- Bunt, 119, 633

- \mathcal{C} –, 33
- calculus
 - matrix, 577
 - of inequalities, 7
 - of variations, 150
- Carathéodory's theorem, 146, 628
- cardinality, 291, 363, 676, 677
 - 1-norm heuristic, 293, 294, 499
 - constraint, *see* constraint
 - convex envelope, *see* convex geometry, 192, 194, 303
 - minimization, 191, 192, 291–297, 307, 308, 329
 - Boolean, 254
 - nonnegative, 193, 194, 196, 291–297, 301, 302, 304–306
 - rank connection, 267
 - rank, full, 259
 - rank-one, 321
 - one, 192, 193, 302–304
 - quasiconcavity, 197, 292
 - regularization, 301, 322
- Carlson, 125
- Cartesian
 - axes, 35, 56, 71, 87, 94, 133, 143, 293, 643
 - cone, *see* orthant
 - coordinates, 425
 - product, 43, 247, 653, 670
 - cone, 89, 90, 141
 - function, 189
 - subspace, 293, 643
- cartography, 425–427
 - stellar, 23, 387, 431
- Cauchy-Schwarz, 78, 650
- Cayley-Menger
 - determinant, 435, 436
 - form, 402, 419, 490, 509
- cellular, 383
 - telephone network, 382
- center
 - geometric, 367, 370, 390, 424
 - gravity, 390
 - mass, 390
- central path, 247
- certificate, 184, 250, 251, 266, 340, 353
 - null, 147, 154
- Chabrilac & Crouzeix, 460
- chain rule, 583
 - two argument, 583
- Chu, 7
- clipping, 197, 198, 482, 642, 643, 667
- closed, *see* set
- coefficient
 - binomial, 196, 306
 - projection, 161, 456, 625, 629
- cofactor, 435
- compaction, 273, 285, 367, 370, 463, 500
- comparable, 92, 160
- complement
 - algebraic, 85, 86, 132, 175, 611, 614, 666
 - projection on, 610, 638
 - projector, 611
 - halfspace, 63
 - orthogonal, 50, 75, 267, 611, 614, 666, 671
 - cone, dual, 132, 142, 143, 639
 - cone, normal, 659
 - projection on, 638
 - vector, 671
 - relative, 81, 666
- complementarity, 175, 190, 292
 - linear, 177
 - maximal, 242, 247, 264
 - problem, 176
 - linear, 177
 - semidefinite, 243, 253, 266
 - strict, 253
- complementary
 - affine dimension, 475
 - dimension, 75
 - eigenvalues, 610
 - halfspace, 68
 - inertia, 419, 529
 - slackness, 252
 - subspace, *see* complement

- compressed sensing, 190–194, 196, 259, 294–297, 307, 308, 323–325, 331, 347
 - formula, 296, 323
 - nonnegative, 193, 194, 296, 302–306
 - Procrustes, 313
 - prototypical, 303
- compressive sampling, *see* compressed
- computational complexity, 242
- concave, 185, 186, 198
- condition
 - biorthogonality, 161, 535, 551
 - convexity, 216
 - first order, 216, 218, 221, 222
 - second order, 220, 224
 - Moore–Penrose, 603
 - necessary, 666
 - optimality, 252
 - conic problem, 140, 175, 177, 178
 - direction vector, 266, 292
 - directional derivative, 587
 - dual, 138
 - first order, 149, 150, 174–178
 - KKT, 176, 178, 488, 576
 - linear program, 140
 - semidefinite program, 252
 - Slater, 140, 184, 249, 252
 - unconstrained, 150, 211, 212, 631
 - orthogonality, 611
 - orthonormality, 162, 163, 613
 - sufficient, 666
- cone, 63, 85, 88, 671, 676
 - algebra, 142
 - blade, 145
 - boundary, *see* boundary
 - Cartesian, *see* orthant
 - product, 89, 90, 141
 - circular, 42, 88, 112–114, 478
 - axis, 112–114
 - Lorentz, *see* cone, Lorentz
 - right, 112
 - closed, *see* set, closed
 - convex, 63, 88, 90, 95
 - subsets, 118
 - difference, 43, 141
 - dimension, 122
 - dual, 73, 132, 135–138, 141–144, 178, 180, 181, 422, 671
 - algorithm, 178
 - construction, 136, 137
 - dual, 141, 151
 - facet, 159, 181
 - formula, 151, 166, 172, 173
 - halfspace-description, 151
 - in subspace, 142, 146, 164, 167, 168
 - Lorentz, 144, 155
 - orthant, *see* orthant
 - orthogonal complement, 132, 142, 143, 639
 - pointed, 131, 141
 - product, Cartesian, 141
 - properties, 141
 - self, 147, 155, 156
 - self, axis, 155, 156
 - spectral, 421, 422
 - unique, 135, 159
 - vertex-description, 166, 178
- $\sqrt{\text{EDM}}$, 441, 443, 495
- EDM, 363, 439, 441, 442, 461
 - angle, 111
 - axis, 111, 416, 441, 448, 449
 - boundary, 442, 447, 453
 - circular, 112
 - construction, 448
 - convexity, 443
 - decomposition, 474
 - dual, 467, 468, 472, 476, 478, 479
 - equality, 30, 439, 472, 476
 - extreme direction, 450
 - face, 449, 451
 - interior, 442, 447
 - one-dimensional, 97
 - polar, 455, 474–476, 507, 508
 - positive semidefinite, 451, 457, 472
- empty set, 88
- face, 93
 - EDM, smallest, 449
 - intersection, 153
 - pointed, 90
 - PSD, 126
 - PSD, smallest, 106–109, 121, 245, 459, 469, 477
 - smallest, 90, 153, 154, 194, 304, 306
 - smallest, generators, 154, 306
- facet, 159, 181
- halfline, 85, 88, 90, 95, 97, 123, 131
- halfspace, *see* halfspace
- hull, 96, 111, 141, 142
- ice cream, *see* cone, circular
- interior, *see* interior
- intersection, 89, 141, 142
 - pointed, 90
- invariance, *see* invariance
- Lorentz
 - circular, 88, 113
 - dual, 144, 155
 - polyhedral, 128, 144
- majorization, 516
- membership, *see* membership relation
- monotone, 170–172, 420, 510, 574, 643
 - nonnegative, 168–170, 421, 422, 427, 429, 430, 490–492, 510, 516, 643
- negative, 160, 619
- nonconvex, 85–88
- normal, 173–177, 189, 455, 634, 640, 647, 658–661, 671

- affine, 659
- elliptope, 660
- membership relation, 173
- orthant, 175
- orthogonal complement, 659
- translated, 647, 659
- one-dimensional, 85, 88, 90, 123, 131
 - EDM, 97
 - PSD, 95
- origin, 63, 88, 90, 93, 95, 123
- orthant, *see* orthant
- pointed, 89–95, 130, 144, 159, 162, 172
 - closed convex, 90–92, 123, 128
 - dual, 131, 141
 - extreme, 90, 95, 131, 138
 - face, 90
 - polyhedral, 94, 130, 158, 159
- polar, 73, 85, 135, 177, 455, 507, 637–639, 643, 672
 - EDM, 455, 474–476, 507, 508
 - positive semidefinite, 471, 476
- polyhedral, 63, 123, 127–132, 138
 - dual, 124, 142, 147, 151, 156, 158, 161
 - equilateral, 156
 - facet, 159, 181
 - halfspace-description, 128
 - majorization, 510
 - pointed, 94, 130, 158, 159
 - proper, 124
 - vertex-description, 63, 130, 147, 159
- positive semidefinite, 40, 99–101, 471
 - angle, 111
 - axis, 112
 - boundary, 99, 105, 117, 250, 457
 - circular, 112–114, 198
 - convex subsets, 118
 - dimension, 106
 - dual, 155
 - EDM, 451, 457, 472
 - equality, 30, 439, 472
 - extreme direction, 95, 100, 110, 111
 - face, *see* cone, face
 - hyperplane, supporting, 106, 107
 - inscription, 115
 - interior, 99, 249
 - inverse image, 102, 158, 205, 206, 223, 229, 247
 - one-dimensional, 95
 - optimization, 246
 - polar, 471, 476
 - polyhedral, 116
 - rank, 106–109, 118, 243
 - visualization, 244
- product, Cartesian, 89, 90, 141
- proper, 92, 178
 - dual, 142
- quadratic, 88
- ray, 85, 88, 90, 123, 131
 - EDM, 97
 - positive semidefinite, 95
- recession, 138
- second order, *see* cone, Lorentz
- shrouded, 156, 479
- simplicial, 64, 132–134, 160, 643
 - dual, 142, 160, 167
- spectral, 418–420, 490
 - dual, 421, 422
 - orthant, 492
- subspace, 88, 128, 131
- sum, 89, 141, 142
- supporting hyperplane, *see* hyperplane
- tangent, 455
- transformation, *see* transformation
- two-dimensional, 123
- union, 86, 88, 141, 142, 178
- unique, 99, 135, 442
- vertex, 90
- congruence, 393, 417
- conic
 - combination, 63, 88, 130
 - constraint, 175, 176, 178, 198
 - coordinates, 132, 163, 165, 182–184
 - inversion, 183
 - hull, *see* hull
 - independence, 25, 64, 121–126, 259, 344
 - versus* dimension, 122
 - dual cone, 168
 - extreme direction, 125
 - preservation, 123
 - unique, 122, 126, 164, 166
 - problem, 140, 175, 176, 178, 189, 240
 - dual, 140, 240
 - section, 112
 - circular cone, 114
- conjugate
 - complex, 327, 517, 543, 559, 629, 663, 668
 - convex, 141, 144, 146, 151, 159, 167, 173
 - function, 498, 668
 - gradient, 331
- conservation
 - dimension, 75, 401, 541, 542, 553
- constellation, 23, 387
- constraint
 - angle, 368, 371, 385
 - binary, 254, 315, 341
 - cardinality, 291–297, 307, 308, 329
 - full-rank, 259
 - nonnegative, 193, 196, 291–297, 301–306
 - projection on PSD cone, 321
 - rank-one, 321
- conic, 175, 176, 178, 198
- equality, 150, 178
 - affine, 240
- Gram, 368

- inequality, 176, 265
 - nonnegative, 62, 78, 79, 176, 190, 191, 193, 194, 240, 308
 - norm, 308, 316, 541, 623
 - Frobenius, 624
 - spectral, 62
 - orthogonal, 352, 386, *see* Procrustes
 - orthonormal, 309
 - permutation, 310, 341
 - polynomial, 198, 313, 314
 - qualification, *see* Slater
 - rank, 265, 309, 313, 314, 348, 351, 502, 508
 - cardinality, 321
 - fat, 346
 - indefinite, 346
 - projection on matrices, 643
 - projection on PSD cone, 212, 321, 489, 494, 566
 - Schur-form, 63
 - singular value, 63
 - sort, 429
 - tractable, 240
 - content, 436, 676
 - contour plot, 174, 219
 - contraction, 63, 177, 330, 332
 - convergence, 269, 430, 645
 - geometric, 647
 - global, 266, 269, 292, 353
 - local, 269, 294, 297, 307, 353
 - measure, 256
 - convex, 7, 21, 33, 185–187
 - combination, 33, 63, 130
 - envelope, 498, 499
 - bilinear, 229
 - cardinality, 257, 499
 - rank, 280, 382, 498, 499
 - equivalent, 280
 - form, 8, 239
 - geometry, 33
 - fundamental, 66, 71, 75, 357, 366
 - hull, *see* hull
 - iteration
 - accelerant, 355
 - cardinality, 291–297, 307
 - cardinality one, 302–304
 - convergence, 266, 269, 292, 294, 307, 353
 - rank, 265, 267–269, 502
 - rank, fat, 346
 - rank, indefinite, 346
 - rank-one, 309, 351, 352, 511
 - stall, 269, 294, 297, 309, 316, 351
 - log, 237
 - optimization, 7, 21, 187, 239, 375
 - art, 8, 258, 273, 512
 - fundamental, 239
 - solution set, 187, 351
 - polyhedron, *see* polyhedron
 - problem, 140, 150, 175, 178, 191, 201, 208, 210, 242, 248, 494, 633, 673
 - definition, 239
 - geometry, 21, 25
 - nonlinear, 239
 - statement as solution, 8, 239
 - tractable, 240
 - program, *see* problem
 - quadratic, *see* function
 - strictly, *see* function, convex
 - convexity, 185, 198
 - condition
 - first order, 216, 218, 221, 222
 - second order, 220, 224
 - eigenvalue, 408, 526, 566
 - K-, 186
 - log, 237
 - norm, 63, 187, 190–192, 210, 215, 564, 677
 - projector, 610, 614, 633, 634
 - strict, *see* function, convex
 - coordinates
 - conic, 132, 163, 165, 182–184
 - inversion, 183
 - CPU, 671
 - Crippen & Havel, 385
 - crippling, 242
 - Critchley, 396, 507
 - criterion
 - EDM, 456, 459
 - dual, 473
 - Finsler, 460
 - metric *versus* matrix, 402
 - Schoenberg, 28–30, 366, 367, 419, 440, 452, 456, 473, 477, 480, 630
 - Crouzeix, 460
 - cubix, 578, 580, 672
 - curvature, 220, 226
 - cylinder, 60
- D –, 366
- Dantzig, 62, 240, 241
 - d’Aspremont, 100, 321
 - dB, 671
 - DC, 671
 - DCT, 671, *see* discrete cosine transform
 - decomposition, 672
 - biorthogonal, 607, 615
 - completely PSD, 88, 270
 - dyad, 545
 - eigenvalue, 533–536
 - factorization
 - nonnegative, 270
 - positive, 270
 - spectral, 286–288
 - Moreau, 177, 639
 - orthonormal, 613–615

- singular value, *see* singular value
- deconvolution, 324
- definite, *see* matrix
- de Leeuw, 423, 486, 496, 503
- Delsarte, 372
- dense, 84
- dereverberation, 22, 24
- derivative, 211
 - directional, 218, 583, 586, 587, 590–592
 - dimension, 586, 594
 - gradient, 587
 - second, 588
 - gradient, 592
 - partial, 577, 669
 - table, 594
- D’Errico, 533
- description
 - conversion, 132
 - halfspace-, 64, 66
 - of affine, 77
 - of dual cone, 151
 - of polyhedral cone, 128
 - of polyhedron, 127
 - of subspace, 75, 76
 - vertex-, 63, 64, 96
 - of affine, 77
 - of dual cone, 166, 178
 - of halfspace, 125, 126
 - of hyperplane, 69
 - of polyhedral cone, 63, 130, 147, 159
 - of polyhedron, 57, 129, 130
 - of subspace, 75, 76
 - projection on affine, 621
- determinant, 226, 432, 522, 532, 594, 600
 - Cayley-Menger, 435, 436
 - inequality, 525
 - Kronecker, 515
 - product, 523
- Deutsch, 634, 642, 644, 647
- Deza, 261, 455
- DFT, 48, 325, 671, *see* discrete Fourier transform
- diag(), *see* δ
- diagonal, 513, 525, 668
 - δ , 513, 525, 668
 - binary, 608
 - dominance, 117
 - inequality, 525
 - matrix, 533
 - commutative, 524
 - diagonalization, 536
 - nonnegative, 525
 - positive semidefinite, 525
 - values
 - eigen, 533
 - singular, 536
 - zero, 541
- diagonalizable, 162, 533–535
 - simultaneously, 107, 253, 522, 524, 543
- diagonalization, 40, 80, 533–536
 - diagonal matrix, 536
 - expansion by, 162
 - symmetric, 535
- diamond, 392
- differentiable, *see* function
- differential
 - Fréchet, 585
 - partial, 669
- diffusion, 463
- dilation, 427
- dimension, 36, 675
 - affine, *see* affine
 - complementary, 75
 - conservation, 75, 401, 541, 542, 553
 - domain, 49
 - embedding, 55
 - Euclidean, 669
 - invariance, 49
 - nullspace, 75
 - positive semidefinite cone
 - face, 106
 - Précis, 401
 - range, 49
 - rank, 122, 400–402, 675
- direction, 85, 95, 583
 - matrix, 266–269, 280, 322, 373, 503
 - existence, 266
 - Identity, 268, 347
 - interpretation, 267
 - Newton, 211
 - projection, 611, 615, 625, 626
 - nonorthogonal, 609, 610, 618, 625
 - parallel, 615, 616, 619, 620
 - steepest descent, 211, 586
 - vector, 266–269, 292–294
 - existence, 266
 - Identity, 268, 347
 - interpretation, 293, 294, 499
 - optimality condition, 266, 292
 - unity, 293
- disc, 59
- discrete
 - cosine transform, 298, 325
 - Fourier transform, 48, 325
 - time Fourier transform, 236
- discretization, 151, 186, 220, 477
- dist, 648, 676
- distance, 363, 648, 649
 - 1-norm, 191, 192, 222
 - absolute, 359, 416
 - comparative, *see* distance, ordinal
 - Euclidean, 363
 - geometry, 21, 382
 - matrix, *see* EDM
 - maximization, 635

- minimization, 612, 630
- ordinal, 425–431
- origin to affine, 68, 606, 620
 - 1-norm, 191, 192
 - nonnegative, 193, 194, 302
- property, 359
- self, 359
- square, 363, 365
- taxicab, *see* distance, 1-norm
- Dokmanić, 22
- Donoho, 347
- doublet, *see* matrix
- dropout problem, 297
- dual
 - affine dimension, 475
 - dual, 141, 147, 151, 252, 256, 320
 - feasible set, 247
 - norm, 144, 564, 677
 - problem, 138–140, 184, 195, 241, 251–253, 319, 370, 465
 - projection, 634, 635
 - on cone, 85, 132, 475, 507, 636–640
 - on convex set, 634, 635
 - on EDM cone, 475, 476, 507, 508
 - optimization, 634
 - strong, 139, 140, 252, 573
 - variable, 138, 176, 178, 184, 668
- duality, 140, 370
 - gap, 139, 140, 249, 252, 320
 - strong, 140, 184, 201, 252
 - weak, 251
- Duensing, 325
- Dulá, 622
- dvec, 53, 428, 676
- dyad, *see* matrix
- Dijkstra, 647, 648, 658
 - algorithm, 646, 657, 659, 662
- \mathcal{E} –, 409
- Ebert, 603
- Eckart & Young, 31, 487, 489, 512, 567
- edge, 82
- EDM, 28, 357, 358, 363, 480, 671
 - closest, 488
 - composition, 414–416, 441, 443
 - construction, 446
 - criterion, 456, 459
 - dual, 473
 - definition, 363, 444
 - Gram form, 365, 453
 - inner-product form, 387
 - interpoint angle, 365
 - relative-angle form, 388
 - dual, 473, 475
 - eigenvalue, 401, 417, 418, 428, 445
 - exponential entry, 414
 - graph, 360, 372, 376, 379, 380
 - indefinite, 417
 - invariance, *see* invariance
 - membership relation, 477
 - nonnegative, 472
 - projection, 458
 - range, 445
 - rank, 402, 447
 - subgraph, 462, 463
 - test, numerical, 361, 366
 - unique, 413, 424, 425, 489
- eigen, 533
 - matrix, 101, 162, 535
 - spectrum, 418, 490
 - ordered, 420
 - unordered, 421
 - value, 520, 533, 564, 566
 - λ , 513, 522, 525, 668
 - convexity, 408, 526, 566
 - decomposition, 533–536
 - distinct, 533, 534
 - EDM, 401, 417, 418, 428, 445
 - inequality, 522, 572
 - interlaced, 407, 418, 527
 - intertwined, 407
 - inverse, 535, 536, 540
 - Kronecker, 516
 - largest, 408, 526, 566–568
 - left, 533
 - maximum, *see* eigenvalue, largest
 - minimum, *see* eigenvalue, smallest
 - of sum, 526, 527
 - precision, 533
 - principal, 321
 - product, 522, 524, 570
 - projection, 608, 610, 614, 625–629
 - real, 517, 534, 535
 - repeated, 119, 533, 534
 - Schur, 531
 - singular, 537, 540
 - smallest, 408, 415, 465, 526, 566, 567
 - sum of, 48, 522, 567–569
 - symmetric matrix, 535, 540
 - transpose, 534
 - unique, 111, 534
 - zero, 541, 549
 - vector, 533, 566, 567
 - distinct, 534
 - EDM, 445
 - Kronecker, 516
 - left, 533, 535
 - l.i., 533, 534
 - normal matrix, 535
 - orthogonal, 535
 - principal, 321, 322, 624
 - real, 534, 535, 542
 - symmetric matrix, 535

- unique, 534
 - elbow, 483, 484
 - El Ghaoui, 321
 - ellipsoid, 34, 39, 40, 308
 - invariance, 44
 - elliptope, 255, 257, 368, 375, 409–411, 417, 453–455
 - smooth, 410
 - vertex, 256, 409, 410
 - embedding, 398
 - dimension, 55
 - empty
 - interior, 36, 37
 - set, 35–37, 43, 563
 - affine, 35
 - closed, 38
 - cone, 88
 - face, 82
 - hull, 55, 57, 63
 - open, 38
 - entry, 35, 186, 663, 667–669, 672
 - largest, 195
 - smallest, 195
 - epigraph, 185, 187, 204, 223, 237
 - form, 209, 506, 624
 - intersection, 203, 204, 210, 237
 - nonconvex, 204
 - equality
 - constraint, 150, 178
 - affine, 240
 - EDM cone, 30, 439, 472
 - dual, 476
 - normal equation, 605
 - PSD cone, 30, 439, 472
 - equivalent, 673
 - Ericson & Zinoviev, 374
 - errata, 180, 201, 272, 396, 569, 642
 - Eternity II, 332
 - extreme point, 341
 - Euclidean
 - ball, 36, 192, 193, 372, 606, 642
 - smallest, 57
 - distance, 358, 363
 - geometry, 21, 376, 382, 630
 - matrix, *see* EDM
 - metric property, 359, 404
 - fifth, 359, 361, 362, 431, 433, 438
 - norm, *see* 2-norm
 - projection, 118
 - space, 33, 34, 358, 670
 - ambient, 34, 467, 478
 - exclusive
 - mutually, 149
 - expansion, 163, 672
 - biorthogonal, 132, 146, 161, 163, 608, 615
 - EDM, 450
 - projection, 615, 618, 619
 - unique, 161, 163, 165, 451, 551, 615, 618, 619
 - implied by diagonalization, 162
 - orthogonal, 52, 135, 163, 613, 615
 - w.r.t orthant, 163
 - exponent, *see* function, fractional
 - exponential, *see* matrix
 - exposed, 81, 82
 - closed, 451
 - direction, 96
 - extreme, 83, 90, 126
 - face, 82, 127
 - point, 82, 83, 96
 - density, 84
 - extreme, 81
 - boundary, 97
 - direction, 79, 95, 98, 123
 - distinct, 95
 - dual cone, 124, 159, 164, 165, 168, 179–181
 - EDM cone, 97, 450, 472
 - one-dimensional, 95, 97
 - origin, 95
 - orthant, 79
 - pointed cone, 90, 95, 131, 138
 - PSD cone, 95, 100, 110, 111
 - shared, 181
 - supporting hyperplane, 159
 - unique, 95
 - exposed, 83, 90, 126
 - point, 62, 81–84, 246
 - cone, 90, 121
 - Fantope, 267
 - feasible set, 266
 - hypercube slice, 293
 - ray, 95, 453
 - sum, 96
- \mathcal{F} –, 84
- face, 38, 82
 - affine, 84
 - algebra, 84
 - cone, *see* cone
 - exposed, *see* exposed
 - intersection, 153
 - isomorphic, 106, 369, 449
 - of face, 84
 - polyhedron, 126, 127
 - recognition, 26
 - smallest, 84, 106–109, 153, 154, *see* cone
 - transitivity, 84
- facet, 82, 159, 181
- factorization, *see* decomposition
- Fan, 59, 241, 266, 280, 522, 564, 567
- Fantope, 58, 59, 111, 207, 266, 267
 - extreme point, 267
- Farkas' lemma, 144, 148, 149

- positive definite, 249
 - not, 250
 - positive semidefinite, 248
- fat, *see* matrix
- feasible, 673
- Fejér, 155, 214, 650, 651, 653
- Fenchel, 26, 185, 498
- Fermat point, 369, 370
- Ferreira, 644
- Fiacco & McCormick, 241
- filter, 288, 641
 - design, 229, 234, 235, 512
- find, 673, 675
- finitely generated, 127
- Finsler, 460
- floor, 677
- Forsgren, Gill, & Wright, 239
- Fourier transform
 - discrete, 48, 325
 - time, 236
- Frankel, Felice, 735
- Frisch, 241
- Frobenius, 47, *see* norm
- Fukuda, 54
- full, 36
 - dimensional, 36, 92
 - rank, 76, 259
- function, 185, *see* operator
 - affine, 44, 189, 200–202, 213
 - supremum, 203, 204, 564
 - bilinear, 229
 - composition, 198, 215, 583
 - affine, 215, 237
 - concave, 185, 186, 198, 501, 566
 - conjugate, 498, 668
 - continuity, 186, 204, 221, 237
 - convex, 185, 186, 204, 364, 389
 - difference, 197, 210, 294
 - invariance, 186, 204, 237
 - nonlinear, 186, 203
 - simultaneously, 206, 207, 223
 - strictly, 186, 187, 189, 215–218, 220, 224, 225, 496, 500, 505, 586, 587
 - sum, 189, 215, 237
 - supremum, 203, 210, 237
 - trivial, 189
 - differentiable, 186, 203, 216, 218, 224
 - non, 186, 187, 191, 212, 237, 330, 331
 - distance
 - 1-norm, 222
 - Euclidean, 363
 - dual, 139, 140, 251, 320
 - fractional, 206, 216, 220, 223, 530
 - inverted, 198, 594, 601
 - power, 199, 601
 - projector, 207
 - root, 198, 525, 536, 664
 - square root, 199, 496
 - inverted, *see* function, fractional
 - invertible, 45, 48, 49
 - linear, *see* operator
 - matrix, 185, 187, 221
 - chain rule, 583
 - convexity, 222, 224
 - epigraph, 223
 - gradient, 579
 - line theorem, 224
 - product, 580
 - monotonic, 185, 195, 197, 214, 229, 235, 237, 294
 - strictly, 214
 - multidimensional, 185, 221, 673
 - affine, 189, 201
 - convexity, 222, 224
 - gradient, 210
 - line theorem, 224
 - monotonic, 214
 - quasiconvex, 227
 - negative, 198
 - nonconvex, 204, 220, 485, 502
 - norm, 190, *see* norm
 - objective, *see* objective
 - presorting, 195, 292, 490, 493, 510, 668
 - product, 206, 216, 227–229, 235
 - projection, *see* projector
 - pseudofractional, 205
 - quadratic, 187, 209, 217, 220, 225, 387, 530, 629
 - convex, strictly, 187, 220, 224, 225, 505, 586, 587
 - distance, 363
 - maximization, 576
 - nonconvex, 314, 576
 - nonnegative, 530
 - quasiconcave, 227, 229, 235, 237, 260
 - cardinality, 197, 292
 - not, 237
 - rank, 117
 - strictly, 227
 - quasiconvex, 118, 204, 226, 227, 229, 237
 - continuity, 227, 237
 - not, 237
 - strictly, 227
 - quasilinear, 220, 235, 237, 540
 - quotient, *see* function, fractional
 - ratio, *see* function, fractional
 - smooth, 186, 191
 - sorting, 195, 292, 490, 493, 510, 668
 - square, *see* norm
 - square root, *see* function, fractional
 - sstress, 486
 - step, 540
 - matrix, 260
 - strain, 486

- stress, 220, 486, 502
- support, 73, 203
 - algebra, 203
- vector, 185, 187, 668
 - convexity, 218
 - epigraph, 204
 - gradient, 577, 579
 - line theorem, 224
 - monotonicity, 214
 - sublevel, 205
- fundamental
 - convex
 - geometry, 66, 71, 75, 357, 366
 - optimization, 239
 - metric property, 359, 404
 - semidefiniteness test, 155, 517, 629
 - subspace, 45, 75, 76, 548, 552, 553, 604, 612
 - projector, 612
 - vectorized, 80
- \mathcal{G} –, 152
- Gaffke & Mathar, 468
- Galtier, 199
- Gâteaux differential, 585
- generators, 55, 63, 96, 129, 152
 - c.i., 125
 - face, smallest, 154, 306
 - hull, 130
 - affine, 55, 69, 621
 - conic, 63, 125
 - convex, 57
 - l.i., 125
 - minimal set, 57, 69, 125, 344, 670
 - affine, 621
 - extreme, 96, 159
 - halfspace, 125, 126
 - hyperplane, 126
 - orthant, 186
 - PSD cone, 100, 155, 221
 - unique, *see* unique
- geometric
 - center, 367, 370, 390, 424
 - operator, 396
 - subspace, 106, 391, 394, 395, 439, 465, 469–471, 498, 544, 631, 632
 - Hahn-Banach theorem, 66, 71, 75
 - mean, 601
 - multiplicity, 534
- Geršgorin, 116
- Gill, 239
- gimbal, 560
- global
 - convergence, *see* convergence
 - optimality, *see* optimality
 - positioning system, 24, 272
- Glossary, 663
- Glunt, 505, 659
- Golub, 517
- Gordan, 149
- Gould, 242
- Gower, 357, 409
- GPS, *see* global
- gradient, 149, 174, 201, 210, 211, 218, 577, 592
 - composition, 583
 - conjugate, 331
 - derivative, 592
 - directional, 587
 - dimension, 210
 - first order, 592
 - image, 328
 - monotonic, 215
 - norm, 197, 595, 597, 612, 620, 621, 631, 633, 634
 - product, 580
 - second order, 593
 - sparsity, 324
 - table, 594
 - zero, 150, 211, 212, 631
- Gram form
 - bijjective, 395, 397
 - EDM definition, 365, 453
 - injective, 391, 395, 397
 - invariance, 391
 - inversion, 396
 - proximity problem, 497
 - semidefinite program, 506
- Gram matrix, *see* matrix
- Gregory, 372
- Groenen, 28, 427
- Gross, 29
- \mathcal{H} –, 66
- Hadamard
 - product, 46, 495, 513, 515, 582, 666
 - of vectors, 582
 - positive semidefinite, 524
 - quotient, 594, 601, 666
 - square root, 664
- halfline, 85, 88, 90, 95, 97, 123, 131, 229
- halfplane, 144, 145, 230, 287
- halfspace, 63, 65, 66, 131, 138
 - angle, 65, 75
 - boundary, 66
 - complement, 63
 - description, 64, 66
 - of affine, 77
 - of dual cone, 151
 - of polyhedral cone, 128
 - of polyhedron, 127
 - of subspace, 75, 76
 - vertex-, 125, 126, 132
 - interior, 43

- intersection, 66, 141, 155
 - polarity, 66
 - Han, 657
 - Hardy-Littlewood-Pólya, 491
 - Havel, 385
 - Hayden & Wells, 209, 439, 444, 451, 452, 504, 505
 - hearing aid, 641
 - Herbst, 540
 - Hessian, 211, 577
 - hexagon, 371
 - Hiriart-Urruty, 73, 346, 576
 - homogeneity, 92, 190, 237, 364
 - homotopy, 292
 - honeycomb, 29
 - Hong, 505
 - Horn & Johnson, 221, 518, 519
 - horn, flared, 89
 - Householder, 554
 - Huang
 - Feng, 325
 - Hong-Xuan, 378
 - hull, 54
 - affine, 36, 54–57, 71, 129, 130
 - correlation matrices rank-1, 55
 - EDM cone, 396, 467
 - empty set, 55
 - point, 37, 55
 - positive semidefinite cone, 55
 - unique, 55
 - conic, 56, 63, 96, 130
 - empty set, 63
 - convex, 54, 56, 57, 96, 129, 130, 358
 - cardinality one vectors, 192, 302
 - cone, 96, 111, 141, 142
 - dyads, 59, 61
 - empty set, 57
 - extreme directions, 96
 - orthogonal matrices, 62
 - orthonormal matrices, 62
 - outer product, 58, 59, 61, 62, 267, 568
 - permutation matrices, 62
 - positive semidefinite cone, 111
 - projection matrices, 59, 267, 568
 - rank-one matrices, 59, 61
 - rank-one symmetric matrices, 59, 111
 - unique, 57
 - Huo, 294
 - hyperboloid, 545
 - hyperbox, 74, 643
 - hypercube, 47, 74, 192, 643
 - nonnegative, 257
 - slice, nonnegative, 293, 332
 - hyperdimensional, 581
 - hyperdisc, 587
 - hyperplane, 63, 65–69, 213
 - angle, 75
 - hypersphere radius, 67
 - independence, 77
 - intersection, 76, 153
 - convex set, 71, 461
 - movement, 67, 79, 80, 194
 - normal, 68
 - nullspace, 65, 68
 - parallel, 35
 - separating, 75, 142, 147, 148
 - strictly, 75
 - supporting, 71–73, 174, 216–219
 - cone, 135, 136, 153, 159
 - cone, EDM, 467
 - cone, PSD, 106, 107
 - exposed face, 82
 - polarity, 73
 - strictly, 73, 90, 216, 217
 - trivially, 73, 154
 - unique, 216–218
 - vertex-description, 69
 - hypersphere, 59, 279, 368, 411
 - circum-, 402
 - packing, 372
 - radius, 67
 - hypograph, 205, 237, 596
 - Hz, 671
- I –, 674
- idempotent, *see* matrix
 - iff, 675
 - image, 44
 - inverse, 44, 45, 157
 - cone, 102, 142, 158, 205, 206, 223, 229, 247
 - magnetic resonance, 324
 - in, 669
 - independence
 - affine, 64, 69, 70, 122, 125
 - preservation, 70
 - subset, 70, 77, 78
 - conic, 25, 64, 121–126, 259, 344
 - versus* dimension, 122
 - dual cone, 168
 - extreme direction, 125
 - preservation, 123
 - unique, 122, 126, 164, 166
 - hyperplane, 77
 - linear, 34, 64, 122, 125, 259, 304, 550
 - matrix, 523
 - of subspace, 34, 666
 - preservation, 34
 - inequality
 - angle, 361, 433
 - matrix, 389
 - Bessel, 613
 - Cauchy-Schwarz, 78, 650
 - constraint, 176, 265
 - determinant, 525

- diagonal, 525
- eigenvalue, 522, 572
- generalized, 92, 132, 144
 - dual, 144
 - dual PSD, 155
 - partial order, 90, 92, 101
- Hardy-Littlewood-Pólya, 491
- Jensen, 216
- linear, 22, 33, 66, 146
 - matrix, 157, 158, 247, 250
- log, 596
- norm, 255, 677
 - triangle, 190
- rank, 525
- singular value, 574
- spectral, 418
- sum, 161
- trace, 525
- triangle, 359, 360, 387, 404, 405, 407, 408, 414, 431, 433–435, 442, 443
 - norm, 190
 - strict, 405
 - unique, 432
 - vector, 190
 - variation, 150
- inertia, 417, 529
 - complementary, 419, 529
 - Sylvester's law, 523
- infimum, *see* minimization, 563, 612, 630
 - of concave functions, 237
 - of quasiconcave functions, 237
 - of Rayleigh quotient, 566
 - of totally ordered set, 675
- inflection, 220
- injective, 48, 49, 93, 183, 393, 670
 - Gram form, 391, 395, 397
 - inner-product form, 397, 398
- invertible, 48, 603, 604
 - non, 49, 50
 - nullspace, 48
- innovation, rate, 323
- interior, 36, 38, 42, 84
 - algebra, 37, 43, 157
 - empty, 36, 37
 - of affine, 37
 - of cone, 157, 159
 - EDM, 442, 447
 - membership, 146
 - positive semidefinite, 99, 249
 - of halfspace, 43
 - of point, 37, 38
 - of ray, 85
 - point, 36
 - method, 128, 239, 242, 243, 256, 286, 335, 342, 372, 375, 476, 504
 - relative, 36, 37, 42, 84
 - transformation, 157
- intersection, 43
 - affine, 617
 - cone, 89, 141, 142
 - pointed, 90
 - epigraph, 203, 204, 210, 237
 - face, 153
 - halfspace, 66, 141, 155
 - hyperplane, 76, 153
 - convex set, 71, 461
 - line with boundary, 38
 - nullspace, 78
 - planes, 77
 - positive semidefinite cone
 - affine, 120, 250
 - geometric center subspace, 544
 - line, 377
 - subspace, 78
 - tangential, 40
- invariance
 - closure, 37, 127, 157
 - cone, 89, 90, 123, 141, 440
 - pointed, 93, 131
 - convexity, 43
 - dimension, 49
 - EDM, 390
 - Gram form, 391
 - inner-product form, 393
 - reflection, 391
 - rotation, 391
 - scaling, 364
 - translation, 390, 391, 395, 412
 - ellipsoid, 44
 - function, convex, 186, 204, 237
 - isometric, 23, 378, 390, 393, 423, 424
 - optimization, 190, 202, 267, 563, 564, 673
 - orthogonal, 49, 430, 485, 558, 561
 - rotation, 112
 - scaling, 237, 563, 564
 - set, 416
 - translation
 - function, 186, 237, 563
 - subspace, 465, 632
- inverse
 - image, *see* image
 - matrix, *see* matrix
 - minimization, *see* function, fractional
 - nullspace, 45, 48, 604
 - pseudo, *see* matrix, pseudoinverse
- inversion
 - conic coordinates, 183
 - Gram form, 396
- invertible
 - injective, 48, 603, 604
 - operator, 45, 48, 49, 157
- is, 666
- isedm(), 361, 366
- isometry, 48, 430, 486

- isomorphic, 47, 50, 52, 666
 - face, 106, 369, 449
 - isometrically, 40, 48, 103, 155
 - non, 544
- isomorphism, 47, 158, 396, 398, 430, 440
 - isometric, 48, 52, 54, 430
 - symmetric hollow subspace, 54
 - symmetric matrix subspace, 51
- isotonic, 427
- iterate, 645, 654, 655, 658
- iteration
 - alternating projection, 506, 645, 651, 659
 - convex, *see* convex
- j –, 325
- Jacobian, 211
- Jobs, 9
- Johnson, 221, 518, 519
- Jordan, 321
- \mathcal{K} –, 88
- Kaczmarz, 617
- Karhunen-Loève transform, 423
- Karmarkar, 241
- kernel, *see* nullspace
- Kimmel, 26
- Kirschhoffer, 334
- kissing, 139, 191, 192, 302–304, 606
 - number, 372
 - problem, 372
- KKT conditions, 176, 178, 488, 576
- Klanfer, 368
- Klee, 96
- Korkine & Zolotarev, 374
- Krein-Rutman, 142
- Kronecker product, 103, 513, 515, 573, 581, 582, 596
 - eigen, 516
 - inverse, 326
 - of vectors, 582
 - orthogonal, 561
 - positive semidefinite, 363, 524
 - projector, 646
 - pseudoinverse, 605
 - trace, 515
 - vectorization, 515
- Kuhn, 370
- \mathcal{L} –, 203
- Lagrange multiplier, 150, 576
 - sign, 184
- Lagrangian, 184, 189, 319, 320, 329, 370
- Lanckriet, 321
- Lanczos, 565
- Laplace transfer function, 229, 287
- Lasso, 324
- lattice, 274–277, 281–283
 - regular, 29, 274
- Laurent, 259, 261, 409, 414, 455, 459, 656
- Lauterbur, 324
- Law, 324, 582
- law of cosines, 387
- least
 - 1-norm, 191, 192, 254, 303
 - nonnegative, 302, 303
 - energy, 367, 500
 - norm, 192, 255, 606
 - squares, 272, 606
- Legendre-Fenchel transform, 498
- Lemaréchal, 21, 73
- Lewis, 81, 92, 126, 633
- Liang, 378
- line, 34, 35, 55, 213, 214, 224
 - tangential, 41
- linear
 - algebra, 75, 513
 - bijection, *see* bijective
 - complementarity, 177
 - function, *see* operator
 - independence, 34, 64, 122, 125, 259, 304, 550
 - matrix, 523
 - of subspace, 34, 666
 - preservation, 34
 - inequality, 33, 66, 146
 - matrix, 157, 158, 247, 250
 - injective, *see* injective
 - map, *see* transformation
 - operator, 43, 52, 185, 200, 201, 365, 396, 397, 430, 452, 513, 632
 - projector, 49, 610, 614, 616, 634
 - program, 74, 78–80, 140, 190, 201, 239–242, 372, 673
 - dual, 140, 240
 - prototypical, 140, 240
 - surjective, *see* surjective
 - transformation, *see* transformation
- list, 21, 28, 54, 667, 669
 - generating, 129, 130, *see* generators
- Littlewood, 491
- Liu, 439, 444, 451, 504
- localization, 23, 377
 - sensor network, 271–285
 - standardized test, 274
 - unique, 24, 272, 273, 376, 378
 - wireless, 271, 279, 382
- log, 596, 600
 - barrier, 8, 372
 - convex, 237
 - det, 226, 382, 501, 591, 599
- Lowner, 101, 525
- Luenberger, 634
- Lustig, 325

- \mathcal{M} –, 170
- machine learning, 24, 622
- Magaia, 540
- majorization, 516
 - cone, 516
 - symmetric hollow, 516
- manifold, 24, 27, 62, 106, 462, 463, 485, 511, 559, 570
- map, *see* transformation
 - isotonic, 426, 427
 - USA, 28, 425–431
- Mardia, 487
- Markov process, 465
- Marziliano, 323
- mater, 578
- Mathar, 468, 558
- Matlab, 31, 560
 - backslash, 254
 - cartography, 425, 429
 - conic independence, 121
 - convex iteration
 - accelerant, 355
 - stall, 309
 - fast max cut, 321
 - MRI, 323, 326, 330–332
 - noise, 285
 - polynomial feasibility, 315
 - signal dropout, 301
 - SVD, 354, 538
- matrix, 578
 - angle
 - interpoint, 365, 368
 - relative, 388
 - antisymmetric, 51, 517, 558, 670
 - antihollow, 53, 482
 - auxiliary, 367, 554, 558
 - Householder, 555
 - orthonormal, 557
 - projector, 554
 - Schoenberg, 364, 556, 621, 669
 - table, 558
 - binary, *see* matrix, Boolean
 - Boolean, 256, 409
 - bordered, 407, 418
 - calculus, 577
 - circulant, 225, 535, 555
 - permutation, 326, 338, 340–342
 - symmetric, 326
 - commutative, *see* product
 - completion, *see* problem
 - correlation, 55, 409
 - covariance, 367
 - decomposition, *see* decomposition
 - determinant, *see* determinant
 - diagonal, *see* diagonal
 - diagonalizable, *see* diagonalizable
 - direction, 266–269, 280, 322, 373, 503
 - existence, 266
 - Identity, 268, 347
 - interpretation, 267
 - distance
 - 1-norm, 222, 417
 - Euclidean, *see* EDM
 - doublet, 391, 552, 632
 - nullspace, 552
 - range, 552
 - dyad, 545, 547
 - decomposition, 545
 - hull, 59
 - independence, 78, 162, 424, 445, 550, 551
 - negative, 547
 - nullspace, 548
 - projection on, 625, 627
 - projector, 549, 550, 608, 625
 - pseudoinverse, 548
 - range, 548
 - sum, 533, 536, 551
 - symmetric, 110, 527, 528, 549
 - EDM, *see* EDM
 - elementary, 416, 552, 554
 - nullspace, 553
 - range, 553
 - entry, *see* entry
 - Euclidean distance, *see* EDM
 - exponential, 225, 601
 - factorization, *see* decomposition
 - fat, 50, 76, 346, 663
 - Fourier, 48, 325
 - full-rank, 76
 - Gale, 379
 - geometric centering, 367, 390, 440, 465, 554
 - Gram, 278, 365, 375
 - constraint, 368
 - unique, 391, 395
 - Hermitian, 517
 - hollow, 51–54
 - Householder, 554, 559
 - auxiliary, 555
 - idempotent, 610
 - nonsymmetric, 606
 - range, 607
 - symmetric, 611, 614
 - Identity, 674
 - direction vector, 268, 347
 - Fantope, 58, 59
 - orthogonal, 62, 311, 554, 559
 - permutation, 62, 311, 554
 - positive definite, 62, 111, 112, 528, 559
 - projection, 528
 - indefinite, 346, 417
 - indices, 358
 - inverse, 224, 525, 535, 549, 591, 663
 - injective, 604

- minimize, *see* function, fractional
 - symmetric, 536
 - Jordan form, 521, 534
 - measurement, 481
 - nonexpansive, 558
 - nonnegative, 418, 452, 472, 481, 641
 - definite, *see* matrix, positive semidefinite
 - factorization, 270
 - nonsingular, 535, 536
 - normal, 48, 521, 535, 537
 - normalization, 257
 - nullspace, *see* nullspace
 - orthogonal, 48, 311, 392, 535, 538, 558–561
 - manifold, 559
 - product, *see* product
 - symmetric, 559
 - orthonormal, 49, 59, 62, 267, 309, 391, 536, 538, 557, 568, 613
 - manifold, 62
 - nonexpansive, 558
 - pseudoinverse, 604
 - partitioned, 528–532, *see* Schur
 - permutation, 62, 311, 403, 516, 536, 559
 - circulant, 326, 338, 340–342
 - extreme point, 62, 341
 - positive semidefinite, 62
 - product, *see* product
 - symmetric, 326, 554, 572
 - positive definite, 101
 - inverse, 525
 - positive real numbers, 221
 - positive factorization, 270
 - positive semidefinite, 99–121, 155, 418, 517–533
 - completely, 88, 270
 - difference, 120
 - domain of test, 517, 629
 - from extreme directions, 111
 - Hadamard, 524
 - Kronecker, 363, 524
 - nonnegative *versus*, 418
 - nonsymmetric, 520
 - permutation, 62
 - projection, 528, 613
 - pseudoinverse, 605
 - rank, *see* rank
 - square root, 525, 536, 664
 - sum, eigenvalues, 526
 - sum, nullspace, 78
 - sum, rank, *see* rank
 - symmetry *versus*, 517
 - zero entry, 541
 - product, *see* product
 - projection, 103, 555, 607, 613
 - eigenvalue, 608, 610, 614
 - Kronecker, 646
 - nonorthogonal, 606
 - orthogonal, 611
 - positive semidefinite, 528, 613
 - product, *see* product
 - rank, *see* rank
 - pseudoinverse, 45, 103, 164, 212, 255, 528, 603–605
 - Kronecker, 605
 - nullspace, 45, 603, 604
 - of dyad, 548
 - of projection, 604, 613
 - of vector, 604
 - orthonormal, 604
 - positive semidefinite, 605
 - product, *see* product
 - range, 45, 603, 604
 - SVD, 540
 - symmetric, 540, 605
 - transpose, 161
 - unique, 603
 - quotient, Hadamard, 594, 601, 666
 - range, *see* range
 - rank, *see* rank
 - reflection, 391, 392, 559, 572
 - rotation, 391–393, 558, 560, 571
 - of range, 560
 - rotation of, 561
 - Schur-form, *see* Schur
 - similarity, sign, 527
 - simple, 547
 - skinny, 49, 164, 663
 - sort index, 427
 - square, 225
 - square root, 664, *see* matrix, positive semidefinite
 - Stiefel, *see* matrix, orthonormal
 - stochastic, 62, 311
 - sum
 - eigenvalues, 526, 527
 - nullspace, 78
 - rank, *see* rank
 - symmetric, 46, 50–54, 517, 535
 - Hermitian, 517
 - inverse, 536
 - pseudoinverse, 540, 605
 - real numbers, 221
 - subspace of, 50
 - symmetrized, 517
 - trace, *see* trace
 - transpose, 663
 - conjugate, 517, 559, 663
 - unitary, 559
 - symmetric, 326, 327
 - zero definite, 544, 545
- max cut problem, 319
- maximization, 203, 204, 344, 572, *see* supremum
- maximum variance unfolding, 463, 465
- McCormick, 241

- membership, 57, 90, 92, 101, 676
 - boundary, 159
 - interior, 159
 - relation, 144
 - affine, 189
 - boundary, 146, 153, 250
 - discretized, 151, 152, 155, 477
 - EDM, 477
 - interior, 146, 249
 - normal cone, 173
 - orthant, 57, 152, 153
 - subspace, 167
- Menger, 402, 419, 435, 436, 490, 509
- metric, 48, 222, 358
 - postulate, 359
 - property, 359, 404
 - fifth, 359, 361, 362, 431, 433, 438
 - space, 359
- minimal
 - cardinality, *see* minimization
 - element, 91, 92, 188, 189
 - rank, *see* minimization
 - set, *see* set
- minimization, 149, 175, 273, 563, 587
 - affine function, 202
 - cardinality, 191, 192, 291–297, 307, 308, 329
 - Boolean, 254
 - nonnegative, 193, 194, 196, 291–297, 301, 302, 304–306
 - rank connection, 267
 - rank, full, 259
 - rank-one, 321
 - fractional, inverted, *see* function
 - inverted, *see* function, fractional
 - norm
 - 1-, 191, *see* problem
 - 2-, 190, 369, 370, 624
 - ∞ -, 191
 - Frobenius, 190, 209, 212, 485, 631
 - nuclear, 347, 499, 565
 - of concave functions, 237
 - of distance, 612, 630
 - of quasiconcave functions, 237
 - of Rayleigh quotient, 566
 - on hypercube, 74
 - over totally ordered set, 675
 - rank, 265, 266, 309, 348, 351, 502, 508
 - cardinality connection, 267
 - cardinality constrained, 321
 - fat, 346
 - indefinite, 346
 - trace, 267–269, 347, 377, 498–500, 530, 565
- minimizer, 187, 189
- minimum
 - element, 91, 189
 - unique, 92, 188
 - global, 185, 187
 - unique, 187, 587
- Minkowski, 128
- MIT, 348
- Mizukoshi, 54
- molecular conformation, 23, 25, 29, 385
- Monckton, 332, 335
- monotonic, 208, 214, 269, 294, 651, 654
 - Fejér, 651
 - function, 185, 195, 197, 214, 229, 235, 237, 294
 - strictly, 214
 - gradient, 215
 - noisily, 270, 294
- Moore-Penrose
 - conditions, 603
 - inverse, *see* matrix, pseudoinverse
- Moreau, 177, 639
- Motzkin, 119, 149, 315, 633
- MRI, 323, 324, 328
- Muller, 540
- multidimensional
 - function, 185, 221, 673
 - affine, 189, 201
 - convexity, 222, 224
 - gradient, 210
 - line theorem, 224
 - monotonic, 214
 - quasiconvex, 227
 - objective, 91, 92, 187, 188, 291, 329
 - scaling, 24, 423
 - ordinal, 427
- multilateration, 272, 382
- multiobjective optimization, 91, 92, 187–189, 291, 329
- multipath, 384
- multiplicity, 522, 534
- Musin, 372, 374
 - \mathcal{N} –, 76
- neighborhood graph, 462, 463
- neighbors
 - nearest, 27, 462–466
- Németh, 150, 177, 644
- Nemirovski, 481
- nested
 - sequence, 406
 - sublevel set, 219
- Newton, 372, 577
 - direction, 211
- Nigam, 385
- Nirenberg, 634
- node, 274–277, 281–284, 318, 319
- nondegeneracy, 359
- nonexpansive, 177, 558, 607, 613, 642
- nonnegative, 402, 677
 - constraint, 62, 78, 79, 176, 190, 191, 193, 194, 240, 308

- factorization, 270
 - part, 197, 198, 482, 642, 643, 667
 - polynomial, 93, 530
- nonnegativity, 190, 359
- nonorthogonal
 - basis, 163, 617
 - projection on, 617
 - projection, *see* projection
- nonvertical, 213
- norm, 187, 190, 191, 194, 292, 677
 - 0, 541
 - 0-, *see* 0-norm
 - 1-, *see* 1-norm
 - 2-, *see* 2-norm
 - ∞ -, *see* ∞ -norm
 - k -largest, 196, 294, 295, 345, 677
 - gradient, 197
 - ℓ -, 677
 - ball, *see* ball
 - constraint, 308, 316, 541, 623
 - Frobenius, 624
 - spectral, 62
 - convexity, 63, 187, 190–192, 210, 215, 564, 677
 - dual, 144, 564, 677
 - dyad, 548
 - equivalence, 190
 - Euclidean, *see* 2-norm
 - Frobenius, 48, 187, 190, 267, 485, 677
 - Schur-form, 209
 - gradient, 197, 595, 597, 612, 620, 621, 631, 633, 634
 - inequality, 255, 677
 - triangle, 190
 - Ky Fan, 564
 - least, 192, 255, 606
 - nuclear, 60, 267, 347, 499, 564, 565, 677
 - ball, 59–61, 565
 - orthogonally invariant, 49, 430, 485, 558, 561
 - property, 190
 - regularization, 317, 606
 - spectral, 63, 210, 267, 485, 494, 538, 548, 553, 554, 565, 643, 677
 - ball, 63, 644
 - constraint, 62
 - dual, 564, 677
 - inequality, 677
 - Schur-form, 210, 565
 - square, 187, 597, 620, 621, 631, 677
 - vs.* square root, 190, 209, 215, 485, 612, 624
- normal, 68, 174, 634
 - cone, *see* cone
 - equation, 605
 - facet, 159
 - inward, 66, 467
 - outward, 66
 - vector, 68, 634, 659
- Notation, 663
- NP-hard, 502
- nuclear
 - magnetic resonance, 25, 385
 - norm, 60, 267, 347, 499, 564, 565, 677
 - ball, 59–61, 565
- nullspace, 68, 76–81, 555, 632, 670
 - algebra, 547
 - basis, 77, 81, 530, 612
 - dimension, 75
 - doublet, 552
 - dyad, 548
 - elementary matrix, 553
 - form, 75
 - hyperplane, 65, 68
 - injective, 48
 - intersection, 78
 - inverse, 45, 48, 604
 - orthogonal complement, 75
 - product, 523, 547, 551, 612
 - projector, 612
 - pseudoinverse, 45, 603, 604
 - set, 154
 - sum, 78
 - trick, 68
 - vectorized, 81
- numerical precision, *see* precision
 - O –, 674
- objective, 74, 140, 149, 175, 673
 - convex, 239
 - strictly, 496, 500
 - linear, 201, 280, 377
 - multidimensional, 91, 92, 187, 188, 291, 329
 - nonlinear, 203
 - polynomial, 313
 - quadratic, 209
 - nonconvex, 576
 - real, 187
 - value, 251, 262
- offset, *see* invariance, translation
- on, 669
- one-to-one, 670, *see* injective
- only if, 666
- onto, 669, *see* surjective
- open, *see* set
- operator, 673
 - adjoint, 46, 142, 473, 663, 668
 - self, 46, 369, 473, 513
 - affine, *see* function
 - injective, *see* injective
 - invertible, 45, 48, 49, 157
 - linear, 43, 52, 185, 200, 201, 365, 396, 397, 430, 452, 513, 632
 - projector, 49, 610, 614, 616, 634
 - nonlinear, 186, 203
 - nullspace, 391, 395–397, 632

- permutation, 195, 292, 490, 493, 510, 668
- projection, *see* projector
 - surjective, *see* surjective
 - unitary, 48, 559
- optimal, 7, 21, 673
- optimality
 - condition, 252
 - conic problem, 140, 175, 177, 178
 - direction vector, 266, 292
 - directional derivative, 587
 - dual, 138
 - first order, 149, 150, 174–178
 - KKT, 176, 178, 488, 576
 - linear program, 140
 - semidefinite program, 252
 - Slater, 140, 184, 249, 252
 - unconstrained, 150, 211, 212, 631
 - constraint
 - conic, 175, 176, 178
 - equality, 150, 178
 - inequality, 176
 - nonnegative, 176
 - global, 7, 21, 187, 208, 239
 - convergence, 266, 269, 292, 353
 - local, 7, 21, 187, 239
 - convergence, 269, 294, 297, 307, 353
 - perturbation, 262
- optimization, 21, 239
 - algebra, 190, 563, 564
 - combinatorial, 62, 74, 195, 254, 310, 315, 319, 336, 340, 409, 512
 - conic, *see* problem
 - convex, 7, 21, 187, 239, 375
 - art, 8, 258, 273, 512
 - fundamental, 239
 - solution set, 187, 351
 - invariance, 190, 202, 267, 563, 564, 673
 - multiobjective, 91, 92, 187–189, 291, 329
 - tractable, 240
 - vector, 91, 92, 187–189, 291, 329
- order
 - natural, 46, 513, 673
 - nonincreasing, 491, 536, 537, 668
 - of projection, 482–484, 644, 658
 - partial, 57, 89–92, 101, 152, 153, 160, 161, 525, 673, 676
 - generalized inequality, 90, 92, 101
 - orthant, 152
 - property, 90, 92
 - total, 90, 91, 135, 674, 675
 - transitivity, 90, 101, 525, 673
- origin, 33, 34
 - cone, 63, 88, 90, 93, 95, 123
 - projection of, 192, 606, 620
 - 1-norm, 191
 - projection on, 637, 643
 - translation to, 399
- Orion nebula, 23
- orthant, 35, 132, 135, 144, 152, 163, 175
 - dual, 155
 - extreme direction, 79
 - nonnegative, 147, 472
- orthogonal, 46, 611, 630
 - basis, 52, 54, 78, 614
 - projection on, 617
 - complement, 50, 75, 267, 611, 614, 666, 671
 - cone, dual, 132, 142, 143, 639
 - cone, normal, 659
 - projection on, 638
 - vector, 671
 - condition, 611
 - constraint, 352, 386, *see* Procrustes
 - equivalence, 561
 - expansion, 52, 135, 163, 613, 615
 - invariance, 49, 430, 485, 558, 561
 - matrix, *see* matrix
 - projection, *see* projection
 - set, 154
 - sum, 666
- orthonormal, 46
 - condition, 162, 163, 613
 - constraint, 309
 - decomposition, 613–615
 - matrix, *see* matrix
- over, 669
- overdetermined, 663
 - P –, 607
- PageRank, 465
- Pardalos, 379
- Parhizkar, 22
- pattern recognition, 23
- Penrose conditions, 603
- pentahedron, 436
- pentatope, 131, 436
- permutation, *see* matrix
 - constraint, *see* constraint
- perpendicular, *see* orthogonal
- perturbation, 259, 260
 - optimality, 262
- Pfender & Ziegler, 372
- phantom, 324
- plane, 63
 - segment, 95
- point
 - boundary, 83
 - of hypercube slice, 332
 - exposed, *see* exposed
 - feasible, *see* solution
 - fixed, 269, 330, 632, 647–651
 - inflection, 220
 - minimal, *see* minimal element
- Pólya, 491

- Polyak, 563
- polychoron, 43, 127, 132, 434, 436
- polyhedron, 38, 54, 74, 127–132, 408
 - bounded, 57, 62, 129, 194
 - face, 126, 127
 - halfspace, *see* halfspace
 - description, 127
 - norm ball, 193
 - permutation, 62, 63, 311, 313, 341
 - range form, 129
 - stochastic, 62, 311, 313, 341
 - transformation
 - linear, 123, 127, 147
 - unbounded, 35, 38, 128, 129
 - vertex, 62, 128, 193
 - description, 57, 129, 130
- polynomial
 - constraint, 198, 313, 314
 - convex, 220
 - Motzkin, 315
 - nonconvex, 313
 - nonnegative, 93, 530
 - objective, 313
 - quadratic, *see* function
- polytope, 127
- positive, 677
 - completely, 270
 - factorization, 270
 - semidefinite, *see* matrix
 - strictly, 404
- power, *see* function, fractional
- Précis, 401
- precision
 - antisymmetry, 128
 - barrier, 243
 - eigenvalue, 533
 - inequalities
 - complementary, 128
 - numerical, 353, 354
 - perturbation, 260
 - quadruple, 233
 - solver, 8, 233, 256, 286, 329, 335, 342, 343, 372, 375, 481, 504
 - variables, 242
- presolver, 304–306, 335, 343, 344
- primal
 - feasible set, 243, 247
 - problem, 140, 241
 - via dual, 140, 253
- principal
 - component analysis, 321, 423, 512, 622, 623
 - eigenvalue, 321
 - eigenvector, 321, 322, 624
 - submatrix, 108, 375, 432, 435, 450, 527
 - leading, 108, 404, 406
- principle
 - halfspace-description, 66
- separating hyperplane, 75
- supporting hyperplane, 71
- problem
 - 1-norm, 191–193, 195, 254, 307, 308
 - nonnegative, 193, 194, 293, 294, 296, 302–306, 499
 - ball packing, 372
 - Boolean, 62, 74, 254, 315, 340, 409
 - cardinality, *see* cardinality
 - combinatorial, 62, 74, 195, 254, 310, 315, 319, 336, 340, 409, 512
 - complementarity, 176
 - linear, 177
 - completion, 274–277, 285, 326, 335, 359, 360, 376, 379, 380, 407, 414, 437, 438, 460–463, 512
 - geometry, 460
 - semidefinite, 655, 656
 - compressed sensing, *see* compressed
 - concave, 240
 - conic, 140, 175, 176, 178, 189, 240
 - dual, 140, 240
 - convex, 140, 150, 175, 178, 191, 201, 208, 210, 242, 248, 494, 633, 673
 - definition, 239
 - geometry, 21, 25
 - nonlinear, 239
 - statement as solution, 8, 239
 - tractable, 240
 - dropout, signal, 297
 - dual, *see* dual
 - epigraph form, 209, 506, 624
 - equivalent, 190, 202, 267, 563, 564, 673
 - feasibility, 121, 130, 153, 154, 673, 675
 - semidefinite, 251, 265, 266, 351
 - fractional, inverted, *see* function
 - inverted, *see* function, fractional
 - kissing, 372
 - max cut, 319
 - minimax, 57, 140
 - nonconvex, 485, 502
 - nonlinear, 375
 - convex, 239
 - open, 29, 117, 269, 422, 451, 512
 - primal, *see* primal
 - Procrustes, *see* Procrustes
 - proximity, 481, 482, 485, 487, 495, 504
 - EDM, nonconvex, 492
 - in spectral norm, 494
 - rank heuristic, 500, 502
 - SDP, Gram form, 497
 - semidefinite program, 489, 496, 505
 - quadratic
 - nonconvex, 576
 - rank, *see* rank
 - same, 673
 - sphere packing, 372

- sstress, 486
- strain, 486
- stress, 220, 486, 502
- tractable, 240
- procedure
 - rank reduction, 260
- Procrustes
 - combinatorial, 310
 - compressed sensing, 313
 - diagonal, 575
 - linear program, 573
 - maximization, 572
 - orthogonal, 570
 - two sided, 572, 574
 - orthonormal, 309
 - permutation, 310
 - symmetric, 574
 - translation, 571
 - unique solution, 570
- product, 227, 582
 - Cartesian, 43, 247, 653, 670
 - cone, 89, 90, 141
 - function, 189
 - commutative, 225, 253, 522–524, 543, 646
 - determinant, 523
 - eigenvalue, 522, 524, 570
 - of, 524
 - fractional, *see* function
 - function, 206, 216, 227–229, 235
 - gradient, 580
 - Hadamard, 46, 495, 513, 515, 582, 666
 - of vectors, 582
 - positive semidefinite, 524
 - inner
 - EDM definition, 387
 - matrix, 365
 - vector, 45, 65, 229, 241, 323, 387, 558, 625, 667
 - vector, positive semidefinite, 155
 - vectorized matrix, 45–48, 521
 - Kronecker, 103, 513, 515, 573, 581, 582, 596
 - eigen, 516
 - inverse, 326
 - of vectors, 582
 - orthogonal, 561
 - permutation, 559
 - positive semidefinite, 363, 524
 - projector, 646
 - pseudoinverse, 605
 - trace, 515
 - vectorization, 515
 - nullspace, 523, 547, 551, 612
 - orthogonal, 559
 - outer, 58, 59, 61, 62, 267, 568
 - positive semidefinite, 105
 - vector, *see* matrix, dyad
 - permutation, 559
 - positive definite, 518
 - nonsymmetric, 518
 - positive semidefinite, 524, 527
 - matrix outer, 105
 - nonsymmetric, 524
 - vector inner, 155
 - zero, 543
 - projector, 469, 625, 646
 - pseudofractional, *see* function
 - pseudoinverse, 604
 - Kronecker, 605
 - quasiconcave, 229
 - range, 523, 547, 551, 612
 - rank, 522, 523
 - symmetric, 523
 - tensor, 581
 - trace, *see* trace
 - zero, 543
- program, 74, 239
 - convex, *see* problem
 - geometric, 7, 242
 - integer, 62, 74, 304, 340, 409
 - linear, 74, 78–80, 140, 190, 201, 239–242, 372, 673
 - dual, 140, 240
 - prototypical, 140, 240
 - nonlinear
 - convex, 239
 - quadratic, 242, 430
 - second-order cone, 242
 - semidefinite, 140, 190, 201, 239–242, 312, 673
 - dual, 140, 241
 - equality constraint, 101
 - Gram form, 506
 - prototypical, 140, 241, 251, 265, 673
 - Schur-form, 198, 209, 210, 430, 496, 506, 565, 624, 641
- projection, 48, 603, 607, 613
 - 1-norm, 644
 - $I - P$, 610, 638–640
 - algebra, 616
 - alternating, 371, 645, 647
 - angle, 652
 - convergence, 650, 652, 653, 656
 - distance, 648, 649
 - Dykstra algorithm, 646, 657
 - feasibility, 648–650
 - iteration, 645, 659
 - on affine \cap PSD cone, 654
 - on EDM cone, 505
 - on halfspaces, 648
 - on orthant \cap hyperplane, 651, 652
 - on subspace/affine, orthogonal, 646
 - optimization, 648, 649, 657
 - over/under, 653
 - biorthogonal expansion, 615, 618, 619
 - coefficient, 161, 456, 625, 629

- cyclic, 646
- direction, 611, 615, 625, 626
 - nonorthogonal, 609, 610, 618, 625
 - parallel, 615, 616, 619, 620
- dual, *see* dual
- easy, 642
- eigenvalue, 625–629
- Euclidean, 118, 482, 485, 487, 489, 495, 504, 633
- matrix, *see* matrix
- minimum-distance, 150, 610, 612, 630, 633
- nonorthogonal, 366, 486, 494, 606, 609, 610, 619, 624
 - of origin, 191, 192
- oblique, *see* projection, nonorthogonal
- of convex set, 45
- of hypercube, 47
- of matrix, 630, 631
- of origin, 606, 620
 - 1-norm, 191, 192
- of polyhedron, 127
- of PSD cone, 104
- on 1-norm ball, 644
- on affine, 45, 616, 621
 - hyperplane, 620, 622
 - of origin, 191, 192, 606, 620
 - orthogonal, 646
 - vertex-description, 621
- on basis
 - nonorthogonal, 617
 - orthogonal, 617
- on box, 643
- on cardinality k , 643
- on complement
 - algebraic, 610, 638
 - orthogonal, 638
- on cone, 637, 639, 643
 - dual, *see* dual
 - Lorentz (second-order), 644
 - monotone nonnegative, 421, 430, 490–492, 643
 - polar, *see* dual, projection, on cone
 - polyhedral, 644
 - simplicial, 643
 - truncated, 641
- on cone, EDM, 495, 496, 504, 508, 509
 - dual, *see* dual
- on cone, PSD, 118, 487–489, 643
 - cardinality constrained, 321
 - geometric center subspace, 469
 - rank constrained, 212, 489, 494, 566
 - rank-one, 321
- on convex set, 150, 633, 634
 - in affine subset, 644
 - in subspace, 644
- on convex sets, 646
- on dyad, 625, 627
 - on ellipsoid, 308
 - on Euclidean ball, 642
 - on function domain, 205
 - on geometric center subspace, 469, 632
 - on halfspace, 622
 - on hyperbox, 643
 - on hypercube, 643
 - on hyperplane, 620, 622, *see* projection, on affine
 - on hypersphere, 642
 - on intersection, 644
 - on line, 621
 - on matrices
 - rank constrained, 643
 - on matrix, 624–626
 - on origin, 637, 643
 - on orthant, 491, 641, 642
 - in subspace, 491
 - on range, 605
 - on rowspace, 50
 - on simplex, 644
 - on slab, 622
 - on spectral norm ball, 644
 - on subspace, 45, 612
 - Cartesian, 643
 - elementary, 618
 - hollow symmetric, 487, 642
 - matrix, 630
 - orthogonal, 646
 - orthogonal complement, 85, 132, 638
 - polyhedron, 127
 - symmetric matrices, 642
 - on vector
 - cardinality k , 643
 - nonorthogonal, 624
 - orthogonal, 626
- one-dimensional, 626
- order of, 482–484, 644, 658
- orthogonal, 605, 611, 626
- range/rowspace, 633
- semidefiniteness test as, 629, 630
- spectral, 465, 490, 492
 - norm, 494, 643
 - unique, 492
- successive, 646
- two sided, 630, 631, 633
- umbral, 45
- unique, 610, 612, 630, 633, 634
- vectorization, 456, 631
- projector, 45, 612, 634, 673
 - affine subset, 616
 - auxiliary matrix, 554
 - characteristic, 610, 611, 614
 - nonorthogonal, 607
 - orthogonal, 613
 - commutative, 646
 - non, 469, 644, 646

- complement, 611
- convexity, 610, 614, 633, 634
- direction, *see* projection
- dyad, 549, 550, 608, 625
- fractional function, 207
- Kronecker, 646
- linear operator, 49, 610, 614, 616, 634
- nonexpansive, 177, 607, 613, 642
- nonorthogonal, 366, 610, 616, 625
 - affine subset, 607
- nullspace, 612
- orthogonal, 612, 613, 615
- product, 469, 625, 646
- range, 612
- rank/trace, 611, 614
- semidefinite, 528, 613
- subspace, fundamental, 612
- unique, 612, 631
- prototypical
 - complementarity problem, 177
 - compressed sensing, 303
 - coordinate system, 135
 - linear program, 140, 240
 - SDP, 140, 241, 251, 265, 673
 - signal, 323
- PSD, 671, *see* matrix, positive semidefinite
- pseudoinverse, *see* matrix
- pyramid, 436, 437
 - Q –, 558
- quadrant, 35
- quadratic, *see* function
- quadrature, 336, 391
- quartix, 579, 672
- quasi-, *see* function
- quotient
 - Hadamard, 594, 601, 666
 - Rayleigh, 629
 - optimization, 566
 - \mathcal{R} –, 76
- range, 56, 76, 630, 670
 - dimension, 49
 - doublet, 552
 - dyad, 548
 - EDM, 445
 - elementary matrix, 553
 - form, 75
 - idempotent, 607
 - orthogonal complement, 75
 - product, 523, 547, 551, 612
 - projector, 612
 - pseudoinverse, 45, 603, 604
 - rotation, 560
- rank, 522, 523, 537, 538, 675
 - ρ subset, 105, 119, 487, 489–492, 494, 508, 512
 - constraint, *see* constraint
 - convex envelope, *see* convex
 - convex iteration, *see* convex
 - convex subsets, 118
 - diagonalizable, 522
 - dimension, 122, 400–402, 675
 - affine, 402, 502
 - EDM, 402, 447
 - full, 76, 259
 - heuristic, 500, 502
 - indefinite, 346
 - inequality, 525
 - log det, 501, 502
 - minimization, 265, 266, 309, 348, 351, 502, 508
 - cardinality connection, 267
 - cardinality constrained, 321
 - fat, 346
 - indefinite, 346
 - one, 528, 547
 - Boolean, 256, 409
 - convex iteration, 309, 351, 352, 511
 - hull, *see* hull, convex
 - modification, 549, 553
 - PSD, 110, 527, 528, 549
 - subset, 212
 - symmetric, 110, 527, 528, 549
 - transformation, 351, 352
 - update, *see* rank, one, modification
 - partitioned matrix, 531
 - positive semidefinite cone, 243
 - convex subsets, 118
 - face, 106–109
 - Précis, 401
 - product, 522, 523
 - projection matrix, 611, 614
 - quasiconcavity, 117
 - reduction, 243, 259, 260, 263
 - procedure, 260
 - regularization, 290, 291, 309, 317, 350, 351, 502, 511
 - Schur-form, 531, 532
 - sum, 117
 - positive semidefinite, 117, 523
 - trace heuristic, 267–269, 347, 498–500, 565
 - zero, 107, 120, 243, 244, 269
- ray, 85
 - boundary of, 85
 - cone, 85, 88, 90, 123, 131
 - boundary, 93
 - EDM, 97
 - positive semidefinite, 95
 - extreme, 95, 453
 - interior, 85
- Rayleigh quotient, 629
 - optimization, 566

- realizable, 21, 371, 486, 487
- reconstruction, 423
 - isometric, 378, 425
 - isotonic, 425–431
 - list, 423
 - unique, 360, 379, 380, 393
- recursion, 330, 475, 513, 527
- reflection, 391, 392, 559, 572
 - invariance, 391
 - prevention, 391
 - vector, 559
- reflexivity, 90, 525, 673
- regression, 324, 623
- regular
 - lattice, 29, 274
 - simplex, 436
 - tetrahedron, 433, 443
- regularization
 - cardinality, 301, 322
 - norm, 317, 606
 - rank, 290, 291, 309, 317, 350, 351, 502, 511
- relaxation, 62, 74, 195, 256, 257, 377, 409, 429
- reweighting, 294, 501
- Riemann, 242
- Robbeto, 23
- robotics, 24, 30
- Rockafellar, 73, 93, 95, 128, 138
- root, *see* function, fractional
- rotation, 391–393, 558, 560, 571
 - invariance, 112, 391
 - of matrix, 561
 - of range, 560
 - vector, 114, 391–393, 558
- round, 675
- Rutman, 142
 - \mathcal{S} –, 131
- saddle, 139
 - value, 139, 140, 241
- same, 673
- Saul, 27, 463, 464
- Saunders, 233, 342, 343, 346, 549
- scaling, 423
 - frequency, 233
 - invariance, 237, 364, 563, 564
 - multidimensional, 24, 423
 - ordinal, 427
 - unidimensional, 502
- Schütte & van der Waerden, 372
- Schoenberg, 29, 357, 366, 409, 414, 416, 429, 486, 487
 - auxiliary matrix, 364, 556, 621, 669
 - criterion, 28–30, 366, 367, 419, 440, 452, 456, 473, 477, 480, 630
- Schur, 516
 - complement, 232, 279, 377, 528, 529, 531
 - form, 528–532
 - anomaly, 210
 - constraint, 63
 - convex set, 102
 - norm, Frobenius, 209
 - norm, spectral, 210, 565
 - nullspace, 530
 - rank, 531, 532
 - semidefinite program, 198, 209, 210, 430, 496, 506, 565, 624, 641
 - sparse, 531
- Schwarz, 78, 650
- SDP, 671, *see* program, semidefinite
- semidefinite
 - positive, *see* matrix
 - program, *see* program
- sensor, 24, 271, 272, 274–277, 281–284
 - network localization, 271–285, 375, 379
- sequence, 651
 - nested, 406
- set
 - active, 265
 - Cartesian product, 43
 - closed, 34, 37, 38, 65, 66, 157
 - and open, 34, 38
 - cone, 99, 105, 123, 127, 128, 141, 142, 147, 157, 158, 248, 249, 442
 - exposed, 451
 - polyhedron, 123, 127
 - connected, 33
 - convex, 33
 - invariance, 43
 - projection on, 150, 633, 634
 - difference, 43, 141
 - empty, 35–37, 43, 563
 - affine, 35
 - closed, 38
 - cone, 88
 - face, 82
 - hull, 55, 57, 63
 - open, 38
 - feasible, 7, 42, 62, 149, 175, 187, 239, 672
 - dual, 247
 - extreme point, 266
 - primal, 243, 247
 - intersection, *see* intersection
 - invariance, 416
 - level, 174, 201, 203, 211, 219, 235, 240
 - affine, 201
 - minimal, 57, 69, 125, 344, 670
 - affine, 621
 - extreme, 96, 159
 - halfspace, 125, 126
 - hyperplane, 126
 - orthant, 186
 - positive semidefinite cone, 100, 155, 221
 - nonconvex, 37, 85–89

- nullspace, 154
 - open, 34–38, 146
 - and closed, 34, 38
 - orthogonal, 154
 - projection of, 45
 - Schur-form, 102
 - smooth, 410
 - solution, 187, 351, 672
 - sublevel, 174, 204, 211, 218, 223, 227
 - convex, 205, 219, 530
 - nested, 219
 - quasiconvex, 227
 - sum, 43, 666
 - superlevel, 205, 227
 - quasiconcave, 227
 - union, 43, 85, 86, 88, 109
- Shannon, 323
- shape, 23
- shell, 279
- Sherman-Morrison-Woodbury, 549
- shift, *see* invariance, translation
- shroud, 392, 393, 454
 - cone, 156, 479
- SIAM, 240
- sigma delta, 21, 22
- signal
 - dropout, 297
 - processing, 22, 24
 - analog, 229, 234
 - digital, 21, 22, 31, 235, 297, 323, 347, 423
- simplex, 131, 132
 - area, 435
 - content, 436
 - method, 241, 243, 286, 304, 342, 372
 - nonnegative, 302–304, 644
 - regular, 436
 - unit, 131
 - volume, 436
- singular value, 537, 564
 - σ , 513, 514, 668
 - constraint, 63
 - decomposition, 536–540, 564
 - compact, 536
 - convex iteration, 354
 - diagonal, 575
 - full, 538
 - geometrical, 539
 - pseudoinverse, 540
 - real, 537
 - subcompact, 537
 - symmetric, 540, 574
 - eigenvalue, 537, 540
 - inequality, 574
 - inverse, 540
 - largest, 63, 210, 565, 644, 677
 - normal matrix, 48, 537
 - sum of, 48, 59, 564, 565
 - symmetric matrix, 540
 - triangle inequality, 61
- SIOPT, 242
- skinny, *see* matrix
- slab, 35, 279, 622
- slack
 - complementary, 252
 - variable, 241, 247, 265
- Slater, 140, 184, 249, 252
- slice, 113, 155, 382, 586
- slope, 211
- SNR, 671
- solid, 127, 131, 433
- solution, 239
 - analytical, 209, 239, 563
 - feasible, 74, 149, 249, 648–652, 673
 - dual, 252
 - strictly, 249, 252
 - global, 239
 - local, 239
 - numerical, 285
 - optimal, 74, 78–80, 187, 673
 - problem statement as, 8, 239
 - set, 187, 351, 672
 - trivial, 34
 - unique, 42, 187, 377, 378, 494, 496, 500, 508
 - vertex, 74, 194, 195, 243, 256, 257, 303, 304, 313, 342, 372
- sort
 - function, 195, 292, 490, 493, 510, 668
 - index matrix, 427
 - largest entries, 195
 - monotone nonnegative, 491
 - smallest entries, 195
- span, 56, 670
- sparsity, 190–194, 196, 254, 259, 291–297, 307, 308, 321, 323, 346, 673
 - gradient, 324
 - nonnegative, 193, 296, 302–306
- spectahedron, 59
- spectral
 - cone, 418–420, 490
 - dual, 421, 422
 - orthant, 492
 - factorization, 286–288
 - inequality, 418
 - norm, 63, 210, 267, 485, 494, 538, 548, 553, 554, 565, 643, 677
 - ball, 63, 644
 - constraint, 62
 - dual, 564, 677
 - inequality, 677
 - Schur-form, 210, 565
 - projection, *see* projection
- sphere packing, 372
- square, *see* matrix, *see* norm

- square root, 664, 669, *see* function, fractional, *see* matrix
 - Srebro, 61, 564
 - Starck, 325
 - steepest descent, 211, 586
 - Stiemke, 149
 - strain, *see* problem
 - stress, *see* problem
 - strict
 - complementarity, 253
 - feasibility, 249, 252
 - positivity, 404
 - triangle inequality, 405
 - Sturm, 545
 - subject to, 675
 - submatrix
 - principal, 108, 375, 432, 435, 450, 527
 - leading, 108, 404, 406
 - subspace, 34
 - algebra, 34, 75, 76, 547
 - antihollow, 53
 - antisymmetric, 53, 482
 - antisymmetric, 51
 - Cartesian, 293, 643
 - complementary, *see* complement
 - fundamental, 45, 75, 76, 548, 552, 553, 604, 612
 - projector, 612
 - geometric center, 394, 395, 439, 465, 469–471, 498, 544, 631, 632
 - orthogonal complement, 106, 391, 465, 632
 - hollow, 52, 394, 471
 - independence, 34, 666
 - intersection, 78
 - hyperplane, 76
 - nullspace basis span, 77
 - parallel, 36
 - proper, 34, 639
 - representation, 75
 - symmetric hollow, 52
 - tangent, 106
 - translation invariant, 391, 395, 465, 632
 - vectorized, 80, 81
 - successive
 - approximation, 646
 - projection, 646
 - sum, 43
 - of eigenvalues, 48, 522
 - of extremes, 96
 - of functions, 189, 215, 237
 - of matrices
 - eigenvalues, 526, 527
 - nullspace, 78
 - rank, 117, 523
 - of singular values, 48, 59, 564, 565
 - vector, 43, 550, 666
 - orthogonal, 666
 - unique, 51, 132, 550, 666
 - supremum, 57, 237, 344, 563–565, 674
 - of affine functions, 203, 204, 564
 - of convex functions, 203, 210, 237
 - of distance, 465, 635
 - of linear functions, 566
 - of Procrustes, 572
 - of quadratic, 576
 - of Rayleigh quotient, 566
 - supporting hyperplane, 71–73, 635
 - surjective, 49, 394, 395, 397, 490, 669
 - linear, 397, 398, 411, 413
 - SVD, 671, *see* singular value decomposition
 - svec, 51, 241, 676
 - Swiss roll, 27
 - symmetry, 359
- T – , 663
- tangent
 - line, 40, 377
 - subspace, 106
 - tangential, 40, 73, 378
 - Tanner, 296
 - Tarazaga, 439, 444, 451, 504
 - Taylor series, 585, 590, 591
 - tensor, 579–581
 - tesseract, 47
 - tetrahedron, 131, 132, 302, 434
 - angle inequality, 433
 - regular, 433, 443
 - Theobald, 522
 - theorem
 - 0 eigenvalues, 541
 - alternating projection
 - distance, 650
 - alternative, 147–149, 154
 - EDM, 480
 - semidefinite, 250
 - weak, 149
 - Barvinok, 120
 - Bunt-Motzkin, 633
 - Carathéodory, 146, 628
 - compressed sensing, 296, 323
 - cone
 - faces, 93
 - intersection, 89
 - conic coordinates, 182
 - convexity condition, 216
 - decomposition
 - dyad, 545
 - directional derivative, 587
 - discretized membership, 152
 - dual cone intersection, 178
 - duality, weak, 251
 - EDM, 411
 - eigenvalue

- of difference, 527
 - of sum, 526
 - order, 526
 - zero, 541
- elliptope vertices, 409
- exposed, 97
- extreme existence, 81
- extremes, 96, 130
- Farkas' lemma, 144, 148
 - not positive definite, 250
 - positive definite, 249
 - positive semidefinite, 248
- fundamental
 - algebra, 534
 - algebra, linear, 75
 - convex optimization, 239
- generalized inequality and membership, 144
- Gershgorin discs, 115, 116
- gradient monotonicity, 215
- Hahn-Banach, 66, 71, 75
- halfspaces, 66
- Hardy-Littlewood-Pólya, 491
- hypersphere, 411
- inequalities, 491
- intersection, 43
- inverse image, 44, 47
 - closedness, 157
- Klee, 96
- line, 224, 237
- linearly independent dyads, 550
- majorization, 516
- mean value, 591
- Minkowski, 128
- monotone nonnegative sort, 491
- Motzkin, 633
 - transposition, 149
- nonexpansivity, 642
- pointed cones, 90
- positive semidefinite, 520
 - convex subsets, 118
 - matrix sum, 117
 - principal submatrix, 527
 - symmetric, 528
- projection
 - algebraic complement, 639
 - minimum-distance, 634
 - on affine, 616
 - on cone, 637
 - on convex set, 634
 - on PSD geometric intersection, 469
 - on subspace, 45
 - via dual cone, 640
 - via normal cone, 634
- projector
 - rank/trace, 611, 614
 - semidefinite, 528
- proper-cone boundary, 93
- Pythagorean, 314, 387, 645
- range of dyad sum, 551
- rank
 - affine dimension, 402
 - partitioned matrix, 531
 - Schur-form, 531, 532
 - /trace, 611, 614
- real eigenvector, 534
- sparse sampling, 296, 323
- sparsity, 193
- Tour, 414
- Weyl, 128
 - eigenvalue, 526
- tight, 361, 673
- Torgerson, 396
- trace, 201, 513, 514, 564, 566, 597
 - tr, 522, 525, 675
 - commutative, 522
 - eigenvalues, 522
 - heuristic, 267–269, 347, 498–500, 565
 - inequality, 525
 - Kronecker, 515
 - maximization, 465
 - minimization, 267–269, 347, 377, 498–500, 530, 565
 - nonnegative, 525
 - of product, 46, 522, 525
 - positive semidefinite, 525
 - product, 515, 525
 - projection matrix, 611, 614
 - /rank gap, 499
 - zero, 541, 543
- trajectory, 416, 459
 - sensor, 381
- transform
 - cosine, discrete, 298, 325
 - Fourier
 - discrete, 48, 325
 - discrete time, 236
 - Laplace, 229, 287
 - z, 235
- transformation
 - affine, 44, 71, 157, 215, 237
 - positive semidefinite cone, 102
 - bijjective, *see* bijjective
 - bilinear, 236
 - injective, *see* injective
 - invertible, 45, 48, 49
 - linear, 34, 45, 70, 123, 604
 - cone, 89, 93, 123, 127, 147, 157–159
 - cone, dual, 142, 146, 476
 - inverse, 45, 440, 604
 - polyhedron, 123, 127, 147
 - rank-one, 351, 352
 - rigid, 23, 378
 - similarity, 628
 - surjective, *see* surjective

- transitivity
 - face, 84
 - order, 90, 101, 525, 673
- trefoil, 463, 464, 466
- triangle, 359
 - inequality, 359, 360, 387, 404, 405, 407, 408, 414, 431, 433–435, 442, 443
 - norm, 190
 - strict, 405
 - unique, 432
 - vector, 190
- triangulation, 24
- trilateration, 24, 42, 376
 - tandem, 379
- Tucker, 148, 176, 488
 - U –, 59
- unbounded below, 74, 78, 79, 148
- underdetermined, 348, 663
- unfolding, 463, 465
- unfurling, 463
- unimodal, 226
- unique
 - cone, 99, 135, 442
 - dual, 135, 159
 - direction
 - extreme, 95
 - EDM, 413, 424, 425, 489
 - eigen
 - value, 111, 534
 - vector, 534
 - expansion
 - biorthogonal, 161, 163, 165, 451, 551, 615, 618, 619
 - generators, 130
 - hull
 - affine, 55
 - convex, 57
 - hyperplane
 - supporting, 216–218
 - independence
 - conic, 122, 126, 164, 166
 - inequality
 - triangle, 432
 - localization, 24, 272, 273, 376, 378
 - matrix
 - Gram, 391, 395
 - pseudoinverse, 603
 - minimum, 187, 587
 - element, 92, 188
 - projection, 610, 612, 630, 633, 634
 - spectral, 492
 - projector, 612, 631
 - reconstruction, 360, 379, 380, 393
 - solution, 42, 187, 377, 378, 494, 496, 500, 508
 - Procrustes, 570
- sum
 - vector, 51, 132, 550, 666
- unraveling, 463, 464, 466
- untieing, 464, 466
 - V –, 367
- value
 - absolute, 190, 220
 - eigen, *see* eigen
 - unique, 111, 534
 - objective, 251, 262
- Van Loan, 517
- variable
 - dual, 138, 176, 178, 184, 668
 - matrix, 69
 - nonnegative, *see* constraint
 - slack, 241, 247, 265
- variation
 - calculus, 150
 - total, 328
- vec, 46, 326, 514, 515, 676
- vector, 34, 672
 - binary, 55, 257, 315, 410
 - direction, 266–269, 292–294
 - existence, 266
 - Identity, 268, 347
 - interpretation, 293, 294, 499
 - optimality condition, 266, 292
 - unity, 293
 - dual, 657
 - entry, *see* entry
 - indices, 663
 - normal, 68, 634, 659
 - optimization, 91, 92, 187–189, 291, 329
 - parallel, 615, 616, 619, 620
 - Perron, 418
 - primal, 657
 - product
 - Hadamard, 582
 - inner, 45–48, 65, 229, 241, 323, 387, 521, 558, 625, 667
 - inner, positive semidefinite, 155
 - Kronecker, 582
 - outer, *see* matrix, dyad
 - pseudoinverse, 604
 - quadrature, 391
 - reflection, 559
 - rotation, 114, 391–393, 558
 - space, 33, 34, 670
 - ambient, 34, 467, 478
 - Euclidean, 358
- vectorization, 46, *see* vec svec & dvec
 - projection, 456
 - symmetric, 51
 - hollow, 53
- Venn

- EDM, 483, 484
- programs, 242
- sets, 129
- vertex, 39, 42, 62, 82, 83, 193
- cone, 90
- description, 63, 64, 96
 - halfspace-, 132
 - of affine, 77
 - of dual cone, 166, 178
 - of halfspace, 125, 126
 - of hyperplane, 69
 - of polyhedral cone, 63, 130, 147, 159
 - of polyhedron, 57, 129, 130
 - of subspace, 75, 76
 - projection on affine, 621
- elliptope, 256, 409, 410
- polyhedron, 62, 128, 193
- solution, 74, 194, 195, 243, 256, 257, 303, 304, 313, 342, 372
- Vetterli, 323
- von Neumann, 506, 574, 646–648, 652
- Voronoi diagram, 383
- vortex, 448

- *W* –, 266
- wavelet, 324, 325
- wedge, 94, 95, 144
- Weinberger & Saul, 27, 463, 464, 466
- Wells, 209, 439, 444, 451, 452, 504, 505
- Weyl, 128, 147, 526
- Wiener, 646
- wireless location, 24, 271, 279, 382
- womb, 578
- Wright, 239
- Wüthrich, 25

- *X* –, 669

- *Y* –, 224
- Yates, 533
- Ye, 149, 247, 380, 385
- Youla, 644
- Young, 31, 487, 489, 512, 567

- *Z* –, 68
- z transform, 235
- Zenodorus, 563
- zero, 541
 - definite, 544, 545
 - diagonal, 541
 - entry, 541
 - gradient, 150, 211, 212, 631
 - matrix product, 543
- norm-, 541
- rank, 107, 120, 243, 244, 269
- trace, 541, 543
- Zhang
 - Fuzhen, 518, 519
 - Shuzhong, 545
- Ziegler, 372